



PLUMBING PIPING SYSTEMS



PRICE LIST - 4th August. 2023



CPVC Pipes & Fittings

Precision Chlorinated Poly Vinyl Chloride (CPVC) Pipes and Fittings are manufactured from a specially formulated compound in accordance with Indian Standard IS 15778 and ASTM D 2846 specifications. These pipes and fittings are a perfect choice, having many advantages over the conventional systems as they are corrosion free and resistant to most acids, bases, salts and halogens.

Applications

Channelising hot and cold water supply and potable water in homes, apartments, hotels, commercial complex, hospitals, gas and solar applications.

Features

- Various diameters and grades to suit different applications and conditions.
- Time tested operational life of 50 years.
- Economical, maintenance free and easy to install.
- Heat efficient and lower installation cost.
- Corrosion free and chemical resistant.
- Fire retardant.
- Hot and cold water compatible.
- Low thermal expansion.
- Hygienic and environment friendly.
- Service temperature upto 82°C.

Colour - Tan 

DIMENSIONS OF SDR 11 (CLASS 1) CPVC PIPES-IS 15778						
Nominal Size		Nominal	Wall		Working Pressure/kg/cm ²	
Inch	mm	OD	Thickness		27°C	82°C
½	15	15.9	1.7	2.2	27.6	6.8
¾	20	22.2	2.0	2.5	27.6	6.8
1	25	28.6	2.6	3.1	27.6	6.8
1¼	32	34.9	3.2	3.7	27.6	6.8
1½	40	41.3	3.8	4.3	27.6	6.8
2	50	54.0	4.9	5.5	27.6	6.8
DIMENSIONS OF SCH 80 CPVC PIPES - ASTM F 441						
2½	65	73.02	7.01	7.85	29.54	7.38
3	80	88.9	7.62	8.53	26.02	6.52
4	100	114.3	8.56	9.58	22.5	5.62

DIMENSIONS OF SDR 13.5 (CLASS 2) CPVC PIPES-IS 15778						
Nominal Size		Nominal	Wall		Working Pressure/kg/cm ²	
Inch	mm	OD	Thickness		27°C	82°C
½	15	15.9	1.4	1.9	21.8	5.5
¾	20	22.2	1.7	2.2	21.8	5.5
1	25	28.6	2.1	2.6	21.8	5.5
1¼	32	34.9	2.6	3.1	21.8	5.5
1½	40	41.3	3.1	3.6	21.8	5.5
2	50	54.0	4.0	4.6	21.8	5.5
DIMENSIONS OF SCH 40 CPVC PIPES - ASTM F 441						
2½	65	73.02	5.16	5.80	27.1	5.27
3	80	88.9	5.49	6.10	18.28	4.57
4	100	114.3	6.02	6.70	15.47	3.87

MINIMUM DIMENSIONS FROM CENTER TO END OF SOCKET (LAYING LENGTH)							
CPVC SDR 11 Pipe Fittings							
inch	mm	inch	mm	inch	mm	inch	mm
½	15	0.382	9.7	0.183	4.65	0.102	2.59
¾	20	0.507	12.88	0.235	5.97	0.102	2.59
1	25	0.633	16.08	0.287	7.29	0.102	2.59
1¼	32	0.758	19.25	0.339	8.61	0.102	2.59
1½	40	0.884	22.45	0.391	9.93	0.102	2.59
2	50	1.134	28.83	0.495	12.57	0.102	2.59

DIMENSIONS FOR TAPERED SOCKET OF CPVC SDR 11 PIPE FITTINGS																		
Nom	Socket Entrance				Socket Bottom				Socket Entrance		ID		Wall Thickness				Entrance	
Size	Diameter mm				Diameter mm				inch	mm	inch	mm	Socket		Socket Bottom		F	F
Inch	A Aver	A Aver	A Tole	A Tole	B Aver	B Aver	B Tole	B Tole	C min	C min	D min	D min	EA min	EA min	EB min	EB min	F	F
½	0.633	16.08	0.003	0.08	0.619	15.72	0.003	0.08	0.500	12.70	0.489	12.42	0.068	1.73	0.102	2.59	0.128	3.25
¾	0.884	22.45	0.003	0.08	0.870	22.10	0.003	0.08	0.700	17.78	0.715	18.16	0.080	2.03	0.102	2.59	0.128	3.25
1	1.135	28.83	0.003	0.08	1.121	28.47	0.003	0.08	0.900	22.86	0.921	23.39	0.102	2.59	0.102	2.59	0.128	3.25
1¼	1.386	35.20	0.003	0.08	1.372	34.85	0.003	0.08	1.100	27.94	1.125	28.58	0.125	3.18	0.125	3.18	0.156	3.96
1½	1.640	41.66	0.004	0.10	1.622	41.20	0.004	0.10	1.300	33.02	1.329	33.76	0.148	3.76	0.148	3.76	0.185	4.70
2	2.141	54.38	0.004	0.10	2.123	53.92	0.004	0.10	1.700	43.18	1.739	44.17	0.193	4.90	0.193	4.90	0.241	6.12
2 ½	2.889	73.38	0.007	0.18	2.868	72.85	0.007	0.18	1.75	44.45	2.25	57.15	0.276	7.01	0.345	8.76	0.9	2.3
3	3.516	89.31	0.008	0.20	3.492	88.70	0.008	0.20	1.875	47.63	2.82	71.63	0.300	7.62	0.375	9.53	0.9	2.3
4	4.518	114.76	0.009	0.23	4.491	114.07	0.009	0.23	2.25	57.15	3.737	94.92	0.337	8.56	0.42	10.67	0.9	2.3

CPVC PIPES IS 15778 & ASTM F 441

HSN: 39172390



SR NO	PRODUCT CODE	NOMINAL SIZE (mm)	NOMINAL SIZE (inch)	STD.PACK (pcs)	RATE (mtr)	RATE 3mtr/pc
CPVC PIPES - SDR 11 (Length: 3mtr)						
1	CPVC 1115/3	15	½	70	74.00	222.00
2	CPVC 1120/3	20	¾	50	126.00	378.00
3	CPVC 1125/3	25	1	30	205.50	616.50
4	CPVC 1132/3	32	1¼	20	299.00	897.00
5	CPVC 1140/3	40	1½	15	417.00	1,251.00
6	CPVC 1150/3	50	2	10	704.50	2,113.50
CPVC PIPES - SCH 80 (Length: 3mtr)						
7	CPVC 8065/3	65	2½	5	1,419.00	4,257.00
8	CPVC 8080/3	80	3	3	1,903.50	5,710.50
9	CPVC 80100/3	100	4	2	2,771.50	8,314.50

SR NO	PRODUCT CODE	NOMINAL SIZE (mm)	NOMINAL SIZE (inch)	STD.PACK (pcs)	RATE (mtr)	RATE 3mtr/pc
CPVC PIPES - SDR 13.5 (Length: 3mtr)						
10	CPVC 1315/3	15	½	70	65.00	195.00
11	CPVC 1320/3	20	¾	50	112.00	336.00
12	CPVC 1325/3	25	1	30	170.00	510.00
13	CPVC 1332/3	32	1¼	20	254.50	763.50
14	CPVC 1340/3	40	1½	15	351.50	1,054.50
15	CPVC 1350/3	50	2	10	588.50	1,765.50
CPVC PIPES - SCH 40 (Length: 3mtr)						
16	CPVC 4065/3	65	2½	5	1,084.00	3,252.00
17	CPVC 4080/3	80	3	3	1,416.50	4,249.50
18	CPVC 40100/3	100	4	2	2,015.00	6,045.00

SR NO	PRODUCT CODE	NOMINAL SIZE (mm)	NOMINAL SIZE (inch)	STD.PACK (pcs)	RATE (mtr)	RATE 5mtr/pc
CPVC PIPES - SDR 11 (Length: 5mtr)						
19	CPVC 1115/5	15	½	70	74.00	370.00
20	CPVC 1120/5	20	¾	50	126.00	630.00
21	CPVC 1125/5	25	1	30	205.50	1,027.50
22	CPVC 1132/5	32	1¼	20	299.00	1,495.00
23	CPVC 1140/5	40	1½	15	417.00	2,085.00
24	CPVC 1150/5	50	2	10	704.50	3,522.50
CPVC PIPES - SCH 80 (Length: 5mtr)						
25	CPVC 8065/5	65	2½	5	1,419.00	7,095.00
26	CPVC 8080/5	80	3	3	1,903.50	9,517.50
27	CPVC 80100/5	100	4	2	2,771.50	13,857.50

SR NO	PRODUCT CODE	NOMINAL SIZE (mm)	NOMINAL SIZE (inch)	STD.PACK (pcs)	RATE (mtr)	RATE 5mtr/pc
CPVC PIPES - SDR 13.5 (Length: 5mtr)						
28	CPVC 1315/5	15	½	70	65.00	325.00
29	CPVC 1320/5	20	¾	50	112.00	560.00
30	CPVC 1325/5	25	1	30	170.00	850.00
31	CPVC 1332/5	32	1¼	20	254.50	1,272.50
32	CPVC 1340/5	40	1½	15	351.50	1,757.50
33	CPVC 1350/5	50	2	10	588.50	2,942.50
CPVC PIPES - SCH 40 (Length: 5mtr)						
34	CPVC 4065/5	65	2½	5	1,084.00	5,420.00
35	CPVC 4080/5	80	3	3	1,416.50	7,082.50
36	CPVC 40100/5	100	4	2	2,015.00	10,075.00

SDR 11/SCH 80 - Red Stripe

SDR 13.5/SCH 40 - Brown Stripe

CPVC FITTINGS SDR 11 ASTM D 2846

HSN: 39174000

SR NO	PRODUCT CODE	STANDARD SIZE (mm) (inch)	STD. PACK Pc/Bag Pc/Ctn	RATE (pc)
COUPLER				
37	CPVC 15C	15 ½	100 1000	8.00
38	CPVC 20C	20 ¾	100 700	15.50
39	CPVC 25C	25 1	50 300	25.50
40	CPVC 32C	32 1¼	10 200	51.00
41	CPVC 40C	40 1½	10 110	79.00
42	CPVC 50C	50 2	10 70	166.00
43	CPVC 65C	65 2½	4 -	542.00



ELBOW				
44	CPVC 15E	15 ½	100 600	13.00
45	CPVC 20E	20 ¾	50 550	19.50
46	CPVC 25E	25 1	40 240	38.00
47	CPVC 32E	32 1¼	10 120	85.00
48	CPVC 40E	40 1½	10 80	140.00
49	CPVC 50E	50 2	5 40	253.50



TEE				
50	CPVC 15T	15 ½	100 400	15.50
51	CPVC 20T	20 ¾	50 350	28.50
52	CPVC 25T	25 1	25 175	48.00
53	CPVC 32T	32 1¼	10 100	106.00
54	CPVC 40T	40 1½	10 50	171.00
55	CPVC 50T	50 2	5 25	312.00
56	CPVC 65T	65 2½	2 -	1,175.00
57	CPVC 80T	80 3	1 -	1,747.00
58	CPVC 100T	100 4	1 -	2,920.00



ELBOW 45°				
59	CPVC 1545E	15 ½	50 750	11.00
60	CPVC 2045E	20 ¾	25 300	18.50
61	CPVC 2545E	25 1	20 240	36.50
62	CPVC 3245E	32 1¼	10 140	78.00
63	CPVC 4045E	40 1½	5 80	126.00
64	CPVC 5045E	50 2	5 35	232.00



MALE THREAD ADAPTOR				
65	CPVC 15M	15 ½	100 800	12.00
66	CPVC 20M	20 ¾	100 600	20.50
67	CPVC 25M	25 1	50 400	29.00
68	CPVC 32M	32 1¼	10 120	53.50
69	CPVC 40M	40 1½	10 120	80.00
70	CPVC 50M	50 2	10 60	154.50



FEMALE THREAD ADAPTOR				
71	CPVC 15F	15 ½	50 500	18.50
72	CPVC 20F	20 ¾	50 450	25.50
73	CPVC 25F	25 1	25 250	42.50
74	CPVC 32F	32 1¼	10 140	83.50
75	CPVC 40F	40 1½	10 100	124.00
76	CPVC 50F	50 2	5 50	203.50



END CAP				
77	CPVC 15EC	15 ½	100 1500	6.50
78	CPVC 20EC	20 ¾	100 600	11.50
79	CPVC 25EC	25 1	100 300	19.50
80	CPVC 32EC	32 1¼	25 150	40.00
81	CPVC 40EC	40 1½	15 120	56.00
82	CPVC 50EC	50 2	5 60	119.50
83	CPVC 65EC	65 2½	10 -	236.00
84	CPVC 80EC	80 3	10 -	353.00
85	CPVC 100EC	100 4	2 -	612.00



REDUCER COUPLER				
86	CPVC 2015RC	20 x 15 ¾ x ½	100 500	15.00
87	CPVC 2515RC	25 x 15 1 x ½	100 300	24.00
88	CPVC 2520RC	25 x 20 1 x ¾	100 400	26.00
89	CPVC 3215RC	32 x 15 1¼ x ½	10 150	37.00
90	CPVC 3220RC	32 x 20 1¼ x ¾	10 150	39.00
91	CPVC 3225RC	32 x 25 1¼ x 1	10 230	45.50
92	CPVC 4015RC	40 x 15 1½ x ½	10 100	56.50
93	CPVC 4020RC	40 x 20 1½ x ¾	10 100	60.00
94	CPVC 4025RC	40 x 25 1½ x 1	10 100	65.00
95	CPVC 4032RC	40 x 32 1½ x 1¼	10 120	72.00
96	CPVC 5015RC	50 x 15 2 x ½	5 50	116.00
97	CPVC 5020RC	50 x 20 2 x ¾	5 50	118.00
98	CPVC 5025RC	50 x 25 2 x 1	5 50	124.50
99	CPVC 5032RC	50 x 32 2 x 1¼	5 50	130.00
100	CPVC 5040RC	50 x 40 2 x 1½	5 100	141.50



REDUCER TEE				
101	CPVC 2015RT	20x20x15 ¾ x ¾ x ½	10 150	34.50
102	CPVC 2515RT	25x25x15 1x 1 x ½	10 100	59.00
103	CPVC 2520RT	25x25x20 1 x 1 x ¾	10 100	60.00
104	CPVC 3215RT	32x32x15 1¼x1¼x½	10 50	100.50
105	CPVC 3220RT	32x32x20 1¼x1¼x¾	10 50	100.50
106	CPVC 3225RT	32x32x25 1¼x1¼x1	10 50	106.50
107	CPVC 4015RT	40x40x15 1½x1½x½	10 30	157.00
108	CPVC 4020RT	40x40x20 1½x1½x¾	10 30	158.50
109	CPVC 4025RT	40x40x25 1½ x1½x1	10 30	163.50
110	CPVC 4032RT	40x40x32 1½x1½x1¼	10 30	178.00
111	CPVC 5015RT	50x50x15 2 x 2 x ½	5 15	295.00
112	CPVC 5020RT	50x50x20 2 x 2 x ¾	5 15	298.50
113	CPVC 5025RT	50x50x25 2 x 2 x 1	5 15	307.00
114	CPVC 5032RT	50x50x32 2 x 2 x 1¼	5 15	314.00
115	CPVC 5040RT	50x50x40 2 x 2 x 1½	5 15	338.50



REDUCER ELBOW				
116	CPVC 2015RE	20 x 15 ¾ x ½	10 250	24.00
117	CPVC 2520RE	25 x 20 1 x ¾	10 250	46.00



CPVC FITTINGS SDR 11 ASTM D 2846

HSN: 39174000

SR NO	PRODUCT CODE	STANDARD SIZE (mm) (inch)		STD. PACK Pc/Bag Pc/Ctn		RATE (pc)	
REDUCER MTA							
118	CPVC 2015RM	20 x 15	¾ x ½	100	400	19.00	
119	CPVC 2515RM	25 x 15	1 x ½	50	250	28.00	
120	CPVC 2520RM	25 x 20	1 x ¾	50	250	29.00	
REDUCER BUSHING							
121	CPVC 2015RB	20 x 15	¾ x ½	50	1200	8.00	
122	CPVC 2515RB	25 x 15	1 x ½	50	450	19.50	
123	CPVC 2520RB	25 x 20	1 x ¾	50	800	16.00	
124	CPVC 3215RB	32 x 15	1¼ x ½	25	250	33.50	
125	CPVC 3220RB	32 x 20	1¼ x ¾	25	400	35.50	
126	CPVC 3225RB	32 x 25	1¼ x 1	25	400	25.00	
127	CPVC 4015RB	40 x 15	1½ x ½	10	250	53.50	
128	CPVC 4020RB	40 x 20	1½ x ¾	10	250	54.50	
129	CPVC 4025RB	40 x 25	1½ x 1	10	250	53.50	
130	CPVC 4032RB	40 x 32	1½ x 1¼	10	250	35.00	
131	CPVC 5015RB	50 x 15	2 x ½	10	60	103.50	
132	CPVC 5020RB	50 x 20	2 x ¾	10	60	107.00	
133	CPVC 5025RB	50 x 25	2 x 1	10	60	109.50	
134	CPVC 5032RB	50 x 32	2 x 1¼	10	60	120.00	
135	CPVC 5040RB	50 x 40	2 x 1½	10	60	98.00	
TRANSITION BUSHING							
136	CPVC 15TB	15 x 15	½ x ½	100	1200	7.50	
137	CPVC 20TB	20 x 20	¾ x ¾	50	500	10.50	
138	CPVC 25TB	25 x 25	1 x 1	25	300	16.50	
139	CPVC 32TB	32 x 32	1¼ x 1¼	15	150	34.00	
140	CPVC 40TB	40 x 40	1½ x 1½	10	100	43.50	
141	CPVC 50TB	50 x 50	2 x 2	10	60	57.00	
UNION							
142	CPVC 15U	15	½	25	250	42.00	
143	CPVC 20U	20	¾	10	140	65.00	
144	CPVC 25U	25	1	5	75	107.00	
145	CPVC 32U	32	1¼	5	50	148.50	
146	CPVC 40U	40	1½	5	30	240.50	
147	CPVC 50U	50	2	2	16	435.00	
CROSS TEE							
148	CPVC 15CT	15	½	25	300	23.00	
149	CPVC 20CT	20	¾	10	120	41.50	
150	CPVC 25CT	25	1	5	60	79.00	
151	CPVC 32CT	32	1¼	2	60	155.50	
152	CPVC 40CT	40	1½	2	30	260.00	
153	CPVC 50CT	50	2	2	20	474.50	
STEP OVER BEND							
154	CPVC 15SB	15	½	10	120	64.50	
155	CPVC 20SB	20	¾	10	60	93.00	
156	CPVC 25SB	25	1	5	30	179.00	
ELBOW (BRASS)							
157	CPVC 15BE	15 x 15	½ x ½	25	250	73.00	
158	CPVC 20BE	20 x 20	¾ x ¾	15	150	107.50	
159	CPVC 25BE	25 x 25	1 x 1	10	80	221.50	

SR NO	PRODUCT CODE	STANDARD SIZE (mm)	(inch)	STD. PACK Pc/Bag Pc/Ctn		RATE (pc)	
ELBOW (BRASS) - WALL MOUNTING							
160	CPVC 15BEW	15 x 15	½ x ½	25	200	77.50	
161	CPVC 20BEW	20 x 20	¾ x ¾	10	100	106.00	
162	CPVC 25BEW	25 x 25	1 x 1	5	60	222.00	
TEE (BRASS)							
163	CPVC 15BT	15x15x15	½ x ½ x ½	25	250	77.50	
164	CPVC 20BT	20x20x20	¾ x ¾ x ¾	25	125	117.00	
165	CPVC 25BT	25x25x25	1 x 1 x 1	5	60	217.00	
MTA (BRASS)							
166	CPVC 15BM	15	½	25	300	141.00	
167	CPVC 20BM	20	¾	20	200	163.00	
168	CPVC 25BM	25	1	10	100	304.00	
169	CPVC 32BM	32	1¼	5	60	624.50	
170	CPVC 40BM	40	1½	5	40	824.00	
171	CPVC 50BM	50	2	2	20	1,485.00	
FTA (BRASS)							
172	CPVC 15BF	15	½	25	300	131.00	
173	CPVC 20BF	20	¾	20	200	165.00	
174	CPVC 25BF	25	1	10	100	374.00	
175	CPVC 32BF	32	1¼	5	60	628.50	
176	CPVC 40BF	40	1½	5	50	788.00	
177	CPVC 50BF	50	2	2	20	1,198.00	
R - ELBOW (BRASS)							
178	CPVC 2015RBE	20 x 15	¾ x ½	25	200	75.50	
179	CPVC 2515RBE	25 x 15	1 x ½	25	125	112.00	
180	CPVC 2520RBE	25 x 20	1 x ¾	10	120	135.50	
R- ELBOW (BRASS) - WALL MOUNTING							
181	CPVC 2015RBEW	20 x 15	¾ x ½	15	150	102.50	
R - TEE (BRASS)							
182	CPVC 2015RBT	20 x 15	¾ x ½	25	125	96.50	
183	CPVC 2515RBT	25 x 15	1 x ½	10	80	137.00	
184	CPVC 2520RBT	25 x 20	1 x ¾	10	80	150.50	
R - MTA (BRASS)							
185	CPVC 1520RBM	15 x 20	½ x ¾	25	250	118.00	
186	CPVC 2015RBM	20 x 15	¾ x ½	25	250	136.50	
187	CPVC 2515RBM	25 x 15	1 x ½	20	200	112.00	
188	CPVC 2520RBM	25 x 20	1 x ¾	20	200	127.00	
R - FTA (BRASS)							
189	CPVC 1520RBF	15 x 20	½ x¾	25	250	86.50	
190	CPVC 2015RBF	20 x 15	¾ x ½	25	250	79.00	
191	CPVC 2515RBF	25 x 15	1 x ½	10	160	97.50	
192	CPVC 2520RBF	25 x 20	1 x ¾	10	160	101.50	
TANK NIPPLE							
193	CPVC 15TN	15	½	25	150	61.00	
194	CPVC 20TN	20	¾	25	200	64.50	
195	CPVC 25TN	25	1	10	100	98.50	
196	CPVC 32TN	32	1¼	5	60	155.00	
197	CPVC 40TN	40	1½	5	40	222.50	
198	CPVC 50TN	50	2	5	35	346.50	

CPVC FITTINGS SDR 11 ASTM D 2846

HSN: 39174000

SR NO	PRODUCT CODE	STANDARD SIZE (mm)	STANDARD SIZE (inch)	STD. PACK Pc/Bag	RATE (pc)
END PLUG					
199	CPVC 15EP	15	1/2	100	8.50



SR NO	PRODUCT CODE	STANDARD SIZE (mm)	STANDARD SIZE (inch)	STD. PACK Pc/Bag Pc/Ctn	RATE (pc)
BALL VALVE					
HSN: 84818090					
200	CPVC 15BVI	15	1/2	20 100	109.50
201	CPVC 20BVI	20	3/4	15 75	168.50
202	CPVC 25BVI	25	1	10 50	242.00
203	CPVC 32BVI	32	1 1/4	5 25	443.00
204	CPVC 40BVI	40	1 1/2	4 20	811.50
205	CPVC 50BVI	50	2	2 12	1,209.50



SR NO	PRODUCT CODE	STANDARD SIZE (mm)	STANDARD SIZE (inch)	STD. PACK Pc/Bag	RATE (pc)
VAN STONE FLANGE					
206	CPVC 65VF	65	2 1/2	2	1,142.00
207	CPVC 80VF	80	3	2	1,269.00
208	CPVC 100VF	100	4	2	2,177.00



SR NO	PRODUCT CODE	STANDARD SIZE (mm)	STANDARD SIZE (inch)	STD. PACK Pc/Bag Pc/Ctn	RATE (pc)
POWDER COATED METAL STRAP					

HSN: 73072900

209	CPVC 15MS	15	1/2	10 500	10.50
210	CPVC 20MS	20	3/4	10 500	11.50
211	CPVC 25MS	25	1	10 500	12.00
212	CPVC 32MS	32	1 1/4	10 300	13.00
213	CPVC 40MS	40	1 1/2	10 200	14.00
214	CPVC 50MS	50	2	10 200	15.50



SR NO	PRODUCT CODE	STANDARD SIZE (ml)	STD. PACK Pc/Box Pc/Ctn	RATE (pc)
CPVC SOLVENT CEMENT (TIN PACKING)				

HSN: 35061000

215	CPVC SL59	59	30 240	134.00
216	CPVC SL118	118	24 144	231.00
217	CPVC SL237	237	24 96	364.50
218	CPVC SL473	473	12 48	684.50



ASTM (uPVC) Pipes & Fittings



Precision ASTM (uPVC) Pipes and Fittings are manufactured from a specially formulated unplasticised polyvinyl chloride compound. These pipes and fittings are tough and durable with high tensile and impact strength and are manufactured in accordance to ASTM (uPVC) D 1785 – SCH 40 & SCH 80 and Fittings to ASTM (uPVC) D 2476 – SCH 80

Applications

Channelising potable water supply in homes, apartments, hotels, commercial complex and hospitals.

Features

- Various diameters and grades to suit different applications and conditions.
- Time tested operational life of 50 years.
- Economical, maintenance free and Easy to install.
- Heat efficient and lower Installation cost .
- Corrosion free and chemical resistant.
- Fire retardant.
- Low thermal expansion.
- Hygienic and environment friendly.
- Services temperature upto 60°C.
- UV stabilized.

Colour - White ☐

ASTM (uPVC) D 1785 / SCH 40 PIPES

Nominal Size Inch	mm	Nominal OD mm	Wall Thickness		Pressure Rating at 23°C kg/cm ²
			Min	Max	
½	15	21.24	2.77	3.28	41.4
¾	20	26.57	2.87	3.38	33.1
1	25	33.27	3.38	3.89	31.0
1¼	32	42.03	3.56	4.07	25.5
1½	40	48.11	3.68	4.19	22.8
2	50	60.17	3.91	4.42	19.3
2½	65	73.02	5.16	5.77	21.10
3	80	88.9	5.49	6.17	18.28
4	100	114.3	6.02	6.73	15.47

ASTM (uPVC) D 1785 / SCH 80 PIPES

Nominal Size Inch	mm	Nominal OD	Wall Thickness		Pressure Rating at 23°C kg/cm ²
			Min	Max	
½	15	21.24	3.73	4.24	58.6
¾	20	26.57	3.91	4.42	47.6
1	25	33.27	4.55	5.08	43.4
1¼	32	42.03	4.85	5.43	35.9
1½	40	48.11	5.08	5.69	32.4
2	50	60.17	5.54	6.20	27.6
2½	65	73.02	7.01	7.85	29.54
3	80	88.9	7.62	8.53	26.02
4	100	114.3	8.56	9.58	22.50

MINIMUM DIMENSIONS FROM CENTER TO END OF SOCKET (LAYING LENGTH)							
uPVC SCH 80 Pipe Fittings							
inch	mm	inch	mm	inch	mm	inch	mm
½	15	½	12.70	½	6.35	3/32	2.38
¾	20	9/16	14.29	5/16	7.94	3/32	2.38
1	25	11/16	17.46	5/16	7.94	3/32	2.38
1¼	32	7/8	22.22	1/8	9.53	3/32	2.38
1½	40	1	25.40	7/16	11.11	3/32	2.38
2	50	1¼	31.75	5/8	15.88	3/32	2.38

DIMENSIONS FOR TAPERED SOCKET OF uPVC SCH 80 PIPE FITTINGS																		
Nom	Socket Entrance				Socket Bottom				Socket Entrance		ID		Wall Thickness				Entrance	
Size	Diameter inch/mm				Diameter inch/mm				inch	mm	inch	mm	Socket		Socket Bottom			
Inch	Dia	Dia	A Tole	A Tole	B Aver	B Aver	B Tole	B Tole	C min	C min	D min	D min	EA min	EA min	EB min	EB min	F	F
½	0.848	21.54	0.004	0.10	0.836	21.23	0.004	0.10	0.875	22.22	0.502	12.75	0.147	3.73	0.185	4.70	0.03	0.79
¾	1.058	26.87	0.004	0.10	1.046	26.57	0.004	0.10	1.000	25.40	0.698	17.73	0.154	3.91	0.195	4.95	0.03	0.79
1	1.325	33.65	0.005	0.13	1.310	33.27	0.005	0.13	1.125	28.58	0.911	23.14	0.179	4.55	0.225	5.72	0.06	1.59
1¼	1.670	42.42	0.005	0.13	1.655	42.04	0.005	0.13	1.250	31.75	1.227	31.17	0.191	4.85	0.239	6.07	0.06	1.59
1½	1.912	48.56	0.006	0.15	1.894	48.11	0.006	0.15	1.375	34.93	1.446	36.73	0.200	5.08	0.250	6.35	0.06	1.59
2	2.387	60.63	0.006	0.15	2.369	60.17	0.006	0.15	1.500	38.10	1.881	47.78	0.218	5.54	0.275	6.99	0.06	1.59
2 ½	2.889	73.38	0.007	0.18	2.868	72.85	0.007	0.18	1.75	44.45	2.25	57.15	0.276	7.01	0.345	8.76	0.9	2.3
3	3.516	89.31	0.008	0.20	3.492	88.70	0.008	0.20	1.875	47.63	2.82	71.63	0.3	7.62	0.375	9.53	0.9	2.3
4	4.518	114.76	0.009	0.23	4.491	114.07	0.009	0.23	2.25	57.15	3.737	94.92	0.337	8.56	0.42	10.67	0.9	2.3

ASTM (uPVC) D 1785 PIPES

HSN: 39172390

SR NO	PRODUCT CODE	NOMINAL SIZE (mm)	NOMINAL SIZE (inch)	STD.PACK (pcs)	RATE (mtr)	RATE 3mtr/pc
ASTM (uPVC) D 1785 / SCH 40 PIPES (Length: 3mtr)						
219	ASTM 4015/3	15	½	50	67.50	202.50
220	ASTM 4020/3	20	¾	40	94.00	282.00
221	ASTM 4025/3	25	1	30	133.00	399.00
222	ASTM 4032/3	32	1¼	20	186.00	558.00
223	ASTM 4040/3	40	1½	15	214.00	642.00
224	ASTM 4050/3	50	2	10	289.00	867.00
225	ASTM 4065/3	65	2½	5	470.00	1410.00
226	ASTM 4080/3	80	3	3	619.00	1857.00
227	ASTM 40100/3	100	4	2	879.00	2637.00

SR NO	PRODUCT CODE	NOMINAL SIZE (mm)	NOMINAL SIZE (inch)	STD.PACK (pcs)	RATE (mtr)	RATE 3mtr/pc
ASTM (uPVC) D 1785 / SCH 80 PIPES (Length: 3mtr)						
228	ASTM 8015/3	15	½	50	83.50	250.50
229	ASTM 8020/3	20	¾	40	115.00	345.00
230	ASTM 8025/3	25	1	30	167.00	501.00
231	ASTM 8032/3	32	1¼	20	232.00	696.00
232	ASTM 8040/3	40	1½	15	292.00	876.00
233	ASTM 8050/3	50	2	10	412.00	1236.00
234	ASTM 8065/3	65	2½	5	642.00	1926.00
235	ASTM 8080/3	80	3	3	857.00	2571.00
236	ASTM 80100/3	100	4	2	1256.00	3768.00

SR NO	PRODUCT CODE	NOMINAL SIZE (mm)	NOMINAL SIZE (inch)	STD.PACK (pcs)	RATE (mtr)	RATE 6mtr/pc
ASTM (uPVC) D 1785 / SCH 40 PIPES (Length: 6mtr)						
237	ASTM 4015/6	15	½	30	67.50	405.00
238	ASTM 4020/6	20	¾	25	94.00	564.00
239	ASTM 4025/6	25	1	20	133.00	798.00
240	ASTM 4032/6	32	1¼	10	186.00	1116.00
241	ASTM 4040/6	40	1½	10	214.00	1284.00
242	ASTM 4050/6	50	2	5	289.00	1734.00
243	ASTM 4065/6	65	2½	5	470.00	2820.00
244	ASTM 4080/6	80	3	3	619.00	3714.00
245	ASTM 40100/6	100	4	2	879.00	5274.00

SR NO	PRODUCT CODE	NOMINAL SIZE (mm)	NOMINAL SIZE (inch)	STD.PACK (pcs)	RATE (mtr)	RATE 6mtr/pc
ASTM (uPVC) D 1785 / SCH 80 PIPES (Length: 6mtr)						
246	ASTM 8015/6	15	½	30	83.50	501.00
247	ASTM 8020/6	20	¾	25	115.00	690.00
248	ASTM 8025/6	25	1	20	167.00	1002.00
249	ASTM 8032/6	32	1¼	10	232.00	1392.00
250	ASTM 8040/6	40	1½	10	292.00	1752.00
251	ASTM 8050/6	50	2	5	412.00	2472.00
252	ASTM 8065/6	65	2½	5	642.00	3852.00
253	ASTM 8080/6	80	3	3	857.00	5142.00
254	ASTM 80100/6	100	4	2	1256.00	7536.00

SCH 40 - Blue Stripe

SCH 80 - Red Stripe

ASTM (uPVC) D 2467 / SCH 80 FITTINGS

HSN: 39174000

SR NO	PRODUCT CODE	STANDARD SIZE (mm) (inch)		STD. PACK Pc/Bag Pc/Ctn		RATE (pc)
COUPLER						
255	ASTM 15C	15	½	50	550	10.50
256	ASTM 20C	20	¾	50	350	14.00
257	ASTM 25C	25	1	25	200	24.00
258	ASTM 32C	32	1¼	10	100	34.00
259	ASTM 40C	40	1½	10	100	44.00
260	ASTM 50C	50	2	5	60	65.00
ELBOW						
261	ASTM 15E	15	½	50	400	15.00
262	ASTM 20E	20	¾	50	250	22.50
263	ASTM 25E	25	1	25	150	37.50
264	ASTM 32E	32	1¼	10	80	55.50
265	ASTM 40E	40	1½	10	50	74.50
266	ASTM 50E	50	2	5	35	107.00
TEE						
267	ASTM 15T	15	½	50	250	20.50
268	ASTM 20T	20	¾	25	175	30.00
269	ASTM 25T	25	1	20	100	46.00
270	ASTM 32T	32	1¼	10	50	73.50
271	ASTM 40T	40	1½	5	40	95.00
272	ASTM 50T	50	2	2	24	144.00
ELBOW 45°						
273	ASTM 1545E	15	½	25	500	13.00
274	ASTM 2045E	20	¾	25	300	19.50
275	ASTM 2545E	25	1	25	150	31.50
276	ASTM 3245E	32	1¼	10	100	44.50
277	ASTM 4045E	40	1½	10	80	56.50
278	ASTM 5045E	50	2	5	45	92.50
MALE THREAD ADAPTOR						
279	ASTM 15M	15	½	50	850	8.00
280	ASTM 20M	20	¾	25	750	11.50
281	ASTM 25M	25	1	25	300	19.50
282	ASTM 32M	32	1¼	10	240	30.50
283	ASTM 40M	40	1½	10	160	37.50
284	ASTM 50M	50	2	5	100	54.50



SR NO	PRODUCT CODE	STANDARD SIZE (mm) (inch)		STD. PACK Pc/Bag Pc/Ctn		RATE (pc)
FEMALE THREAD ADAPTOR						
285	ASTM 15F	15	½	25	625	10.50
286	ASTM 20F	20	¾	10	400	14.50
287	ASTM 25F	25	1	10	280	23.50
288	ASTM 32F	32	1¼	5	140	34.00
289	ASTM 40F	40	1½	10	100	44.00
290	ASTM 50F	50	2	5	70	63.00
REDUCER COUPLER						
291	ASTM 2015RC	20 x 15	¾ x ½	25	400	14.00
292	ASTM 2515RC	25 x 15	1 x ½	25	250	22.00
293	ASTM 2520RC	25 x 20	1 x ¾	25	225	22.00
294	ASTM 3215RC	32 x 15	1¼ x ½	25	150	27.00
295	ASTM 3220RC	32 x 20	1¼ x ¾	25	150	29.50
296	ASTM 3225RC	32 x 25	1¼ x 1	25	125	33.00
297	ASTM 4015RC	40 x 15	1½ x ½	10	120	34.50
298	ASTM 4020RC	40 x 20	1½ x ¾	10	120	35.50
299	ASTM 4025RC	40 x 25	1½ x 1	10	100	39.00
300	ASTM 4032RC	40 x 32	1½ x 1¼	10	100	44.00
301	ASTM 5015RC	50 x 15	2 x ½	10	70	56.00
302	ASTM 5020RC	50 x 20	2 x ¾	10	70	59.00
303	ASTM 5025RC	50 x 25	2 x 1	10	70	60.50
304	ASTM 5032RC	50 x 32	2 x 1¼	10	70	61.50
305	ASTM 5040RC	50 x 40	2 x 1½	5	70	69.50
END CAP						
306	ASTM 15EC	15	½	25	1000	7.50
307	ASTM 20EC	20	¾	25	700	10.50
308	ASTM 25EC	25	1	25	375	17.00
309	ASTM 32EC	32	1¼	10	250	24.00
310	ASTM 40EC	40	1½	10	200	33.00
311	ASTM 50EC	50	2	5	100	50.00
312	ASTM 65EC	65	2½	10	-	83.00
313	ASTM 80EC	80	3	10	-	118.50



ASTM (uPVC) D 2467 / SCH 80 FITTINGS

HSN: 39174000

SR NO	PRODUCT CODE	STANDARD SIZE (mm) (inch)	STD. PACK Pc/Bag Pc/Ctn	RATE (pc)
REDUCER TEE				
314	ASTM 2015RT	20x20x15 3/4x3/4x1/2	25 175	28.00
315	ASTM 2515RT	25x25x15 1 x 1 x 1/2	25 100	42.50
316	ASTM 2520RT	25x25x20 1 x 1 x 3/4	25 100	43.50
317	ASTM 3215RT	32x32x15 1 1/4x1 1/4x1/2	10 70	59.50
318	ASTM 3220RT	32x32x20 1 1/4x1 1/4x3/4	10 70	61.00
319	ASTM 3225RT	32x32x25 1 1/4x1 1/4x1	10 60	65.50
320	ASTM 4015RT	40x40x15 1 1/2x1 1/2x1/2	5 20	81.50
321	ASTM 4020RT	40x40x20 1 1/2x1 1/2x3/4	5 20	83.00
322	ASTM 4025RT	40x40x25 1 1/2x1 1/2x1	5 20	88.00
323	ASTM 4032RT	40x40x32 1 1/2x1 1/2x1 1/4	5 20	92.50
324	ASTM 5015RT	50x50x15 2 x 2 x 1/2	5 10	117.00
325	ASTM5020RT	50x50x20 2 x 2 x 3/4	5 10	119.00
326	ASTM 5025RT	50x50x25 2 x 2 x 1	5 10	123.00
327	ASTM 5032RT	50x50x32 2 x 2 x 1 1/4	5 10	127.00
328	ASTM 5040RT	50x50x40 2 x 2 x 1 1/2	5 10	131.00
REDUCER BUSHING				
329	ASTM 2015RB	20 x 15 3/4 x 1/2	50 1000	4.00
330	ASTM 2515RB	25 x 15 1 x 1/2	25 600	11.50
331	ASTM 2520RB	25 x 20 1 x 3/4	50 600	8.50
332	ASTM 3225RB	32 x 25 1 1/4 x 1	25 300	14.00
333	ASTM 4015RB	40 x 15 1 1/2 x 1/2	10 250	30.50
334	ASTM 4020RB	40 x 20 1 1/2 x 3/4	10 250	31.50
335	ASTM 4025RB	40 x 25 1 1/2 x 1	10 250	25.50
336	ASTM 4032RB	40 x 32 1 1/2 x 1 1/4	10 250	17.00
337	ASTM 5015RB	50 x 15 2 x 1/2	10 120	43.00
338	ASTM 5020RB	50 x 20 2 x 3/4	10 120	45.50
339	ASTM 5025RB	50 x 25 2 x 1	10 120	51.00
340	ASTM 5032RB	50 x 32 2 x 1 1/4	10 120	46.00
341	ASTM 5040RB	50 x 40 2 x 1 1/2	10 120	35.00
REDUCER ELBOW				
342	ASTM 2015RE	20 x 15 3/4 x 1/2	25 250	22.00
343	ASTM 2515RE	25 x 15 1 x 1/2	25 200	32.00
344	ASTM 2520RE	25 x 20 1 x 3/4	25 150	34.00
REDUCER MTA				
345	ASTM 2015RM	20 x 15 3/4 x 1/2	10 600	11.00
346	ASTM 2515RM	25 x 15 1 x 1/2	15 420	18.50
347	ASTM 2520RM	25 x 20 1 x 3/4	15 420	18.50
UNION				
348	ASTM 15U	15 1/2	10 250	30.50
349	ASTM 20U	20 3/4	10 150	42.50
350	ASTM 25U	25 1	5 100	61.50
351	ASTM 32U	32 1 1/4	5 60	83.00
352	ASTM 40U	40 1 1/2	5 50	113.00
353	ASTM 50U	50 2	5 25	169.00



SR NO	PRODUCT CODE	STANDARD SIZE (mm) (inch)	STD. PACK Pc/Bag Pc/Ctn	RATE (pc)
CROSS TEE				
354	ASTM 15CT	15 1/2	25 200	24.00
355	ASTM 20CT	20 3/4	10 120	32.50
356	ASTM 25CT	25 1	10 80	54.50
357	ASTM 32CT	32 1 1/4	5 45	81.50
358	ASTM 40CT	40 1 1/2	5 30	107.00
359	ASTM 50CT	50 2	2 20	164.00
STEP OVER BEND				
360	ASTM 15SB	15 1/2	5 75	35.50
361	ASTM 20SB	20 3/4	10 40	60.50
362	ASTM 25SB	25 1	5 25	107.00
ELBOW (BRASS)				
363	ASTM 15BE	15 x 15 1/2 x 1/2	20 160	94.50
364	ASTM 20BE	20 x 20 3/4 x 3/4	20 80	146.00
365	ASTM 25BE	25 x 25 1 x 1	10 40	276.00
TEE (BRASS)				
366	ASTM 15BT	15x15x15 1/2x1/2x1/2	25 100	106.00
367	ASTM 20BT	20x20x20 3/4x3/4x3/4	5 65	156.00
368	ASTM 25BT	25x25x25 1 x 1 x 1	10 40	291.00
MTA (BRASS)				
369	ASTM 15BM	15 1/2	10 180	114.00
370	ASTM 20BM	20 3/4	10 120	170.00
371	ASTM 25BM	25 1	5 75	240.00
372	ASTM 32BM	32 1 1/4	5 50	441.00
373	ASTM 40BM	40 1 1/2	5 40	427.00
374	ASTM 50BM	50 2	2 24	765.00
FTA (BRASS)				
375	ASTM 15BF	15 1/2	10 200	78.00
376	ASTM 20BF	20 3/4	15 150	106.00
377	ASTM 25BF	25 1	5 75	229.00
378	ASTM 32BF	32 1 1/4	5 40	266.00
379	ASTM 40BF	40 1 1/2	4 32	495.00
380	ASTM 50BF	50 2	2 24	695.00
R - ELBOW (BRASS)				
381	ASTM 2015RBE	20 x 15 3/4 x 1/2	25 100	113.00
382	ASTM 2515RBE	25 x 15 1 x 1/2	25 75	133.00
383	ASTM 2520RBE	25 x 20 1 x 3/4	5 65	180.00
R - TEE (BRASS)				
384	ASTM 2015RBT	20x20x15 3/4 x 3/4 x 1/2	10 70	135.00
385	ASTM 2515RBT	25x25x15 1 x 1 x 1/2	10 40	165.00
386	ASTM 2520RBT	25x25x20 1 x 1 x 3/4	10 40	192.00
R- MTA (BRASS)				
387	ASTM 2015RBM	20 x 15 3/4 x 1/2	10 150	117.00
388	ASTM 2520RBM	25 x 20 1 x 3/4	10 100	185.00
R - FTA (BRASS)				
389	ASTM 1520RBF	15 x 20 1/2 x 3/4	10 160	104.00
390	ASTM 2015RBF	20 x 15 3/4 x 1/2	10 180	83.00
391	ASTM 2515RBF	25 x 15 1 x 1/2	10 140	99.00
392	ASTM 2520RBF	25 x 20 1 x 3/4	10 120	112.00



ASTM (uPVC) D 2467 / SCH 80 FITTINGS

HSN: 39174000

SR NO	PRODUCT CODE	STANDARD SIZE (mm)	STANDARD SIZE (inch)	STD. PACK Pc/Bag Pc/Ctn	RATE (pc)
TANK NIPPLE					
393	ASTM 15TN	15	1/2	10 250	33.00
394	ASTM 20TN	20	3/4	10 240	59.00
395	ASTM 25TN	25	1	10 120	69.00
396	ASTM 32TN	32	1 1/4	10 80	112.00
397	ASTM 40TN	40	1 1/2	10 60	126.00
398	ASTM 50TN	50	2	10 40	133.00



BALL VALVE					
HSN: 84818090					
399	ASTM 15BVI	15	1/2	15 90	84.00
400	ASTM 20BVI	20	3/4	10 70	111.00
401	ASTM 25BVI	25	1	8 40	161.00
402	ASTM 32BVI	32	1 1/4	5 30	219.00
403	ASTM 40BVI	40	1 1/2	4 20	313.50
404	ASTM 50BVI	50	2	2 16	475.50



SR NO	PRODUCT CODE	STANDARD SIZE (mm)	STANDARD SIZE (inch)	STD. PACK Pc/Bag Pc/Ctn	RATE (pc)
VAN STONE FLANGE					
405	ASTM 65VF	65	2 1/2	2	282.00
406	ASTM 80VF	80	3	2	338.00



SR NO	PRODUCT CODE	STANDARD SIZE (mm)	STANDARD SIZE (inch)	STD. PACK Pc/Bag Pc/Ctn	RATE (pc)
POWDER COATED METAL STRAP					
HSN: 73072900					
407	ASTM 15MS	15	1/2	10 500	11.00
408	ASTM 20MS	20	3/4	10 500	12.00
409	ASTM 25MS	25	1	10 500	13.00
410	ASTM 32MS	32	1 1/4	10 300	14.50
411	ASTM 40MS	40	1 1/2	10 200	15.00
412	ASTM 50MS	50	2	10 200	17.00



SR NO	PRODUCT CODE	STANDARD SIZE (ml)	STD. PACK Pc/Box Pc/Ctn	RATE (pc)
ASTM (uPVC) SOLVENT CEMENT (TIN PACKING)				
HSN: 35061000				
413	ASTM SL59	59	30 240	120.50
414	ASTM SL118	118	24 144	160.50
415	ASTM SL237	237	24 96	258.00
416	ASTM SL473	473	12 48	449.00



SR NO	PRODUCT CODE	STANDARD SIZE (ml)	STD. PACK Pc/Box Pc/Ctn	RATE (pc)
ASTM (uPVC) SOLVENT CEMENT (TIN PACKING) HD				
417	ASTM HD 118	118	24 144	183.50



SEWERAGE WASTE & RAINWATER (SWR)

Pipes & Fittings



Precision Sewerage Waste Rainwater (SWR) Pipes and Fittings are manufactured from a specially formulated unplasticised polyvinyl chloride compound. These pipes and fittings are tough and durable with high tensile and impact strength, manufactured in accordance to IS 13592-2013 and fittings to IS 14735-1999. Rubber ring conforms to IS 5382-1985.

Applications

Precision Sewerage Waste Rainwater (SWR) Pipes and Fittings are available with 'O' ring joint for quick, efficient and leak free waste discharge systems for homes, apartments, hotels, commercial complex and hospitals.

Type A: For rain water discharge as well as venting.

Type B: For soil and waste discharge.

Features

- High quality.
- Time tested operational life of 50 years.
- Economical low maintenance, quick and easy installation.
- UV stabilized weather proof.
- Corrosion and chemical resistance.
- Easy flow due to smooth inner surface.
- Hygienic and environment friendly .
- Easy access for cleaning and clearing obstructions.

Colour - Grey



DIMENSIONS FOR SWR PIPES

Nominal Diameter	Mean Outside Diameter		Outside Diameter at any Point		Wall Thickness			
					Type A		Type B	
DN	Min	Max	Min	Max	Min	Max	Min	Max
75 mm	75.00	75.30	74.10	75.90	1.80	2.20	3.20	3.80
110 mm	110.00	110.40	108.60	111.40	2.20	2.70	3.20	3.80
160 mm	160.00	160.50	158.00	162.00	3.20	3.80	4.00	4.60

RING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) PIPES

HSN: 39172390



SR NO	PRODUCT CODE	NOM. SIZE (mm)	STD. LENGTH (feet)	RATE (per/pipe)
TYPE - A				
418	SWR 75A10SS	75	10 (3mtr)	589.00
419	SWR 75A10DS	75	10 (3mtr)	635.00
420	SWR 75A6SS	75	6	421.00
421	SWR 75A6DS	75	6	446.00
422	SWR 75A4DS	75	4	312.00
423	SWR 75A3DS	75	3	228.00
424	SWR 75A2DS	75	2	157.00
425	SWR 110A10SS	110	10 (3mtr)	1055.00
426	SWR 110A10DS	110	10 (3mtr)	1112.00
427	SWR 110A6SS	110	6	779.00
428	SWR 110A6DS	110	6	791.00
429	SWR 110A4DS	110	4	530.00
430	SWR 110A3DS	110	3	406.00
431	SWR 110A2DS	110	2	273.00
432	SWR 160A10SS	160	10 (3mtr)	2344.00
433	SWR 160A10DS	160	10 (3mtr)	2665.00
SEWERAGE PIPES (2.5 kgf/cm²)				
434	SEW 7510SS	75	10 (3mtr)	440.00
435	SEW 11010SS	110	10 (3mtr)	779.00
TYPE - B				
436	SWR 75B10SS	75	10 (3mtr)	1039.00
437	SWR 75B10DS	75	10 (3mtr)	1065.00
438	SWR 75B6SS	75	6	663.00
439	SWR 75B6DS	75	6	699.00
440	SWR 75B4DS	75	4	474.00
441	SWR 75B3DS	75	3	380.00
442	SWR 75B2DS	75	2	256.00
443	SWR 110B10SS	110	10 (3mtr)	1546.00
444	SWR 110B10DS	110	10 (3mtr)	1590.00
445	SWR 110B6SS	110	6	1097.00
446	SWR 110B6DS	110	6	1098.00
447	SWR 110B4DS	110	4	732.00
448	SWR 110B3DS	110	3	591.00
449	SWR 110B2DS	110	2	388.00
450	SWR 160B10SS	160	10 (3mtr)	2684.00
451	SWR 160B10DS	160	10 (3mtr)	2903.00



RING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000



SR NO	PRODUCT CODE	SIZE (mm)	STD. PACK Pc/Carton	RATE (pc)
COUPLER				
452	SWR 75C	75	42	82.00
453	SWR 110C	110	27	143.00
REPAIR COUPLER				
454	SWR 75CR	75	42	75.50
455	SWR 110CR	110	27	133.00
REDUCER COUPLER				
456	SWR 11075RC	110 x 75	60	115.00
CLEANSING PIPE				
457	SWR 75CLP	75	22	158.00
458	SWR 110CP	110	15	308.00
BEND 87.5°				
459	SWR 75B	75	25	101.00
460	SWR 110B	110	28	200.00
BEND 87.5° (DOOR)				
461	SWR 75BD	75	24	110.00
462	SWR 110BD	110	24	220.00
SHOE BEND 45°				
463	SWR 75SB	75	30	84.00
464	SWR 110SB	110	20	160.00
SINGLE TEE				
465	SWR 75T	75	17	138.00
466	SWR 110T	110	17	267.00
SINGLE TEE (DOOR)				
467	SWR 75TD	75	14	159.00
468	SWR 110TD	110	16	303.00
REDUCING SINGLE TEE				
469	SWR 11075RT	110 x 75	14	260.00
REDUCING SINGLE TEE (DOOR)				
470	SWR 11075RTD	110 x 75	11	270.00
DOUBLE TEE				
471	SWR 75TT	75	12	192.00
472	SWR 110TT	110	14	367.00
DOUBLE TEE (DOOR)				
473	SWR 75TTD	75	10	193.00
474	SWR 110TTD	110	11	372.00
SINGLE Y				
475	SWR 75Y	75	13	171.00
476	SWR 110Y	110	15	315.00
477	SWR 160Y	160	5	944.50
REDUCING SINGLE Y				
478	SWR 160110RY	160 x 110	5	697.00



RING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000



SR NO	PRODUCT CODE	SIZE (mm)	STD. SIZE Pc/Carton	RATE (pc)	
SINGLE Y (DOOR)					
479	SWR 75YD	75	13	188.00	
480	SWR 110YD	110	13	385.00	
DOUBLE Y					
481	SWR 75YY	75	9	236.00	
482	SWR 110YY	110	9	478.00	
DOUBLE Y (DOOR)					
483	SWR 75YYD	75	8	228.00	
484	SWR 110YYD	110	8	456.00	
PIPE CLIP					
485	SWR 75PC	75	350	22.50	
486	SWR 110PC	110	260	30.50	
VENT COWL					
487	SWR 75VC	75	192	20.50	
488	SWR 110VC	110	126	42.00	
NAHANI TRAP (W/O JALI)					
489	SWR 11075NT	110 x 75	48	148.00	
490	SWR 11090NT	110 x 90	43	168.00	
491	SWR 110110NT	110 x 110	32	185.00	
MULTI FLOOR TRAP (W/O SQ.JALI)					
492	SWR 110MFT	110	20	209.00	
ROUND JALI					
493	SWR 110NTJ	110	225	23.50	
SQUARE JALI					
494	SWR 150MTJ	150 x 150	40	70.50	
P-TRAP					
495	SWR 110110PT	110 x 110	16	424.00	
496	SWR 125110PT	125 x 110	12	458.00	
Q-TRAP					
497	SWR 110110QT	110 x 110	10	640.00	
498	SWR 125110QT	125 x 110	10	636.00	

SR NO	PRODUCT CODE	SIZE (mm)	STD. PACK Pc/Carton	RATE (pc)	
S-TRAP					
499	SWR 110110ST	110 x 110	12	715.00	
500	SWR 125110ST	125 x 110	12	718.00	
DOOR CAP					
501	SWR 75DC	75	210	21.50	
502	SWR 110DC	110	100	39.00	
SOCKET PLUG					
503	SWR 75SP	75	120	34.50	
504	SWR 110SP	110	50	67.00	

SR NO	PRODUCT CODE	SIZE (mm)	STD. PACK Pc/Bag	RATE (pc)	
W.C. CONNECTOR WITH LIP RING (FABRICATED)					
505	SWR 110WCF	110	12	396.00	
LIP RING					
HSN: 40169320					
506	SWR 110LR	110	1	35.00	
RUBBER RING					

HSN: 40069090					
SR NO	PRODUCT CODE	SIZE (mm)	STD. PACK Pc/Ctn	RATE (pc)	
507	SWR 75RR	75	1	14.00	
508	SWR 110RR	110	1	17.00	
509	SWR 160RR	160	1	43.50	

SR NO	PRODUCT CODE	SIZE (gm)	STD. PACK Pc/Ctn	RATE (pc)	
RUBBER LUBRICANT (JAR)					
HSN: 34039900					
510	SWR RL100	100	100	46.00	
511	SWR RL250	250	40	96.50	
512	SWR RL500	500	20	200.50	
513	SWR RL1000	1000	10	338.50	

PASTING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) PIPES

HSN: 39172390

SR NO	PRODUCT CODE	SIZE (mm)	STD. LENGTH (feet)	RATE (per/pipe)
TYPE - A				
514	SWR 75A20SSP	75	20 (6mtr)	1166.00
515	SWR 75A10SSP	75	10 (3 mtr)	580.00
516	SWR 75A10DSP	75	10 (3 mtr)	625.00
517	SWR 75A6SSP	75	6	412.00
518	SWR 75A6DSP	75	6	439.00
519	SWR 75A4DSP	75	4	305.00
520	SWR 75A3DSP	75	3	212.00
521	SWR 75A2DSP	75	2	140.00
522	SWR 90A20SSP	90	20 (6 mtr)	1493.00
523	SWR 90A10SSP	90	10 (3 mtr)	745.50
524	SWR 110A20SP	110	20 (6 mtr)	2088.00
525	SWR 110A10SP	110	10 (3 mtr)	1041.00
526	SWR 110A10DP	110	10 (3 mtr)	1092.00
527	SWR 110A6SSP	110	6	760.00
528	SWR 110A6DSP	110	6	760.50
529	SWR 110A4DSP	110	4	506.00
530	SWR 110A3DSP	110	3	379.00
531	SWR 110A2DSP	110	2	253.00
532	SWR 160A20SP	160	20 (6 mtr)	4597.00
533	SWR 160A10SP	160	10 (3 mtr)	2297.00
534	SWR 160A10DP	160	10 (3 mtr)	2579.00
SEWERAGE PIPES (2.5 kgf/cm ²)				
535	SEW 7510SSP	75	10 (3 mtr)	434.00
536	SEW 11010SSP	110	10 (3 mtr)	772.00



SR NO	PRODUCT CODE	SIZE (mm)	STD. LENGTH (feet)	RATE (per/pipe)
TYPE - B				
537	SWR 75B20SSP	75	20 (6 mtr)	2058.00
538	SWR 75B10SSP	75	10 (3 mtr)	1018.00
539	SWR 75B10DSP	75	10 (3 mtr)	1041.00
540	SWR 75B6SSP	75	6	649.00
541	SWR 75B6DSP	75	6	686.00
542	SWR 75B4DSP	75	4	465.00
543	SWR 75B3DSP	75	3	359.00
544	SWR 75B2DSP	75	2	237.00
545	SWR 90B20SSP	90	20 (6 mtr)	2380.50
546	SWR 90B10SSP	90	10 (3 mtr)	1189.50
547	SWR 110B20SP	110	20 (6 mtr)	3101.00
548	SWR 110B10SP	110	10 (3 mtr)	1543.00
549	SWR 110B10DP	110	10 (3 mtr)	1578.00
550	SWR 110B6SSP	110	6	1066.00
551	SWR 110B6DSP	110	6	1067.00
552	SWR 110B4DSP	110	4	711.00
553	SWR 110B3DSP	110	3	532.00
554	SWR 110B2DSP	110	2	356.00
555	SWR 160B20SP	160	20 (6 mtr)	5334.00
556	SWR 160B10SP	160	10 (3 mtr)	2666.00
557	SWR 160B10DP	160	10 (3 mtr)	2868.00
SELFIT PIPES (6 kgf/cm ²)				
558	SWR 40610SSP	40	10 (3 mtr)	241.00
559	SWR 40620SSP	40	20 (6 mtr)	485.00
560	SWR 50610SSP	50	10 (3 mtr)	357.00
561	SWR 50620SSP	50	20 (6 mtr)	714.00



PASTING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000

SR NO	PRODUCT CODE	SIZE (mm)	STD. PACK Pc/Carton	RATE (pc)
COUPLER				
562	SWR 75CP	75	56	61.50
563	SWR 110CRP	110	33	107.00
REPAIR COUPLER				
564	SWR 75CRP	75	56	59.50
565	SWR 110CRPP	110	33	116.00
BEND 87.5°				
566	SWR 75BP	75	32	91.00
567	SWR 110BP	110	20	164.00
BEND 87.5° (DOOR)				
568	SWR 75BDP	75	24	101.00
569	SWR 110BDP	110	30	195.00
SHOE BEND 45°				
570	SWR 75SBP	75	48	81.00
571	SWR 110SBP	110	35	152.00



SR NO	PRODUCT CODE	SIZE (mm)	STD. PACK Pc/Carton	RATE (pc)
SINGLE TEE				
572	SWR 75TP	75	24	124.00
573	SWR 110TP	110	22	242.00
SINGLE TEE (DOOR)				
574	SWR 75TDP	75	15	144.00
575	SWR 110TDP	110	20	273.00
DOUBLE TEE				
576	SWR 75TTP	75	14	161.00
577	SWR 110TTP	110	16	323.00
DOUBLE TEE (DOOR)				
578	SWR 75TTDP	75	11	164.00
579	SWR 110TTDP	110	12	324.00
SINGLE Y				
580	SWR 75YP	75	15	149.00
581	SWR 110YP	110	12	299.00



PASTING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000

SR NO	PRODUCT CODE	SIZE (mm)	STD. PACK Pc/Carton	RATE (pc)
SINGLE Y (DOOR)				
582	SWR 75YDP	75	14	169.00
583	SWR 110YDP	110	16	355.00
REDUCER COUPLER				
584	SWR 11075RCP	110 x 75	60	108.00
REDUCING SINGLE TEE				
585	SWR 11075RTP	110 x 75	14	234.00





SR NO	PRODUCT CODE	SIZE (mm)	STD. PACK Pc/Carton	RATE (pc)
REDUCING SINGLE TEE (DOOR)				
586	SWR 11075TDP	110 x 75	11	245.00
CLEANSING PIPE				
587	SWR 75CPP	75	23	128.00
588	SWR 110CPP	110	15	264.00




AGRICULTURE uPVC

Pipes & Fittings



Precision Agriculture uPVC Pipes and Fittings are manufactured from high impact unplasticised polyvinyl chloride compound that is capable of withstanding the most rigorous on-site conditions and exceeding the most stringent requirements as per Indian standards. The product range is manufactured in accordance with Indian Standards IS 4985-2000 and Moulded Fittings to IS 7834-1987. These pipes and fittings are a perfect choice for potable water supply, where ease of installation, maintenance and zero leakages are a priority.

Applications

Agriculture and irrigation, potable water supply, construction, industrial and chemical effluent disposal, tube well casing, telecom and power cable/ducting.

Features

- Economical.
- Easy installation.
- Corrosion resistant.
- Flexibility.
- Perfect dimensional standards.
- Fire resistant.
- Chemical resistant.
- Hygienic.
- High flow characteristic.
- Low thermal conductivity.

Colour - Grey 

AGRICULTURE uPVC SELFIT PIPES

HSN: 39172390



6mtr

SR NO	PRODUCT CODE	STD. SIZE (mm)	RATE (mtr)	RATE 6mtr/pc
CLASS 1/2.5 kgf/cm ² (length: 6mtr)				
589	SELF90CL1/6	90	139.00	834.00
590	SELF110CL1/6	110	200.00	1200.00
591	SELF140CL1/6	140	324.00	1944.00
592	SELF160CL1/6	160	433.00	2598.00
593	SELF180CL1/6	180	538.00	3228.00
594	SELF200CL1/6	200	650.00	3900.00
595	SELF225CL1/6	225	844.00	5064.00
CLASS 2/4 kgf/cm ² (length: 6mtr)				
596	SELF63CL2/6	63	107.00	642.00
597	SELF75CL2/6	75	147.00	882.00
598	SELF90CL2/6	90	203.00	1218.00
599	SELF110CL2/6	110	294.00	1764.00
600	SELF140CL2/6	140	475.00	2850.00
601	SELF160CL2/6	160	623.00	3738.00
602	SELF180CL2/6	180	843.00	5058.00
603	SELF200CL2/6	200	1031.00	6186.00
604	SELF225CL2/6	225	1320.00	7920.00
605	SELF250CL2/6	250	1611.00	9666.00

SR NO	PRODUCT CODE	STD. SIZE (mm)	RATE (mtr)	RATE 6mtr/pc
CLASS 3/6 kgf/cm ² (length: 6mtr)				
606	SELF40CL3/6	40	65.50	393.00
607	SELF50CL3/6	50	94.50	567.00
608	SELF63CL3/6	63	155.00	930.00
609	SELF75CL3/6	75	214.00	1284.00
610	SELF90CL3/6	90	303.00	1818.00
611	SELF110CL3/6	110	436.00	2616.00
612	SELF140CL3/6	140	735.00	4410.00
613	SELF160CL3/6	160	930.00	5580.00
614	SELF180CL3/6	180	1213.00	7278.00
615	SELF200CL3/6	200	1513.00	9078.00
616	SELF225CL3/6	225	1917.00	11502.00
617	SELF250CL3/6	250	2353.00	14118.00
CLASS 5/10 kgf/cm ² (length: 6mtr)				
618	SELF20CL5/6	20	25.50	153.00
619	SELF25CL5/6	25	41.00	246.00
620	SELF32CL5/6	32	67.50	405.00
621	SELF40CL5/6	40	103.00	618.00
622	SELF50CL5/6	50	160.00	960.00
623	SELF63CL5/6	63	233.00	1398.00
624	SELF75CL5/6	75	333.00	1998.00
625	SELF90CL5/6	90	475.00	2850.00
626	SELF110CL5/6	110	708.00	4248.00
627	SELF140CL5/6	140	1154.00	6924.00
628	SELF160CL5/6	160	1488.00	8928.00
629	SELF180CL5/6	180	1940.00	11640.00
630	SELF200CL5/6	200	2356.00	14136.00
631	SELF225CL5/6	225	2989.00	17934.00
632	SELF250CL5/6	250	3784.00	22704.00



AGRICULTURE uPVC MOULDED FITTINGS

HSN: 39174000



SR NO	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc/Bag	RATE (pc)
COUPLER 10 kgf/cm ²				
633	PMIC2010	20	1200	3.00
634	PMIC2510	25	1200	4.50
635	PMIC3210	32	700	7.50
636	PMIC4010	40	500	12.50
637	PMIC5010	50	250	14.50
COUPLER 6 kgf/cm ²				
638	PMIC636	63	125	31.00
639	PMIC756	75	80	46.00
640	PMIC906	90	50	69.50
641	PMIC1106	110	30	107.00
ELBOW 45° 10 kgf/cm ²				
642	PMIE 4045	40	150	14.50
643	PMIE 5045	50	60	21.50



SR NO	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc/Bag	RATE (pc)
ELBOW 10 kgf/cm ²				
644	PMIE2010	20	1200	6.50
645	PMIE2510	25	900	10.50
646	PMIE3210	32	500	13.50
647	PMIE4010	40	250	21.00
648	PMIE5010	50	125	34.50
ELBOW 6 kgf/cm ²				
649	PMIE636	63	80	56.50
650	PMIE756	75	50	75.50
651	PMIE906	90	35	133.00
652	PMIE1106	110	15	224.00
653	PMIE1406	140	12	315.00
654	PMIE1606	160	8	406.00



AGRICULTURE uPVC MOULDED FITTINGS

HSN: 39174000



SR NO	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc/Bag	RATE (pc)
TEE 10 kgf/cm²				
655	PMIT2010	20	900	8.50
656	PMIT2510	25	600	12.50
657	PMIT3210	32	300	19.00
658	PMIT4010	40	200	30.50
659	PMIT5010	50	100	46.00
TEE 6 kgf/cm²				
660	PMIT636	63	55	75.00
661	PMIT756	75	35	95.00
662	PMIT906	90	25	166.00
663	PMIT1106	110	15	259.00
664	PMIT1406	140	8	468.00
665	PMIT1606	160	6	515.00
MALE THREAD ADAPTOR 10 kgf/cm²				
666	PMTA2010	20	1200	3.50
667	PMTA2510	25	1100	6.50
668	PMTA3210	32	700	10.50
MALE THREAD ADAPTOR 6 kgf/cm²				
669	PMTA406	40	350	13.00
670	PMTA506	50	250	19.00
671	PMTA636	63	120	46.50
672	PMTA756	75	80	58.50
673	PMTA906	90	50	74.50
674	PMTA1106	110	30	157.00
FEMALE THREAD ADAPTOR 10 kgf/cm²				
675	PFTA2010	20	1000	4.00
676	PFTA2510	25	1000	7.00
677	PFTA3210	32	700	8.50
FEMALE THREAD ADAPTOR 6 kgf/cm²				
678	PFTA406	40	400	12.50
679	PFTA506	50	200	19.50
680	PFTA636	63	120	44.50
681	PFTA756	75	80	65.50
682	PFTA906	90	50	99.00
683	PFTA1106	110	30	115.00
TAIL PIECE 6 kgf/cm²				
684	PMTP636	63	150	32.00
685	PMTP756	75	120	43.00
686	PMTP906	90	80	59.50
687	PMTP1106	110	50	94.00
688	PMTP1406	140	30	116.00
689	PMTP1606	160	15	174.00
THREADED END CAP 6 kgf/cm²				
690	PTEC406	40	300	14.00
691	PTEC506	50	200	14.50
692	PTEC636	63	150	22.50
693	PTEC756	75	125	34.00
694	PTEC906	90	100	49.50
695	PTEC1106	110	60	69.50



SR NO	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc/Bag	RATE (pc)
END CAP 10 kgf/cm²				
696	PMEC2010	20	1500	3.00
697	PMEC2510	25	1500	3.00
698	PMEC3210	32	1000	6.50
END CAP 6 kgf/cm²				
699	PMEC406	40	600	10.50
700	PMEC506	50	500	13.00
701	PMEC636	63	150	32.50
702	PMEC756	75	100	44.50
703	PMEC906	90	70	59.00
704	PMEC1106	110	50	73.50
REDUCER BUSH 10 kgf/cm²				
705	PMRB2520	25 x 20	500	2.50
706	PMRB3220	32 x 20	400	7.00
707	PMRB3225	32 x 25	400	4.00
REDUCER BUSH 6 kgf/cm²				
708	PMRB6340	63 x 40	150	34.50
709	PMRB6350	63 x 50	150	25.50
710	PMRB9063	90 x 63	80	61.50
711	PMRB9075	90 x 75	80	66.50
712	PMRB11075	110 x 75	50	124.00
713	PMRB11090	110 x 90	50	118.00
REDUCER COUPLER 10 kgf/cm²				
714	PMIR2520	25 x 20	1000	6.50
715	PMIR3220	32 x 20	750	7.50
716	PMIR3225	32 x 25	750	10.50
REDUCER COUPLER 6 kgf/cm²				
717	PMIR4020	40 x 20	250	10.50
718	PMIR4032	40 x 32	200	13.50
719	PMIR5032	50 x 32	300	18.50
720	PMIR5040	50 x 40	300	21.00
721	PMIR6332	63 x 32	100	22.50
722	PMIR6340	63 x 40	100	23.50
723	PMIR6350	63 x 50	175	30.00
724	PMIR7540	75 x 40	80	32.50
725	PMIR7550	75 x 50	80	34.00
726	PMIR7563	75 x 63	120	42.50
727	PMIR9063	90 x 63	80	56.50
728	PMIR9075	90 x 75	80	61.50
729	PMIR11063	110 x 63	50	76.00
730	PMIR11075	110 x 75	50	81.50
731	PMIR11090	110 x 90	50	128.00
REDUCER TEE 10 kgf/cm²				
732	PMRT2520	25x25x20	600	14.00
733	PMRT3220	32x32x20	300	22.50
734	PMRT3225	32x32x25	300	23.50
REDUCER TEE 6 kgf/cm²				
735	PMRT6340	63x63x40	55	109.00
736	PMRT11075	110x110x75	15	341.00
737	PMRT11090	110x110x90	15	343.00



AGRICULTURE uPVC MOULDED FITTINGS

HSN: 39174000



SR NO	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc/Bag	RATE (pc)
SERVICE SADDLE 6 kgf/cm²				
738	PMIS6320	63 x 20	50	113.00
739	PMIS6325	63 x 25	50	114.00
740	PMIS6332	63 x 32	50	126.00
741	PMIS7520	75 x 20	50	133.00
742	PMIS7525	75 x 25	50	133.00
743	PMIS7532	75 x 32	50	136.00
744	PMIS9020	90 x 20	40	147.00
745	PMIS9025	90 x 25	40	147.00
746	PMIS9032	90 x 32	40	155.00
747	PMIS11020	110 x 20	40	168.00
748	PMIS11025	110 x 25	40	168.00
749	PMIS11032	110 x 32	40	178.00
750	PMIS14020	140 x 20	25	189.00
751	PMIS14025	140 x 25	25	189.00
752	PMIS14032	140 x 32	25	210.00
753	PMIS14040	140 x 40	25	210.00
754	PMIS14050	140 x 50	25	210.00
755	PMIS14063	140 x 63	25	210.00
756	PMIS16020	160 x 20	20	225.00
757	PMIS16025	160 x 25	20	225.00
758	PMIS16032	160 x 32	20	226.00
759	PMIS16040	160 x 40	20	226.00
760	PMIS16050	160 x 50	20	226.00
761	PMIS16063	160 x 63	20	226.00



SR NO	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc/Carton	RATE (pc)
ELBOW (L.W.) 2.5 kgf/cm²				
762	PMIE632	63	190	24.50
763	PMIE752	75	130	39.50
764	PMIE902	90	78	53.50
765	PMIE1102	110	42	88.00
TEE (L.W.) 2.5 kgf/cm²				
766	PMIT632	63	150	35.00
767	PMIT752	75	96	49.50
768	PMIT902	90	58	70.00
769	PMIT1102	110	30	112.00




SR NO	PRODUCT CODE	STD. SIZE (ml)	STD. PACK Pc / Ctn	RATE (pc)
uPVC SOLVENT CEMENT (TIN PACKING)				
HSN: 35061000				
770	AGRI B250	250ml	24 96	167.50
771	AGRI B500	500ml	12 48	268.00
772	AGRI B1L	1L	6 24	460.50



AGRICULTURE uPVC PIPES

HSN: 39172390



DIMENSION OF AGRICULTURE uPVC PIPES - IS 4985-1988 (all Dimensions in mm)

Nominal Outside Diameter (Nominal Size)	Mean Outside Diameter		Working Pressure, Mpa							
			Class 1 0.25 Mpa		Class 2 0.4 Mpa		Class 3 0.6 Mpa		Class 5 1.0 Mpa	
	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
20	20.0	20.3							1.1	1.5
25	25.0	25.3							1.4	1.8
32	32.0	32.3							1.8	2.2
40	40.0	40.3					1.4	1.8	2.2	2.7
50	50.0	50.3					1.7	2.1	2.8	3.3
63	63.0	63.3			1.5	1.9	2.2	2.7	3.5	4.1
75	75.0	75.3			1.8	2.2	2.6	3.1	4.2	4.9
90	90.0	90.3	1.3	1.7	2.1	2.6	3.1	3.7	5.0	5.7
110	110.0	110.4	1.6	2.0	2.5	3.0	3.7	4.3	6.1	7.1
125	125.0	125.4	1.8	2.2	2.9	3.4	4.3	5.0	6.9	8.0
140	140.0	140.5	2.0	2.4	3.2	3.8	4.8	5.5	7.7	8.9
160	160.0	160.5	2.3	2.8	3.7	4.3	5.4	6.2	8.8	10.2
180	180.0	180.6	2.6	3.1	4.2	4.9	6.1	7.1	9.9	11.4
200	200.0	200.6	2.9	3.4	4.6	5.3	6.8	7.9	11.0	12.7
225	225.0	225.7	3.3	3.9	5.2	6.0	7.6	8.8	12.4	14.3
250	250.0	250.8	3.6	4.2	5.7	6.5	8.5	9.8	13.8	15.9

Electrical PIPING SYSTEMS

Round Conduit uPVC, GI & MS Pipes & Fittings

Corrugated Flexible Conduit & Fittings

uPVC Mini/Maxi Trunking Profiles & Fittings

uPVC Panel Trunking



TERMS & CONDITIONS

- All mentioned prices are exclusive of GST and other government taxes (if any).
- The above prices are ex-factory.
- Any revision in existing taxation or any new government taxes will be to buyers' account only.
- Prices are subjected to change without prior notice.
- Subject to Mumbai Jurisdiction.

ISO 9001:2015

Har Building ki Lifeline
PRECISION PIPELINE



Precision Plastic Industries Pvt. Ltd.

19/D, Nand Jyot Industrial Estate,
Safed Pool, Andheri-Kurla Road,
Andheri (East), Mumbai 400072, India

Customer Care : +91 77150 00015 | plumbing@precisionpipes.com | www.precisionpipes.com