



PRICE LIST
JUNE 7, 2023

**SAFETY
MEIN
SAMJHOTA
NAHIN.**



ROUND CONDUIT uPVC PIPES & FITTINGS



Precision Round Conduit uPVC Pipes & Fitting

are manufactured from a specially formulated unplasticated polyvinyl chloride (uPVC) to meet the most stringent Indian and international standards. Our products are made of extra super high impact material which make them safe to use in harsh environments. The products are manufactured in accordance with IS 9537 - Part 3, BS EN 61386-21 for uPVC conduits, IS 3419:1988 and BS 4067 for uPVC fittings.



1ST TIME IN INDIA!

Our premium range of
TRANSPARENT ROUND CONDUIT uPVC PIPES & FITTINGS
are also available in red, green & yellow on request.

Applications

Channelising concealed and surface wiring.
Telecommunication and cable ducting.

Features



Various Diameters & Grades



Fire retardant & corrosion free



Easy and quick installation



Thermal resistant
(-5° C to +60° C)



Durable & Impact resistant



Laser Engraved Pipe



- Light, medium and heavy mechanical stress, to suit various applications and site conditions
- Wide range of component maximises application
- Precision circular boxes and adaptable boxes are provided with M4 brass insert with a load suspension capacity of 3 Kgs at +60° C

DIMENSIONS OF ROUND CONDUIT uPVC PIPES IS 9537 - PART 3

Nominal Size (mm)	Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Inside Diameter (Min.) (mm)		
			Light	Medium	Heavy
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2
63	63	-0.6	57.0	-	-

#SPECIAL SIZES

19	19	-0.3	16.5	16.0	15.1
----	----	------	------	------	------



ROUND CONDUIT uPVC PIPES (SOCKETED)

HSN : 39172310



≈ FRLS CE ☿ U.V.S.

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.	
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.		
LMS (LIGHT MECHANICAL STRESS)							
#	1	PRCS 19L	19	100 x 3m	300	-	20.25
#	2	PRCS 19LNI	19	40 x 3m	-	120	20.25
	3	PRCS 20L	20	100 x 3m	300	-	22.75
	4	PRCS 20LNI	20	40 x 3m	-	120	22.75
	5	PRCS 25L	25	100 x 3m	300	-	31.75
	6	PRCS 25LNI	25	25 x 3m	-	75	31.75
	7	PRCS 32L	32	50 x 3m	150	-	43.25
	8	PRCS 32LNI	32	10 x 3m	-	30	43.25
	9	PRCS 40L	40	25 x 3m	75	-	69.50
	10	PRCS 40LNI	40	5 x 3m	-	15	69.50
	11	PRCS 50L	50	20 x 3m	60	-	99.50
	12	PRCS 50LNI	50	5 x 3m	-	15	99.50
	13	PRCS 63L	63	18 x 3m	54	-	152.00

MMS (MEDIUM MECHANICAL STRESS)						
# 14	PRCS 19M	19	100 x 3m	300	-	23.75
# 15	PRCS 19MNI	19	40 x 3m	-	120	23.75
16	PRCS 20M	20	100 x 3m	300	-	25.50
17	PRCS 20MNI	20	40 x 3m	-	120	25.50
18	PRCS 25M	25	100 x 3m	300	-	35.75
19	PRCS 25MNI	25	25 x 3m	-	75	35.75
20	PRCS 32M	32	50 x 3m	150	-	53.50
21	PRCS 32MNI	32	10 x 3m	-	30	53.50
22	PRCS 40M	40	25 x 3m	75	-	76.50
23	PRCS 40MNI	40	5 x 3m	-	15	76.50
24	PRCS 50M	50	20 x 3m	60	-	116.00
25	PRCS 50MNI	50	5 x 3m	-	15	116.00

HMS (HEAVY MECHANICAL STRESS)						
# 26	PRCS 19H	19	100 x 3m	300	-	30.50
# 27	PRCS 19HNI	19	40 x 3m	-	120	30.50
28	PRCS 20H	20	100 x 3m	300	-	35.25
29	PRCS 20HNI	20	40 x 3m	-	120	35.25
30	PRCS 25H	25	50 x 3m	150	-	44.75
31	PRCS 25HNI	25	25 x 3m	-	75	44.75
32	PRCS 32H	32	50 x 3m	150	-	69.50
33	PRCS 32HNI	32	10 x 3m	-	30	69.50
34	PRCS 40H	40	25 x 3m	75	-	91.00
35	PRCS 40HNI	40	5 x 3m	-	15	91.00
36	PRCS 50H	50	20 x 3m	60	-	138.00
37	PRCS 50HNI	50	5 x 3m	-	15	138.00

LMS (LIGHT MECHANICAL STRESS) ≈ FRLS ☿ UVS CE 						
# 38	PFRL 19LS	19	100 x 3m	300	-	21.25
# 39	PFRL 19LSNI	19	40 x 3m	-	120	21.25
40	PFRL 20LS	20	100 x 3m	300	-	24.00
41	PFRL 20LSNI	20	40 x 3m	-	120	24.00
42	PFRL 25LS	25	100 x 3m	300	-	33.25
43	PFRL 25LSNI	25	25 x 3m	-	75	33.25
44	PFRL 32LS	32	50 x 3m	150	-	45.50
45	PFRL 32LSNI	32	10 x 3m	-	30	45.50
46	PFRL 40LS	40	25 x 3m	75	-	73.00
47	PFRL 40LSNI	40	5 x 3m	-	15	73.00
48	PFRL 50LS	50	20 x 3m	60	-	104.00
49	PFRL 50LSNI	50	5 x 3m	-	15	104.00
50	PFRL 63LS	63	18 x 3m	54	-	159.00

MMS (MEDIUM MECHANICAL STRESS) ≈ FRLS ☿ UVS CE 						
# 51	PFRL 19MS	19	100 x 3m	300	-	25.00
# 52	PFRL 19MSNI	19	40 x 3m	-	120	25.00
53	PFRL 20MS	20	100 x 3m	300	-	26.75
54	PFRL 20MSNI	20	40 x 3m	-	120	26.75
55	PFRL 25MS	25	100 x 3m	300	-	37.50
56	PFRL 25MSNI	25	25 x 3m	-	75	37.50
57	PFRL 32MS	32	50 x 3m	150	-	56.00
58	PFRL 32 MSNI	32	10 x 3m	-	30	56.00
59	PFRL 40MS	40	25 x 3m	75	-	80.50
60	PFRL 40MSNI	40	5 x 3m	-	15	80.50
61	PFRL 50MS	50	20 x 3m	60	-	122.00
62	PFRL 50MSNI	50	5 x 3m	-	15	122.00

HMS (HEAVY MECHANICAL STRESS) ≈ FRLS ☿ UVS CE 						
# 63	PFRL 19HS	19	100 x 3m	300	-	32.00
# 64	PFRL 19HSNI	19	40 x 3m	-	120	32.00
65	PFRL 20HS	20	100 x 3m	300	-	37.00
66	PFRL 20HSNI	20	40 x 3m	-	120	37.00
67	PFRL 25HS	25	50 x 3m	150	-	47.00
68	PFRL 25HSNI	25	25 x 3m	-	75	47.00
69	PFRL 32HS	32	50 x 3m	150	-	73.00
70	PFRL 32HSNI	32	10 x 3m	-	30	73.00
71	PFRL 40HS	40	25 x 3m	75	-	95.50
72	PFRL 40HSNI	40	5 x 3m	-	15	95.50
73	PFRL 50HS	50	20 x 3m	60	-	145.00
74	PFRL 50HSNI	50	5 x 3m	-	15	145.00

Special Size

≈ FRLS: Fire Retardant - Low Smoke

☿ UVS: Ultra Violet Stabilised

Lead Free for Green Environment

ROUND CONDUIT uPVC PIPES (SOCKETED) FRLS HSN : 39172310 SPECIAL SIZES



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Mtr.
			Pc. x Mtr.	Mtr. / Bdl.	
# 75	PRCS 19SPL	19 x 1mm	100 x 3m	300	17.00
# 76	PRCS 25SPL	25 x 1mm	100 x 3m	300	23.50

Special Size

ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 73201019



BENDING SPRING

SR. NO.	PRODUCT CODE	SIZE OD (mm)	COLOUR	STANDARD PACK		RATE Pc
				Pc/Bag	Pc/Carton	
LIGHT GAUGE						
77	PBS20L	20	Black	10	50	272.00
78	PBS25L	25	Black	5	25	360.00
MEDIUM GAUGE						
79	PBS20M	20	Silver	10	50	272.00
80	PBS25M	25	Silver	5	25	360.00
HEAVY GAUGE						
81	PBS20H	20	Gold	10	50	272.00
82	PBS25H	25	Gold	5	25	360.00

○ Suitable for 19mm LMS and 19mm MMS conduits also.

IS:3419



ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000



CIRCULAR BOX WITHOUT LID

TERMINAL - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
83	PRCB 191	19	20	600	17.25
84	PRCB 201	20	20	600	17.75
85	PRCB 251	25	15	450	22.25
86	PRCB 321	32	10	160	41.25
87	PRCB 401	40	10	160	49.75
88	PRCB 501	50	5	80	89.50

TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
101	PRCB 193	19	20	400	19.75
102	PRCB 203	20	20	400	20.75
103	PRCB 253	25	15	300	26.75
104	PRCB 323	32	10	160	44.50
105	PRCB 403	40	10	160	56.50
106	PRCB 503	50	5	80	105.00

ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
89	PRCB 192A	19	20	400	17.75
90	PRCB 202A	20	20	400	18.25
91	PRCB 252A	25	15	300	22.50
92	PRCB 322A	32	10	160	43.25
93	PRCB 402A	40	10	160	54.00
94	PRCB 502A	50	5	80	97.00

INTERSECTION - 4 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
107	PRCB 194	19	20	400	21.50
108	PRCB 204	20	20	400	22.00
109	PRCB 254	25	15	240	30.25
110	PRCB 324	32	10	160	47.00
111	PRCB 404	40	10	160	64.50
112	PRCB 504	50	5	80	114.50

THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
95	PRCB 192S	19	20	400	17.75
96	PRCB 202S	20	20	400	18.25
97	PRCB 252S	25	15	300	22.50
98	PRCB 322S	32	10	160	43.25
99	PRCB 402S	40	10	160	54.00
100	PRCB 502S	50	5	80	97.00

TERMINAL - 1 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
113	PRCB 191D	19	10	280	28.50
114	PRCB 201D	20	10	280	29.25
115	PRCB 251D	25	10	280	35.50
116	PRCB 321D	32	10	280	41.50

CIRCULAR BOX WITHOUT LID

ANGLE - 2 WAY

DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
117	PRCB 192AD	19	10	280	30.00
118	PRCB 202AD	20	10	280	30.50
119	PRCB 252AD	25	10	280	36.75
120	PRCB 322AD	32	10	280	44.75

BRANCH - 3 WAY (Y)

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
136	PRCB 19Y	19	20	400	33.00
137	PRCB 20Y	20	20	400	34.50
138	PRCB 25Y	25	15	300	45.50

THROUGH - 2 WAY

DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
121	PRCB 192SD	19	10	200	30.00
122	PRCB 202SD	20	10	200	30.50
123	PRCB 252SD	25	10	200	36.75
124	PRCB 322SD	32	10	200	44.75

BRANCH - 4 WAY (H)

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
139	PRCB 19H	19	15	300	34.75
140	PRCB 20H	20	15	300	35.75
141	PRCB 25H	25	15	300	48.75

TEE - 3 WAY

DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
125	PRCB 193D	19	10	220	33.75
126	PRCB 203D	20	10	220	34.50
127	PRCB 253D	25	10	220	43.25
128	PRCB 323D	32	10	160	48.25

BACK OUTLET - 1 WAY

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
142	PRCB 201 BO	20	20	400	30.25
143	PRCB 251 BO	25	15	300	43.25

INTERSECTION - 4 WAY

DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
129	PRCB 194D	19	10	220	34.25
130	PRCB 204D	20	10	220	35.50
131	PRCB 254D	25	10	220	45.75
132	PRCB 324D	32	10	160	49.50

BACK OUTLET THROUGH - 2 WAY

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
144	PRCB 202S BO	20	20	400	30.75
145	PRCB 252S BO	25	15	300	45.50

BRANCH - 2 WAY (U)

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
133	PRCB 19U	19	20	400	30.50
134	PRCB 20U	20	20	400	31.00
135	PRCB 25U	25	20	400	42.00

BACK OUTLET ANGLE - 2 WAY

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
146	PRCB 202A BO	20	20	400	30.75
147	PRCB 252A BO	25	15	300	45.50

BACK OUTLET TEE - 3 WAY

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
148	PRCB 203 BO	20	20	400	34.50
149	PRCB 253 BO	25	15	300	49.00

WITH SCREW CIRCULAR LID



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
150	PRCL65	65	100	2000	5.25
151	PRCL80	80	100	2000	10.50
152	PRCL85	85	100	2000	10.50
153	PRCL90	90	100	1800	12.00
154	PRCL93	93	25	750	12.00
155	PRCL110	110	50	900	18.75

» 65 - For 19/20/25mm JB, DJB & 32 DJB » 80 - For 32/40mm JB ~ 93 - For 50mm JB

WITHOUT SCREW CIRCULAR LID



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
156	PRCL65WS	65	100	2000	4.25
157	PRCL80WS	80	100	2000	10.00
158	PRCL85WS	85	100	2000	10.00
159	PRCL90WS	90	100	1800	11.50
160	PRCL93WS	93	25	750	11.50
161	PRCL110WS	110	50	900	18.25

CIRCULAR BOX WITH LID & SCREW

TERMINAL - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
162	PRCB 191L	19	20	600	23.50
163	PRCB 201L	20	20	600	24.00
164	PRCB 251L	25	15	450	28.50
165	PRCB 321L	32	10	160	52.75
166	PRCB 401L	40	10	160	61.25
167	PRCB 501L	50	5	80	102.50

THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
178	PRCB 192SL	19	20	400	24.00
179	PRCB 202SL	20	20	400	24.50
180	PRCB 252SL	25	15	300	28.75
181	PRCB 322SL	32	10	160	54.75
182	PRCB 402SL	40	10	160	65.50
183	PRCB 502SL	50	5	80	110.00

TERMINAL - 1 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
168	PRCB 201AL	20	20	360	21.50
169	PRCB 251AL	25	15	270	27.00

THROUGH - 2 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
184	PRCB 202SAL	20	15	270	24.00
185	PRCB 252SAL	25	10	180	28.25

ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
170	PRCB 192AL	19	20	400	24.00
171	PRCB 202AL	20	20	400	24.50
172	PRCB 252AL	25	15	300	28.75
173	PRCB 322AL	32	10	160	54.75
174	PRCB 402AL	40	10	160	65.50
175	PRCB 502AL	50	5	80	110.00

TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
186	PRCB 193L	19	20	400	26.00
187	PRCB 203L	20	20	400	27.00
188	PRCB 253L	25	15	300	33.00
189	PRCB 323L	32	5	110	56.00
190	PRCB 403L	40	5	110	68.00
191	PRCB 503L	50	5	80	118.00

ANGLE - 2 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
176	PRCB 202AAL	20	15	270	24.00
177	PRCB 252AAL	25	10	180	28.25

TEE - 3 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
192	PRCB 203AL	20	15	270	25.50
193	PRCB 253AL	25	10	180	30.75

CIRCULAR BOX WITH LID & SCREW

INTERSECTION - 4 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
194	PRCB 194L	19	20	320	27.75
195	PRCB 204L	20	20	320	28.25
196	PRCB 254L	25	15	240	36.50
197	PRCB 324L	32	5	110	58.50
198	PRCB 404L	40	5	110	76.00
199	PRCB 504L	50	5	80	127.50

INTERSECTION - 4 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
200	PRCB 204AL	20	12	216	27.75
201	PRCB 254AL	25	15	150	35.50

PP CIRCULAR BOX WITH LID & SCREW



INTERSECTION - 4 WAY (POLYPROPYLENE) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
202	PPCB194L	19	15	240	20.50
203	PPCB254L	25	10	250	24.50

PP DEEP CIRCULAR BOX WITH LID & SCREW



INTERSECTION - 4 WAY (POLYPROPYLENE) DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
204	PPCB194DL	19	12	240	24.50
205	PPCB254DL	25	10	200	35.00

DEEP CIRCULAR BOX WITH LID & SCREW

TERMINAL - 1 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
206	PRCB 191DL	19	10	280	34.75
207	PRCB 201DL	20	10	280	35.50
208	PRCB 251DL	25	10	280	41.75
209	PRCB 321DL	32	10	280	56.75

ANGLE - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
210	PRCB 192ADL	19	10	280	36.25
211	PRCB 202ADL	20	10	280	36.75
212	PRCB 252ADL	25	10	280	43.00
213	PRCB 322ADL	32	10	280	58.75

THROUGH - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
214	PRCB 192SDL	19	10	200	36.25
215	PRCB 202SDL	20	10	200	36.75
216	PRCB 252SDL	25	10	200	43.00
217	PRCB 322SDL	32	10	200	58.75

TEE - 3 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
218	PRCB 193DL	19	10	220	40.00
219	PRCB 203DL	20	10	220	40.75
220	PRCB 253DL	25	10	220	49.50
221	PRCB 323DL	32	10	160	60.00

INTERSECTION - 4 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
222	PRCB 194DL	19	10	220	40.50
223	PRCB 204DL	20	10	220	41.75
224	PRCB 254DL	25	10	220	52.00
225	PRCB 324DL	32	10	160	62.50

BRANCH - 2 WAY (U) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
226	PRCB 19UL	19	20	400	36.75
227	PRCB 20UL	20	20	400	37.25
228	PRCB 25UL	25	20	400	48.25

BRANCH - 3 WAY (Y) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
229	PRCB 19YL	19	15	300	39.25
230	PRCB 20YL	20	15	300	40.75
231	PRCB 25YL	25	15	300	51.75

BRANCH - 4 WAY (H) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
232	PRCB 19HL	19	15	300	41.00
233	PRCB 20HL	20	15	300	42.00
234	PRCB 25HL	25	15	300	55.00

BACK OUTLET - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
235	PRCB 201 BOL	20	20	400	36.50
236	PRCB 251 BOL	25	15	300	49.50

BACK OUTLET THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
237	PRCB 202S BOL	20	15	300	37.00
238	PRCB 252S BOL	25	15	240	51.75

BACK OUTLET ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
239	PRCB 202A BOL	20	15	300	37.00
240	PRCB 252A BOL	25	15	240	51.75

BACK OUTLET TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
241	PRCB 203 BOL	20	15	300	40.75
242	PRCB 253 BOL	25	15	240	55.25

CIRCULAR EXTENSION RING



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
243	PRER 20	20	50	800	12.50
244	PRER 25	25	40	640	16.00

LOOP IN BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
245	PRLB 19	19 (4 punch)	20	400	17.75
246	PRLB 20	20 (4 punch)	20	400	17.75
247	PRLB 25	25 (2 punch)	20	400	17.75

LOOP IN BOX EXTENSION



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
248	PRLB 20E	20	24	384	27.00

COUPLER



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
249	PCR 19	19	100	2000	4.75
250	PCR 20	20	100	2000	5.25
251	PCR 20 L	20 Long	150	2400	5.75
252	PCR 25	25	100	2000	7.25
253	PCR 32	32	60	960	12.50
254	PCR 40	40	30	480	21.75
255	PCR 50	50	20	320	37.25

EXPANSION COUPLER



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
256	PCR 20E	20	20	600	7.25
257	PCR 25E	25	12	360	12.50
258	PCR 32E	32	8	240	22.75
259	PCR 50E	50	10	160	41.50

(PIPE TO FITTING) REDUCER COUPLER



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
260	PRR1	25>20	250	4000	7.25

(PIPE TO PIPE) REDUCER COUPLER



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
261	PRR 2520	25 > 20	75	1500	7.25
262	PRR 3220	32 > 20	60	1200	9.50
263	PRR 3225	32 > 25	40	800	12.50
264	PRR 4020	40 > 20	48	960	16.00
265	PRR 4032	40 > 32	32	640	17.75
266	PRR 5032	50 > 32	30	480	21.50
267	PRR 5040	50 > 40	30	480	21.75

SLIP TYPE BEND



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
268	PRBN 19	19	65	1040	7.75
269	PRBN 20	20	65	1040	8.25
270	PRBN 25	25	35	560	13.50
271	PRBN 32	32	20	320	36.00
272	PRBN 40	40	10	160	73.00
273	PRBN 50	50	5	80	99.50
274	PRBN 63	63	-	50	145.50

SLIP TYPE LONG BEND



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
275	PRBL 19	19	45	720	12.00
276	PRBL 20	20	45	720	12.50
277	PRBL 25	25	20	320	20.75
278	PRBL 32	32	10	160	50.00
279	PRBL 40	40	-	80	98.00
280	PRBL 50	50	-	55	147.50

SPACE BAR SADDLE



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
281	PRBS 19	19	100	2000	6.75
282	PRBS 20	20	100	2000	7.25
283	PRBS 25	25	100	2000	8.75
284	PRBS 32	32	100	1600	15.00
285	PRBS 40	40	80	1280	16.75
286	PRBS 50	50	60	960	20.00
287	PRBS 63	63	-	50	26.25

SADDLE STRAP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
288	PRSS 19	19	100	2000	4.00
289	PRSS 20	20	100	2000	4.25
290	PRSS 25	25	100	2000	5.75
291	PRSS 32	32	100	1600	6.75
292	PRSS 40	40	80	1280	8.75
293	PRSS 50	50	60	960	11.75

(POLYPROPYLENE)

SELF LOCKING SADDLE CLIP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
294	PPSC20SL	20	75	450	9.50
295	PPSC25SL	25	50	300	12.00

ROUND 'U' CLIP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
296	PRUC 20	20	200	4000	7.50
297	PRUC 25	25	100	3000	11.75

END CAP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
298	PREC 20	20	150	3000	2.75
299	PREC 25	25	100	2000	4.75
300	PREC 32	32	70	1400	5.75
301	PREC 40	40	32	640	11.00
302	PREC 50	50	24	480	15.75

MALE BUSH ADAPTOR



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
303	PMBA 19	19	100	2000	7.25
304	PMBA 20	20	100	2000	7.75
305	PMBA 25	25	100	2000	9.25

FEMALE BUSH ADAPTOR



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
306	PFBA 19	19	100	2000	7.25
307	PFBA 20	20	100	2000	7.75
308	PFBA 25	25	100	2000	9.75
309	PFBA 32	32	75	1200	15.00
310	PFBA 40	40	50	800	20.25
311	PFBA 50	50	25	400	34.25

ROUND ELBOW



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
312	PRE 20	20	125	2500	7.25
313	PRE 25	25	75	1200	9.75
314	PRE 32	32	20	400	13.75
315	PRE 40	40	15	300	21.25
316	PRE 50	50	10	200	34.00



ROUND TEE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
317	PRT 20	20	50	1500	12.00
318	PRT 25	25	50	800	14.75
319	PRT 32	32	15	300	17.00
320	PRT 40	40	10	200	25.25
321	PRT 50	50	10	160	40.00

INSPECTION ELBOW



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
322	PIE 20	20	20	600	31.00
323	PIE 25	25	20	400	38.50

INSPECTION TEE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
324	PIT 20	20	20	600	30.50
325	PIT 25	25	20	400	45.50

INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
326	PIB 20	20	20	600	30.75
327	PIB 25	25	20	400	45.25

ADAPTABLE BOX WITH LID



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
328	PAB 75L	3" x 3" x 2"	10	200	66.50
		75x75x50			
329	PAB 110L	4" x 4" x 3"	-	100	131.00
		110x110x75			
330	PAB 160L	6" x 4" x 3"	-	75	264.50
		160x110x75			
331	PAB 160SL	6" x 6" x 3"	-	50	288.50
		160x160x75			
332	PAB 225SL	9" x 9" x 3"	-	20	624.50
		225x225x75			
333	PAB 300SL	12" x 12" x 4"	-	5	1,319.50
		300x300x110			

(WHITE)

SURFACE SWITCH BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
334	PSB1	3" x 3"	10	300	41.75
335	PSB2	6" x 3"	10	200	71.50

(WHITE)

SWITCH BOX LID



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
336	PSBL1 LID	3" x 3"	40	1200	18.00
337	PSBL2 LID	6" x 3"	25	750	24.25

(SWITCH BOX)

FLUSH MOUNTED



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
338	PFSB1	3" x 3" x 2"	10	200	47.00
339	PFSB2	6" x 3" x 2"	10	160	63.00

(BLACK)

FAN BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
340	PRFB20	20 Standard	10	220	49.50
341	PRFB25	25 Standard	10	220	49.50
342	PRFB20SL	20 Large	10	140	67.00
343	PRFB25SL	25 Large	10	140	67.00
344	PRFBRD2025	20/25 with Rod	1	28	202.00
345	PRFBRD25	25 with Rod	1	28	202.00

METAL FAN BOX WITH ROD (BROWN)

HSN : 73072900



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK	RATE Pc
		OD (mm)	Pc./Bag	
346	PMFB 2025	20/25	50	200.00

uPVC SOLVENT CEMENT

HSN: 35061000



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		(ml)	Colour	Pc./Box	
347	PSC100 ML	100ml	Transparent	24	144
348	PSC250 ML	250ml	Transparent	24	96
349	PSC500 ML	500ml	Transparent	12	48
350	PSC1L	1L	Transparent	6	24
351	PSC5L	5L	Transparent	-	6

PVC ELECTRICAL INSULATION TAPE

HSN : 85469090



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		W(mm)xL(Mtr)	Pc./Box	Pc./Carton	
352	PPIT 18	18x6	30	540	14.00

✖ 20mm Knockout Available △ 32/38/40mm Knockout Available
✖ 20/25 Knockout Available ◇ 50mm Knockout Available

ALL WEATHER BOXES

Precision All Weather Boxes are manufactured from high quality impact resistant Engineering Thermoplastics (Polycarbonate / ABS). The material itself is self-extinguishing and our specially developed formulation gives it special ability to withstand high temperatures. The product passes stringent IP 67 standard requirements which makes it suitable to use indoor and outdoor in harsh environment. Our specially made design gives it highest level of safety from unwanted ingress of oil / water / any other solid waste.



APPLICATIONS

Enclosure boxes for electrical installations.
Suitable for Outdoor / Indoor environment.

FEATURES

- IP 67 compliance, suitable for Outdoor Installations (CIPET tested)
- Specially formulated Engineering Thermoplastic (Polycarbonate / ABS) gives temperature protection ranging from -40°C to $+90^{\circ}\text{C}$
- Weatherproof, Dust proof and Impact resistant
- Transparent lids ensure enhanced visibility
- Innovative design makes compatible for various types of Switchgears / Electrical components
- Body part with adequate molded markings for easy cable entry location from all sides
- Various sizes available as per individual choice
- Screws supplied are made up of anti-rust SS / Engineering Plastic for corrosion free working and durability as well.



ALL WEATHER BOXES

IP 67 HSN : 85381010

GREY



ALL WEATHER BOXES OPAQUE LID (ABS)

Sr No.	Product Code	Size L x W x H (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
353	PAB 8383OL	83 X 83 X 65	21	190.00
354	PAB 8888OL	88 X 88 X 53	27	199.00
355	PAB 9898OL	98 X 98 X 61	24	220.00
356	PAB 100100OL	100 X 100 X 65	21	221.00
357	PAB 13080OL	130 X 80 X 65	16	254.50
358	PAB 130130OL	130 X 130 X 80	16	377.00
359	PAB 139119OL	139 X 119 X 70	10	213.50
360	PAB 167125OL	167 X 125 X 82	12	265.00
361	PAB 18080OL	180 X 80 X 90	12	308.00
362	PAB 1801OL	180 X 130 X 75	16	418.50
363	PAB 1802OL	180 X 130 X 100	12	423.00
364	PAB 180180OL	180 X 180 X 100	20	544.00
365	PAB 200160OL	200 X 160 X 98	8	417.50
366	PAB 210190OL	210 X 190 X 100	6	625.50
367	PAB 27080OL	270 X 80 X 90	12	378.00
368	PAB 280190OL	280 X 190 X 130	4	775.00
369	PAB 280280OL	280 X 280 X 130	2	1,093.00
370	PAB 380190OL	380 X 190 X 130	3	1,002.50
371	PAB 380280OL	380 x 280 x 130	2	1,424.00
372	PAB 560380OL	560 X 380 X 180	2	3,317.00

⊗ With Knockout


ALL WEATHER BOXES TRANSPARENT LID (ABS)

Sr No.	Product Code	Size L x W x H (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
373	PAB 18080TL	180 X 80 X 90	12	356.00
374	PAB 27080TL	270 X 80 X 90	12	443.50
375	PAB 180130TL	180 X 130 X 100	12	431.50
376	PAB 180180TL	180 X 180 X 100	20	559.50
377	PAB 210190TL	210 X 190 X 100	6	651.00
378	PAB 280190TL	280 X 190 X 130	4	843.50
379	PAB 280280TL	280 X 280 X 130	2	1,145.00
380	PAB 380190TL	380 X 190 X 130	3	1,145.00
381	PAB 380280TL	380 x 280 x 130	2	1,660.00
382	PAB 560380TL	560 X 380 X 180	2	3,782.00



G.I & M.S. CONDUIT PIPES & FITTINGS

Precision G.I & M.S. Conduit Pipes are manufactured from rigorously tested raw material, in accordance with IS 9537 Part – 2. G.I. Conduit Pipes are coated at a hot dipped galvanising plant in which iron or steel is coated with a layer of zinc. This coating makes the conduit safe and durable for industrial installations, coastal line atmosphere & thermal power stations. M.S. Conduit Pipes are treated and coated with paint.



Applications

Channelising electrical surface wiring and cable ducting.

Features



Anti - Rust Coat



Good Finish



Easy to cut



High resistance
to Corrosion



DIMENSIONS OF G.I. & M.S. CONDUIT PIPES

NORMAL SIZE	OUTSIDE DIAMETER	TOLERANCE OD	WALL THICKNESS	WALL THICKNESS TOLERANCE
MM	MM	MM	MM	MM
20	20	0 -0.3	1.60	±0.2
25	25	0 -0.4	1.60	±0.2
32	32	0 -0.4	1.60	±0.2
40	40	0 -0.4	2.00	+0.2 -0.4
50	50	0 -0.5	2.00	+0.2 -0.4



G.I. & M.S. CONDUIT PIPES

HSN : 73069090



COLOUR : SILVER

G.I. CONDUIT PIPES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc./Mtr	Mtr./Bdl.	
383	PGIC 20	20	26 x 3m	78	231.00
384	PGIC 25	25	21 x 3m	63	280.00
385	PGIC 32	32	16 x 3m	48	420.00
386	PGIC 40	40	10 x 3m	30	665.00
387	PGIC 50	50	5 x 3m	15	755.00



COLOUR : BLACK

M.S. CONDUIT PIPES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc./Mtr	Mtr./Bdl.	
388	PMSC 20	20	26 x 3m	78	145.00
389	PMSC 25	25	21 x 3m	63	185.00
390	PMSC 32	32	16 x 3m	48	260.00
391	PMSC 40	40	10 x 3m	30	435.00
392	PMSC 50	50	5 x 3m	15	570.00

G.I. & M.S. CONDUIT PIPE FITTINGS

HSN : 73269099



CIRCULAR BOX WITH LID AND SCREW

TERMINAL -1 WAY (SCREW TYPE)

G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
393	PGIB 251	25	20	200	76.00

TERMINAL -1 WAY (SCREW TYPE)

M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
394	PMSB 201	20	20	200	51.00
395	PMSB 251	25	20	200	57.00

G.I. & M.S. CONDUIT PIPE FITTINGS

HSN : 73269099



THROUGH - 2 WAY (SCREW TYPE) G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
396	PGIB 252S	25	20	200	79.00

THROUGH - 2 WAY (SCREW TYPE) M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
397	PMSB 202S	20	20	200	62.00
398	PMSB 252S	25	20	200	59.00

TEE - 3 WAY (SCREW TYPE) G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
399	PGIB 253	20	20	200	83.50

TEE - 3 WAY (SCREW TYPE) M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
400	PMSB 203	20	20	200	62.00
401	PMSB 253	25	20	200	68.00

INTERSECTION - 4 WAY (SCREW TYPE) G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
402	PGIB 254	25	20	200	87.50

INTERSECTION - 4 WAY (SCREW TYPE) M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
403	PMSB 204	20	20	200	62.00
404	PMSB 254	25	20	200	68.00

THREAD TYPE G.I. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
405	PGI 25IBT	25	20	200	80.00

SCREW TYPE M.S. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
406	PMS 20IBT	20	20	200	59.00
407	PMS 25IBT	25	20	200	60.50

INTERNAL THREAD M.S.NORMAL BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
408	PMS 25NBIT	25	12	144	103.00

uPVC MINI/MAXI TRUNKING PROFILE & FITTINGS

Precision uPVC Mini/Maxi Trunking Profile & Fittings

are manufactured from high impact unplasticised polyvinyl chloride (uPVC) grade material capable of withstanding the most hazardous conditions on-site and exceeds the most stringent requirements of Indian and International standards.

The product range brings a whole new world of sophistication and convenience to home, office and commercial establishments and is in accordance with Indian Standard IS 14927 - Part 2 and BS EN 50085 -2-1. Mini Trunking Profile are also available with self-fixing tape for instant and easy installation. Clip on lid provides security while allowing easy maintenance.

Precision uPVC Maxi Trunking Profile Cable Management System is designed for convenience and safety with compartments for separate wiring applications. Maxi Trunking Profile Fittings are available in moulded and fabricated form, thus adding a sleek touch to your interiors.

APPLICATIONS

To organize and protect cables on surface.



Easy and quick
installation



Secure &
Elegant look



Various Sizes
Available



Durable & Impact
Resistant



Fire retardant



Thermal resistant
(-5° C to +60° C)



UPVC MINI / MAXI TRUNKING PROFILE

CE FR HSN: 39162019

IVORY

WHITE

IVORY/WHITE

UPVC MINI TRUNKING PROFILE



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
409	PT2012	20 x 12	100 x 2m	200	21.50
410	PT2512	25 x 12	100 x 2m	200	25.50
# 411	PT3015	30 x 15	100 x 2m	200	27.00
412	PT3212	32 x 12	100 x 2m	200	31.75
# 413	PT1616	16 x 16	100 x 2m	200	20.50
414	PT2516	25 x 16	100 x 2m	200	30.75
415	PT2516SPL	25 x 16	100 x 2m	200	21.50
# 416	PT3216	32 x 16	100 x 2m	200	28.25
417	PT3816	38 x 16	50 x 2m	100	50.00
418	PT3825	38 x 25	50 x 2m	100	56.50
419	PT3838	38 x 38	25 x 2m	50	75.00
420	PT5016	50 x 16	50 x 2m	100	86.50

 # Special Size
 ∞ 100 x 50

WHITE

UPVC MAXI TRUNKING PROFILE



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
421	PT5050	50 x 50	20 x 2m	40	143.50
422	PT7550	75 x 50	12 x 2m	24	348.50
423	PT7575	75 x 75	9 x 2m	18	452.00
424	PT10050	100 x 50	10 x 2m	20	479.00
425	PT100100	100 x 100	6 x 2m	12	656.50
426	PT15050	150 x 50	5 x 2m	10	855.50
427	PT150100	150 x 100	4 x 2m	8	1,041.50

WHITE

UPVC MAXI TRUNKING PROFILE DIVIDER



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
∞ 428	PMTD	Standard	50 x 2m	100	77.50

UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN: 39174000

IVORY

WHITE

COUPLER



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
429	PTC 2012	20 x 12	100	2.75
430	PTC 2512	25 x 12	100	2.50
431	PTC 3212	32 x 12	100	2.50
432	PTC 1616	16 x 16	100	2.75
433	PTC 3816	38 x 16	50	4.75
434	PTC 3825	38 x 25	50	5.75
435	PTC 10050	100 x 50(W)	10	14.00

TEE



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
443	PTT 2012	20 x 12	100	4.75
444	PTT 2512	25 x 12	50	4.25
445	PTT 3212	32 x 12	50	5.75
446	PTT 1616	16 x 16	100	4.75
447	PTT 3816	38 x 16	50	7.25
448	PTT 3825	38 x 25	50	8.25
449	PTT 10050	100 x 50(W)	10	55.00

ELBOW



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
436	PTB 2012	20 x 12	100	4.25
437	PTB 2512	25 x 12	100	2.75
438	PTB 3212	32 x 12	100	4.75
439	PTB 1616	16 x 16	100	2.75
440	PTB 3816	38 x 16	100	5.75
441	PTB 3825	38 x 25	100	7.25
442	PTB 10050	100 x 50(W)	10	58.50

INTERNAL BEND



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
450	PTI 2512	25 x 12	100	2.00
451	PTI 3212	32 x 12	100	2.75
452	PTI 1616	16 x 16	100	2.75
453	PTI 3816	38 x 16	100	4.75
454	PTI 3825	38 x 25	50	6.25
455	PTI 10050	100 x 50(W)	10	22.50

UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN: 39174000



EXTERNAL BEND

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
456	PTE 2512	25 x 12	100	2.00
457	PTE 3212	32 x 12	100	4.25
458	PTE 1616	16 x 16	100	4.75
459	PTE 3816	38 x 16	100	5.75
460	PTE 3825	38 x 25	50	8.50
461	PTE 10050	100 x 50(W)	10	40.25



4 - WAY

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
462	PTW3212	32 x 12	50	9.50



END CAP

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
463	PMTC 100	100 x 50(W)	50	12.50

- ABS

(POLY PROPYLENE) JUNCTION LINKER



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK		RATE Pc
		(mm)	Pc./Bag	Pc./Carton	
464	PTJL7575	Standard	20	300	7.00

TRUNKING KNOCKOUT SURFACE SWITCH BOX



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK		RATE Pc
		(mm)	Pc./Box	Pc./Carton	
465	PTSB1	3"x3" (W)	10	300	41.25
466	PTSB2	6"x3" (W)	10	200	68.00

\$ 16 x 16, 25 x 16 Knockout Available
(W) - White

UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (FABRICATED)

HSN: 39174000



ELBOW

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
467	PMTL50	50 x 50	5	81.00
468	PMTL751	75 x 50	5	194.50
469	PMTL752	75 x 75	5	231.50
470	PMTL1002	100 x 100	5	332.50
471	PMTL1501	150 x 50	5	314.50



TEE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
472	PMTT50	50 x 50	5	114.50
473	PMTT751	75 x 50	5	194.50
474	PMTT752	75 x 75	5	231.50
475	PMTT1002	100 x 100	5	332.50
476	PMTT1501	150 x 50	5	314.50



INTERNAL ANGLE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
477	PMTI50	50 x 50	5	81.00
478	PMTI751	75 x 50	5	194.50
479	PMTI752	75 x 75	5	231.50
480	PMTI1002	100 x 100	5	332.50
481	PMTI1501	150 x 50	5	314.50



EXTERNAL ANGLE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
482	PMTE50	50 x 50	5	81.00
483	PMTE751	75 x 50	5	194.50
484	PMTE752	75 x 75	5	231.50
485	PMTE1002	100 x 100	5	332.50
486	PMTE1501	150 x 50	5	314.50



END CAP

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
487	PFTC50	50 x 50	5	22.75
488	PFTC751	75 x 50	5	31.50
489	PFTC752	75 x 75	5	36.50
490	PFTC1002	100 x 100	5	76.50
491	PFTC1501	150 x 50	5	84.50

METALLIC CABLE MANAGEMENT SYSTEM



Precision after serving India and overseas markets all these years in routing wires through our conduits, we have launched metallic cable management system to route HT/ LT/ LV cables through our Perforated, Ladder & Trunking cable tray with accessories.

It comes in 3 major categories as follows:

- a) Trunking Cable Tray (TCT) and Fittings
- b) Perforated Cable Tray (PCT) and Fittings
- c) Ladder Cable Tray (LCT) and Fittings

All above categories are further divided in various finishes such as:

- i) Hot Dip Galvanized (HDG)
- ii) Powder Coated (PC)
- iii) Enamel Painted (EP)
- iv) Pre-Galvanized Sheets (PG)

APPLICATIONS

Metallic Cable Management System for HT/ LT/ LV cables suitable for Indoor and Outdoor environment.

FEATURES

- Available in different Thicknesses ranging from 1.6 mm to 3.0 mm
- Various Width x Height sizes available to make cost effective
- Choice of Finishes / Raw Materials available as per individual requirements
- Available in standard length of 2.5 Mtr
- Once fixed, it is absolutely Maintenance Free
- Availability of lids makes it easy to open in case of future work at later stage
- All raw material used is of IS grade
- Complimentary 2 nos of Coupler Plates & Nut-Bolts with each Cable Tray
- Suitable Fittings available in all categories of Cable Tray
- Hot dip Galvanizing comes with 65 μ m as standard Zinc coating. For humid and corrosive environment 80/120 μ m coating is also available as per requirements.

METALLIC CABLE MANAGEMENT SYSTEM

HSN : 73089090

TRUNKING CABLE TRAY (TCT)



Sr No.	SIZE W x H (mm)	COVER W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
492	50 x 38	55 X 12	2.5	1
493	50 x 50	55 X 12	2.5	1
494	100 x 50	105 X 12	2.5	1
495	150 x 50	155 X 12	2.5	1
496	200 x 50	205 X 12	2.5	1
497	300 x 50	305 X 12	2.5	1
498	450 x 50	455 X 12	2.5	1
499	600 x 50	605 X 12	2.5	1
500	100 x 70	105 X 12	2.5	1
501	150 x 75	155 X 12	2.5	1
502	200 x 75	205 X 12	2.5	1
503	300 x 75	305 X 12	2.5	1
504	450 x 75	455 X 12	2.5	1
505	600 x 75	605 X 12	2.5	1

PERFORATED CABLE TRAY (PCT)



ACCESSORIES FOR TRUNKING CABLE TRAY (TCT)



Sr No	Fitting	Type	Standard Pack (Pc)
506	45° Bend	Horizontal	1
507	45° Bend	Vertical	1
508	90° Bend	Horizontal	1
509	90° Bend	Vertical	1
510	Tee joint	Equal	1
511	Tee joint	Unequal	1
512	Reducer joint	Concentric	1
513	Reducer joint	Eccentric	1
514	4 way Cross joint	Equal	1
515	4 way Cross joint	Unequal	1

All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.

All above fittings are available for TCT range from 50 x 38 mm to 600 x 75 mm.

Sr No	Size W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
516	50 x 50	2.5	1
517	100 x 50	2.5	1
518	150 x 50	2.5	1
519	200 x 50	2.5	1
520	300 x 50	2.5	1
521	450 x 50	2.5	1
522	600 x 50	2.5	1
523	100 x 75	2.5	1
524	150 x 75	2.5	1
525	200 x 75	2.5	1
526	300 x 75	2.5	1
527	450 x 75	2.5	1
528	600 x 75	2.5	1
529	150 x 100	2.5	1
530	200 x 100	2.5	1
531	300 x 100	2.5	1
532	450 x 100	2.5	1
533	600 x 100	2.5	1

METALLIC CABLE MANAGEMENT SYSTEM

HSN : 73089090



ACCESSORIES FOR PERFORATED CABLE TRAY (PCT)

Sr No	Fitting	Type	Standard Pack (Pc)
534	45° Bend	Horizontal	1
535	45° Bend	Vertical	1
536	90° Bend	Horizontal	1
537	90° Bend	Vertical	1
538	Tee joint	Equal	1
539	Tee joint	Unequal	1
540	Reducer joint	Concentric	1
541	Reducer joint	Eccentric	1
542	4 way Cross joint	Equal	1
543	4 way Cross joint	Unequal	1



All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.

Covers are available for Perforated Cable Tray also.

All above fittings are available for PCT range from 50 x 50 mm to 600 x 100 mm.

LADDER CABLE TRAY (LCT)


Sr No	Size W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
544	100 x 50	2.5	1
545	150 x 50	2.5	1
546	200 x 50	2.5	1
547	300 x 50	2.5	1
548	450 x 50	2.5	1
549	600 x 50	2.5	1
550	750 x 50	2.5	1
551	900 x 50	2.5	1
552	1000 x 50	2.5	1
553	100 x 75	2.5	1
554	150 x 75	2.5	1
555	200 x 75	2.5	1
556	300 x 75	2.5	1
557	450 x 75	2.5	1
558	600 x 75	2.5	1
559	750 x 75	2.5	1

Sr No	Size W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
560	900 x 75	2.5	1
561	1000 x 75	2.5	1
562	1200 x 75	2.5	1
563	1500 x 75	2.5	1
564	150 x 100	2.5	1
565	200 x 100	2.5	1
566	300 x 100	2.5	1
567	450 x 100	2.5	1
568	600 x 100	2.5	1
569	750 x 100	2.5	1
570	900 x 100	2.5	1
571	1000 x 100	2.5	1
572	1200 x 100	2.5	1
573	1500 x 100	2.5	1

METALLIC CABLE MANAGEMENT SYSTEM

HSN : 73089090

ACCESSORIES FOR LADDER CABLE TRAY (LCT)



Sr No	Fitting	Type	Standard Pack (pc)
574	45° Bend	Horizontal	1
575	45° Bend	Vertical	1
576	90° Bend	Horizontal	1
577	90° Bend	Vertical	1
578	Tee joint	Equal	1
579	Tee joint	Unequal	1
580	Reducer joint	Concentric	1
581	Reducer joint	Eccentric	1
582	4 way Cross joint	Equal	1
583	4 way Cross joint	Unequal	1

All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.

Covers are available for Ladder Cable Tray also.

All above fittings are available for LCT range from 100 x 50 mm to 1500 x 100 mm



SLOTTED L SECTION

Sr No	Size (mm)	Standard Length (Mtr)	Standard Pack (Pc)
584	25 x 25	2.5	1
585	25 x 30	2.5	1
586	25 x 35	2.5	1
587	30 x 30	2.5	1
588	30 x 35	2.5	1
589	30 x 40	2.5	1
590	30 x 45	2.5	1
591	35 x 30	2.5	1
592	35 x 35	2.5	1
593	30 x 40	2.5	1
594	40 x 35	2.5	1
595	40 x 40	2.5	1
596	40 x 45	2.5	1
597	40 x 50	2.5	1
598	45 x 45	2.5	1
599	45 x 50	2.5	1
600	50 x 50	2.5	1

SLOTTED C SECTION



Sr No	Size (mm)	Standard Length (Mtr)	Standard Pack (Pc)
601	15 X 30 X 15	2.5	1
602	15 X 35 X 15	2.5	1
603	20 X 35 X 20	2.5	1
604	25 X 35 X 25	2.5	1
605	15 X 40 X 15	2.5	1
606	20 X 40 X 20	2.5	1
607	25 X 40 X 25	2.5	1
608	15 X 50 X 15	2.5	1
609	20 X 50 X 20	2.5	1
610	25 X 50 X 25	2.5	1



SLOTTED Z SECTION

Sr No	Size (mm)	Standard Length (Mtr)	Standard Pack (Pc)
611	25 X 25 X 25	2.5	1
612	25 X 30 X 25	2.5	1
613	30 X 30 X 30	2.5	1
614	30 X 35 X 30	2.5	1
615	30 X 40 X 30	2.5	1
616	30 X 50 X 30	2.5	1
617	35 X 30 X 35	2.5	1
618	35 X 35 X 35	2.5	1
619	35 X 40 X 35	2.5	1
620	35 X 50 X 35	2.5	1
621	40 X 35 X 40	2.5	1
622	40 X 40 X 40	2.5	1
623	45 X 40 X 45	2.5	1
624	45 X 45 X 45	2.5	1
625	45 X 50 X 45	2.5	1
626	50 X 45 X 50	2.5	1
627	50 X 50 X 50	2.5	1

All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.



UPVC PANEL TRUNKING

Precision uPVC Panel Trunking is manufactured from high impact unplasticised polyvinyl chloride (uPVC) to ensure panel & machinery safety in extreme conditions. These trunkings are ideal to channelise medium, big size panels & various applications where economy, space saving, safety and durability are paramount.

APPLICATIONS

To conduct, organise and protect cables inside electrical and telecommunication panels, industrial machinery wiring, computer LAN wiring and data centers.

FEATURES



Fire retardant



Thermal resistant
(-5° C to +60° C)



High Tensile
Strength
(390 kg/cm²)

- Non-brittle, wrap proof.
- Vertical slides and detachable strips facilitates systematic wiring, permits faster connections, additions and fault tracing of wires.
- Avoids bunching, taping, and provides complete electrical insulation.
- Unique cover locking design prevents popping of wires while removing cover
- Elongated slots at bottom allows flexible mounting.



GREY



UPVC PANEL TRUNKING ≈ FRLS C €

HSN : 85381010

GREY



STANDARD SLOT

UPVC PANEL TRUNKING

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		H x W(mm)	Pc/Mtr	Mtr/Carton	
628	PPT1515	15 x 15	200 x 1m	200	43.00
629	PPT2525	25 x 25	130 x 1m	130	65.50
630	PPT3025	30 x 25	125 x 1m	125	70.00
631	PPT4525	45 x 25	90 x 1m	90	86.00
632	PPT4545	45 x 45	50 x 1m	50	119.00
633	PPT4560	45 x 60	50 x 1m	50	154.00
634	PPT6025	60 x 25	70 x 1m	70	110.00
635	PPT6040	60 x 40	60 x 1m	60	138.00
636	PPT6045	60 x 45	50 x 1m	50	139.00
637	PPT6060	60 x 60	40 x 1m	40	174.00
638	PPT7525	75 x 25	60 x 1m	60	140.00
639	PPT7575	75 x 75	30 x 1m	30	256.00
640	PPT10075	100 x 75	24 x 1m	24	421.00
641	PPT100100	100 x 100	16 x 1m	16	498.00

THIN SLOT

UPVC PANEL TRUNKING



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		H x W(mm)	Pc/Mtr	Mtr/Carton	
642	PPT3025TS	30 x 25	125 x 1m	125	73.00
643	PPT4525TS	45 x 25	90 x 1m	90	90.00
644	PPT4545TS	45 x 45	50 x 1m	50	126.00
645	PPT4560TS	45 x 60	50 x 1m	50	156.50
646	PPT6025TS	60 x 25	70 x 1m	70	118.00
647	PPT6040TS	60 x 40	60 x 1m	60	145.00
648	PPT6045TS	60 x 45	50 x 1m	50	146.00
649	PPT6060TS	60 x 60	40 x 1m	40	184.00

TOP COVER

UPVC PANEL TRUNKING



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		(mm)	Pc/Mtr	Mtr/Carton	
650	PPT25T	25	100 x 1m	100	27.00
651	PPT40T	40	50 x 1m	50	44.00
652	PPT45T	45	50 x 1m	50	47.00
653	PPT60T	60	50 x 1m	50	72.00
654	PPT75T	75	25 x 1m	25	73.00
655	PPT100T	100	25 x 1m	25	117.00

≈ FRLS: Fire Retardant - Low Smoke



CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

Precision Corrugated Flexible Conduit Pipes & Fittings come in a wide and comprehensive range of material variants to suit a variety of applications. These conduits are manufactured in variants based on the final application for wiring purposes.


POLYPROPYLENE FLEXIBLE CONDUITS are the best solution for applications where resistance to constant flexing and vibration is essential, these conduits display excellent flexibility. Moreover, they are light weight and easy to install which makes them very popular. Temperature resistant from -5°C to $+90^{\circ}\text{C}$.

STEEL WIRE REINFORCED FLEXIBLE UPVC CONDUITS are manufactured with soft polyvinyl chloride (uPVC) wall fused to high tensile steel wire in a coiled state. These conduits are unaffected by inorganic acid, alkali & saline water. Most suitable for electrical wiring in buildings, switch boards, panels, machinery, dust collectors, air dusting, exhaust of fumes, shrouds of railway coach wiring and hospital equipments. Temperature resistant from -5°C to $+60^{\circ}\text{C}$.

GALVANISED STEEL FLEXIBLE CONDUIT
Precision Steel Flexible Conduit Pipes are made from galvanised steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in galvanized zinc coating with spiral corrugated pattern finished surface. Mostly used as low pressure hose in Industrial domestic air conditioning, ventilation systems and as mechanical protection for insulated electrical cables & wires which may be exposed to atmospheric conditions.

GALVANISED STEEL FLEXIBLE CONDUIT WITH PVC COATING

Precision PVC Coated Steel Flexible Conduit Pipes are made from galvanized steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in poly vinyl coating. They are available in black/grey colour with spiral corrugated pattern finished surface. Most suitable for mechanical protection of cable and wire in tunnels, hospitals, high-rise office blocks and public buildings.



CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

HSN : 39173100



DIMENSIONS OF CORRUGATED FLEXIBLE CONDUITS

Nominal Diameter (mm)	Maximum Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Minimum Inside Diameter (mm)
10	10	- 0.1	7.0
16	16	- 0.3	10.7
20	20	- 0.3	14.1
25	25	- 0.4	18.3
32	32	- 0.4	24.3
40	40	- 0.4	31.2
50	50	- 0.5	39.6
63	63	- 0.6	52.6

(PP) POLY PROPYLENE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Mtr./Coil	Mtr./Bag	
656	PCFC 10	10	100	1000	8.00
657	PCFC 16	16	50	500	8.00
658	PCFC 20	20	50	500	11.00
659	PCFC 25	25	25	250	16.00
660	PCFC 32	32	25	250	27.00
661	PCFC 40	40	20	100	37.50
662	PCFC 50	50	15	75	56.00
663	PCFC 63	63	10	50	87.00



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Mtr./Coil	Mtr./Bag	
664	PCCL 10	10	100	1000	12.00
665	PCCL 16	16	50	500	13.00
666	PCCL 20	20	50	500	18.00
667	PCCL 25	25	25	250	24.50
668	PCCL 32	32	25	250	40.00
669	PCCL 40	40	20	100	47.50
670	PCCL 50	50	15	75	65.50
671	PCCL 63	63	10	50	102.00

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES

Nominal Size (mm)	Nominal Size (inch)	OD (mm)	ID (mm)	BENDING radius/mm
16	1/2"	15.5	12.5	40
20	3/4"	22.5	19.5	55
25	1"	28	25.0	60
32	1 1/4"	35.0	32.0	70
40	1 1/2"	42.0	38.0	80
50	2	54.0	50.0	90

*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm

CORRUGATED FLEXIBLE CONDUIT PIPE FITTINGS

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES WITH PVC COATING

Nominal Size (mm)	Nominal Size (inch)	OD (mm)	ID (mm)	BENDING radius/mm
16	1/2"	16.5	12.5	40
20	3/4"	23.5	19.5	55
25	1"	29	25.0	60
32	1 1/4"	36.5	32.0	70
40	1 1/2"	44.0	38.0	80
50	2	57.0	51.0	90

*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm

CORRUGATED FLEXIBLE CONDUIT GLAND

HSN : 39174000



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
672	PFAG 16	16	125	2250	6.00
673	PFAG 20	20	75	1350	8.00
674	PFAG 25	25	50	900	10.50
675	PFAG 32	32	30	540	12.50
676	PFAG 40	40	20	360	18.00
677	PFAG 50	50	5	150	23.50

CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPE



HSN : 39172190



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		ID (mm)	Mtr./Coil	Mtr./Bag	
678	PCWR 10	10	30	300	51.50
679	PCWR 16	16	30	300	63.50
680	PCWR 20	20	30	240	87.00
681	PCWR 25	25	30	210	102.50
682	PCWR 30	30	30	150	132.50
683	PCWR 40	40	30	120	157.00
684	PCWR 50	50	30	90	179.00
685	PCWR 60	60	15	75	257.00

GALVANIZED STEEL FLEXIBLE CONDUIT PIPES



HSN : 83071000



SR. NO.	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (Inch)	STANDARD PACK		RATE (Mtr)
				Mtr./Coil	Mtr./Bag	
693	PGIFC 16	16	1/2"	15	210	38.50
694	PGIFC 20	20	3/4"	15	150	51.50
695	PGIFC 25	25	1"	15	105	78.50
696	PGIFC 32	32	1 1/4"	15	75	93.50
697	PGIFC 40	40	1 1/2"	15	75	105.00
698	PGIFC 50	50	2"	10	50	156.00

STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT GLAND



HSN : 39174000



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
686	PFRG 10	10	75	1350	10.50
687	PFRG 16	16	60	1080	11.50
688	PFRG 20	20	45	810	14.50
689	PFRG 25	25	30	540	19.50
690	PFRG 30	30	20	360	24.00
691	PFRG 40	40	15	270	31.50
692	PFRG 50	50	5	150	45.00

GALVANIZED STEEL FLEXIBLE CONDUIT WITH PVC COATING



HSN : 83071000



SR. NO.	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (Inch)	STANDARD PACK		RATE (Mtr)
				Mtr./Coil	Mtr./Bag	
699	PGIFCP 16	16	1/2"	50	250	59.00
700	PGIFCP20	20	3/4"	25	150	78.50
701	PGIFCP 25	25	1"	25	125	119.50
702	PGIFCP 32	32	1 1/4"	15	75	142.00
703	PGIFCP 40	40	1 1/2"	15	75	167.50
704	PGIFCP 50	50	2"	15	60	238.00



electrical@precisionpipes.com
www.precisionpipes.com

We Care +91 77150 00015

PRECISION PLASTIC INDUSTRIES PVT. LTD.

19/D, Nand Jyot Industrial Estate, Safed Pool, Andheri - Kurla Road,
Andheri East, Mumbai 400 072, Maharashtra, India.