



# PLUMBING PIPING SYSTEMS



**PRICE LIST - 9th October. 2023**



**Precision Chlorinated Poly Vinyl Chloride (CPVC) Pipes and Fittings** are manufactured from a specially formulated compound in accordance with Indian Standard IS 15778 and ASTM D 2846 specifications. These pipes and fittings are a perfect choice, having many advantages over the conventional systems as they are corrosion free and resistant to most acids, bases, salts and halogens.

#### Applications

Channelising hot and cold water supply and potable water in homes, apartments, hotels, commercial complex, hospitals, gas and solar applications.

#### Features

- Various diameters and grades to suit different applications and conditions.
- Time tested operational life of 50 years.
- Economical, maintenance free and easy to install.
- Heat efficient and lower installation cost.
- Corrosion free and chemical resistant.
- Fire retardant.
- Hot and cold water compatible.
- Low thermal expansion.
- Hygienic and environment friendly.
- Service temperature upto 82°C.

**Colour** - Tan 

| DIMENSIONS OF SDR 11 (CLASS 1) CPVC PIPES-IS 15778 |     |         |           |      |                                     |      |
|----------------------------------------------------|-----|---------|-----------|------|-------------------------------------|------|
| Nominal Size                                       |     | Nominal | Wall      |      | Working Pressure/kg/cm <sup>2</sup> |      |
| Inch                                               | mm  | OD      | Thickness |      | 27°C                                | 82°C |
| ½                                                  | 15  | 15.9    | 1.7       | 2.2  | 27.6                                | 6.8  |
| ¾                                                  | 20  | 22.2    | 2.0       | 2.5  | 27.6                                | 6.8  |
| 1                                                  | 25  | 28.6    | 2.6       | 3.1  | 27.6                                | 6.8  |
| 1¼                                                 | 32  | 34.9    | 3.2       | 3.7  | 27.6                                | 6.8  |
| 1½                                                 | 40  | 41.3    | 3.8       | 4.3  | 27.6                                | 6.8  |
| 2                                                  | 50  | 54.0    | 4.9       | 5.5  | 27.6                                | 6.8  |
| DIMENSIONS OF SCH 80 CPVC PIPES - ASTM F 441       |     |         |           |      |                                     |      |
| 2½                                                 | 65  | 73.02   | 7.01      | 7.85 | 29.54                               | 7.38 |
| 3                                                  | 80  | 88.9    | 7.62      | 8.53 | 26.02                               | 6.52 |
| 4                                                  | 100 | 114.3   | 8.56      | 9.58 | 22.5                                | 5.62 |

| DIMENSIONS OF SDR 13.5 (CLASS 2) CPVC PIPES-IS 15778 |     |         |           |      |                                     |      |
|------------------------------------------------------|-----|---------|-----------|------|-------------------------------------|------|
| Nominal Size                                         |     | Nominal | Wall      |      | Working Pressure/kg/cm <sup>2</sup> |      |
| Inch                                                 | mm  | OD      | Thickness |      | 27°C                                | 82°C |
| ½                                                    | 15  | 15.9    | 1.4       | 1.9  | 21.8                                | 5.5  |
| ¾                                                    | 20  | 22.2    | 1.7       | 2.2  | 21.8                                | 5.5  |
| 1                                                    | 25  | 28.6    | 2.1       | 2.6  | 21.8                                | 5.5  |
| 1¼                                                   | 32  | 34.9    | 2.6       | 3.1  | 21.8                                | 5.5  |
| 1½                                                   | 40  | 41.3    | 3.1       | 3.6  | 21.8                                | 5.5  |
| 2                                                    | 50  | 54.0    | 4.0       | 4.6  | 21.8                                | 5.5  |
| DIMENSIONS OF SCH 40 CPVC PIPES - ASTM F 441         |     |         |           |      |                                     |      |
| 2½                                                   | 65  | 73.02   | 5.16      | 5.80 | 27.1                                | 5.27 |
| 3                                                    | 80  | 88.9    | 5.49      | 6.10 | 18.28                               | 4.57 |
| 4                                                    | 100 | 114.3   | 6.02      | 6.70 | 15.47                               | 3.87 |

| MINIMUM DIMENSIONS FROM CENTER TO END OF SOCKET (LAYING LENGTH) |    |       |       |       |       |       |      |
|-----------------------------------------------------------------|----|-------|-------|-------|-------|-------|------|
| CPVC SDR 11 Pipe Fittings                                       |    |       |       |       |       |       |      |
| inch                                                            | mm | inch  | mm    | inch  | mm    | inch  | mm   |
| ½                                                               | 15 | 0.382 | 9.7   | 0.183 | 4.65  | 0.102 | 2.59 |
| ¾                                                               | 20 | 0.507 | 12.88 | 0.235 | 5.97  | 0.102 | 2.59 |
| 1                                                               | 25 | 0.633 | 16.08 | 0.287 | 7.29  | 0.102 | 2.59 |
| 1¼                                                              | 32 | 0.758 | 19.25 | 0.339 | 8.61  | 0.102 | 2.59 |
| 1½                                                              | 40 | 0.884 | 22.45 | 0.391 | 9.93  | 0.102 | 2.59 |
| 2                                                               | 50 | 1.134 | 28.83 | 0.495 | 12.57 | 0.102 | 2.59 |

| DIMENSIONS FOR TAPERED SOCKET OF CPVC SDR 11 PIPE FITTINGS |                 |        |        |        |               |        |        |        |                 |       |       |       |                |        |               |        |          |      |
|------------------------------------------------------------|-----------------|--------|--------|--------|---------------|--------|--------|--------|-----------------|-------|-------|-------|----------------|--------|---------------|--------|----------|------|
| Nom                                                        | Socket Entrance |        |        |        | Socket Bottom |        |        |        | Socket Entrance |       | ID    |       | Wall Thickness |        |               |        | Entrance |      |
| Size                                                       | Diameter mm     |        |        |        | Diameter mm   |        |        |        | inch            | mm    | inch  | mm    | Socket         |        | Socket Bottom |        | F        | F    |
| Inch                                                       | A Aver          | A Aver | A Tole | A Tole | B Aver        | B Aver | B Tole | B Tole | C min           | C min | D min | D min | EA min         | EA min | EB min        | EB min | F        | F    |
| ½                                                          | 0.633           | 16.08  | 0.003  | 0.08   | 0.619         | 15.72  | 0.003  | 0.08   | 0.500           | 12.70 | 0.489 | 12.42 | 0.068          | 1.73   | 0.102         | 2.59   | 0.128    | 3.25 |
| ¾                                                          | 0.884           | 22.45  | 0.003  | 0.08   | 0.870         | 22.10  | 0.003  | 0.08   | 0.700           | 17.78 | 0.715 | 18.16 | 0.080          | 2.03   | 0.102         | 2.59   | 0.128    | 3.25 |
| 1                                                          | 1.135           | 28.83  | 0.003  | 0.08   | 1.121         | 28.47  | 0.003  | 0.08   | 0.900           | 22.86 | 0.921 | 23.39 | 0.102          | 2.59   | 0.102         | 2.59   | 0.128    | 3.25 |
| 1¼                                                         | 1.386           | 35.20  | 0.003  | 0.08   | 1.372         | 34.85  | 0.003  | 0.08   | 1.100           | 27.94 | 1.125 | 28.58 | 0.125          | 3.18   | 0.125         | 3.18   | 0.156    | 3.96 |
| 1½                                                         | 1.640           | 41.66  | 0.004  | 0.10   | 1.622         | 41.20  | 0.004  | 0.10   | 1.300           | 33.02 | 1.329 | 33.76 | 0.148          | 3.76   | 0.148         | 3.76   | 0.185    | 4.70 |
| 2                                                          | 2.141           | 54.38  | 0.004  | 0.10   | 2.123         | 53.92  | 0.004  | 0.10   | 1.700           | 43.18 | 1.739 | 44.17 | 0.193          | 4.90   | 0.193         | 4.90   | 0.241    | 6.12 |
| 2 ½                                                        | 2.889           | 73.38  | 0.007  | 0.18   | 2.868         | 72.85  | 0.007  | 0.18   | 1.75            | 44.45 | 2.25  | 57.15 | 0.276          | 7.01   | 0.345         | 8.76   | 0.9      | 2.3  |
| 3                                                          | 3.516           | 89.31  | 0.008  | 0.20   | 3.492         | 88.70  | 0.008  | 0.20   | 1.875           | 47.63 | 2.82  | 71.63 | 0.300          | 7.62   | 0.375         | 9.53   | 0.9      | 2.3  |
| 4                                                          | 4.518           | 114.76 | 0.009  | 0.23   | 4.491         | 114.07 | 0.009  | 0.23   | 2.25            | 57.15 | 3.737 | 94.92 | 0.337          | 8.56   | 0.42          | 10.67  | 0.9      | 2.3  |

## CPVC PIPES IS 15778 & ASTM F 441

HSN: 39172390



| SR NO                              | PRODUCT CODE | NOMINAL SIZE (mm) | NOMINAL SIZE (inch) | STD.PACK (pcs) | RATE (mtr) | RATE 3mtr/pc |
|------------------------------------|--------------|-------------------|---------------------|----------------|------------|--------------|
| CPVC PIPES - SDR 11 (Length: 3mtr) |              |                   |                     |                |            |              |
| 1                                  | CPVC 1115/3  | 15                | ½                   | 70             | 74.00      | 222.00       |
| 2                                  | CPVC 1120/3  | 20                | ¾                   | 50             | 126.00     | 378.00       |
| 3                                  | CPVC 1125/3  | 25                | 1                   | 30             | 205.50     | 616.50       |
| 4                                  | CPVC 1132/3  | 32                | 1¼                  | 20             | 299.00     | 897.00       |
| 5                                  | CPVC 1140/3  | 40                | 1½                  | 15             | 417.00     | 1,251.00     |
| 6                                  | CPVC 1150/3  | 50                | 2                   | 10             | 704.50     | 2,113.50     |
| CPVC PIPES - SCH 80 (Length: 3mtr) |              |                   |                     |                |            |              |
| 7                                  | CPVC 8065/3  | 65                | 2½                  | 5              | 1,419.00   | 4,257.00     |
| 8                                  | CPVC 8080/3  | 80                | 3                   | 3              | 1,903.50   | 5,710.50     |
| 9                                  | CPVC 80100/3 | 100               | 4                   | 2              | 2,771.50   | 8,314.50     |

| SR NO                                | PRODUCT CODE | NOMINAL SIZE (mm) | NOMINAL SIZE (inch) | STD.PACK (pcs) | RATE (mtr) | RATE 3mtr/pc |
|--------------------------------------|--------------|-------------------|---------------------|----------------|------------|--------------|
| CPVC PIPES - SDR 13.5 (Length: 3mtr) |              |                   |                     |                |            |              |
| 10                                   | CPVC 1315/3  | 15                | ½                   | 70             | 65.00      | 195.00       |
| 11                                   | CPVC 1320/3  | 20                | ¾                   | 50             | 112.00     | 336.00       |
| 12                                   | CPVC 1325/3  | 25                | 1                   | 30             | 170.00     | 510.00       |
| 13                                   | CPVC 1332/3  | 32                | 1¼                  | 20             | 254.50     | 763.50       |
| 14                                   | CPVC 1340/3  | 40                | 1½                  | 15             | 351.50     | 1,054.50     |
| 15                                   | CPVC 1350/3  | 50                | 2                   | 10             | 588.50     | 1,765.50     |
| CPVC PIPES - SCH 40 (Length: 3mtr)   |              |                   |                     |                |            |              |
| 16                                   | CPVC 4065/3  | 65                | 2½                  | 5              | 1,084.00   | 3,252.00     |
| 17                                   | CPVC 4080/3  | 80                | 3                   | 3              | 1,416.50   | 4,249.50     |
| 18                                   | CPVC 40100/3 | 100               | 4                   | 2              | 2,015.00   | 6,045.00     |

| SR NO                              | PRODUCT CODE | NOMINAL SIZE (mm) | NOMINAL SIZE (inch) | STD.PACK (pcs) | RATE (mtr) | RATE 5mtr/pc |
|------------------------------------|--------------|-------------------|---------------------|----------------|------------|--------------|
| CPVC PIPES - SDR 11 (Length: 5mtr) |              |                   |                     |                |            |              |
| 19                                 | CPVC 1115/5  | 15                | ½                   | 70             | 74.00      | 370.00       |
| 20                                 | CPVC 1120/5  | 20                | ¾                   | 50             | 126.00     | 630.00       |
| 21                                 | CPVC 1125/5  | 25                | 1                   | 30             | 205.50     | 1,027.50     |
| 22                                 | CPVC 1132/5  | 32                | 1¼                  | 20             | 299.00     | 1,495.00     |
| 23                                 | CPVC 1140/5  | 40                | 1½                  | 15             | 417.00     | 2,085.00     |
| 24                                 | CPVC 1150/5  | 50                | 2                   | 10             | 704.50     | 3,522.50     |
| CPVC PIPES - SCH 80 (Length: 5mtr) |              |                   |                     |                |            |              |
| 25                                 | CPVC 8065/5  | 65                | 2½                  | 5              | 1,419.00   | 7,095.00     |
| 26                                 | CPVC 8080/5  | 80                | 3                   | 3              | 1,903.50   | 9,517.50     |
| 27                                 | CPVC 80100/5 | 100               | 4                   | 2              | 2,771.50   | 13,857.50    |

| SR NO                                | PRODUCT CODE | NOMINAL SIZE (mm) | NOMINAL SIZE (inch) | STD.PACK (pcs) | RATE (mtr) | RATE 5mtr/pc |
|--------------------------------------|--------------|-------------------|---------------------|----------------|------------|--------------|
| CPVC PIPES - SDR 13.5 (Length: 5mtr) |              |                   |                     |                |            |              |
| 28                                   | CPVC 1315/5  | 15                | ½                   | 70             | 65.00      | 325.00       |
| 29                                   | CPVC 1320/5  | 20                | ¾                   | 50             | 112.00     | 560.00       |
| 30                                   | CPVC 1325/5  | 25                | 1                   | 30             | 170.00     | 850.00       |
| 31                                   | CPVC 1332/5  | 32                | 1¼                  | 20             | 254.50     | 1,272.50     |
| 32                                   | CPVC 1340/5  | 40                | 1½                  | 15             | 351.50     | 1,757.50     |
| 33                                   | CPVC 1350/5  | 50                | 2                   | 10             | 588.50     | 2,942.50     |
| CPVC PIPES - SCH 40 (Length: 5mtr)   |              |                   |                     |                |            |              |
| 34                                   | CPVC 4065/5  | 65                | 2½                  | 5              | 1,084.00   | 5,420.00     |
| 35                                   | CPVC 4080/5  | 80                | 3                   | 3              | 1,416.50   | 7,082.50     |
| 36                                   | CPVC 40100/5 | 100               | 4                   | 2              | 2,015.00   | 10,075.00    |

SDR 11/SCH 80 - Red Stripe

SDR 13.5/SCH 40 - Brown Stripe

## CPVC FITTINGS SDR 11 ASTM D 2846

HSN: 39174000

| SR NO          | PRODUCT CODE | STANDARD SIZE<br>(mm) (inch) | STD. PACK<br>Pc/Bag Pc/Ctn | RATE<br>(pc) |
|----------------|--------------|------------------------------|----------------------------|--------------|
| <b>COUPLER</b> |              |                              |                            |              |
| 37             | CPVC 15C     | 15 ½                         | 100 1000                   | 8.00         |
| 38             | CPVC 20C     | 20 ¾                         | 100 700                    | 15.50        |
| 39             | CPVC 25C     | 25 1                         | 50 300                     | 25.50        |
| 40             | CPVC 32C     | 32 1¼                        | 10 200                     | 51.00        |
| 41             | CPVC 40C     | 40 1½                        | 10 110                     | 79.00        |
| 42             | CPVC 50C     | 50 2                         | 10 70                      | 166.00       |
| 43             | CPVC 65C     | 65 2½                        | 4 -                        | 542.00       |



|              |          |       |         |        |
|--------------|----------|-------|---------|--------|
| <b>ELBOW</b> |          |       |         |        |
| 44           | CPVC 15E | 15 ½  | 100 600 | 13.00  |
| 45           | CPVC 20E | 20 ¾  | 50 550  | 19.50  |
| 46           | CPVC 25E | 25 1  | 40 240  | 38.00  |
| 47           | CPVC 32E | 32 1¼ | 10 120  | 85.00  |
| 48           | CPVC 40E | 40 1½ | 10 80   | 140.00 |
| 49           | CPVC 50E | 50 2  | 5 40    | 253.50 |



|            |           |       |         |          |
|------------|-----------|-------|---------|----------|
| <b>TEE</b> |           |       |         |          |
| 50         | CPVC 15T  | 15 ½  | 100 400 | 15.50    |
| 51         | CPVC 20T  | 20 ¾  | 50 350  | 28.50    |
| 52         | CPVC 25T  | 25 1  | 25 175  | 48.00    |
| 53         | CPVC 32T  | 32 1¼ | 10 100  | 106.00   |
| 54         | CPVC 40T  | 40 1½ | 10 50   | 171.00   |
| 55         | CPVC 50T  | 50 2  | 5 25    | 312.00   |
| 56         | CPVC 65T  | 65 2½ | 2 -     | 1,175.00 |
| 57         | CPVC 80T  | 80 3  | 1 -     | 1,747.00 |
| 58         | CPVC 100T | 100 4 | 1 -     | 2,920.00 |



|                  |            |       |        |        |
|------------------|------------|-------|--------|--------|
| <b>ELBOW 45°</b> |            |       |        |        |
| 59               | CPVC 1545E | 15 ½  | 50 750 | 11.00  |
| 60               | CPVC 2045E | 20 ¾  | 25 300 | 18.50  |
| 61               | CPVC 2545E | 25 1  | 20 240 | 36.50  |
| 62               | CPVC 3245E | 32 1¼ | 10 140 | 78.00  |
| 63               | CPVC 4045E | 40 1½ | 5 80   | 126.00 |
| 64               | CPVC 5045E | 50 2  | 5 35   | 232.00 |



|                            |          |       |         |        |
|----------------------------|----------|-------|---------|--------|
| <b>MALE THREAD ADAPTOR</b> |          |       |         |        |
| 65                         | CPVC 15M | 15 ½  | 100 800 | 12.00  |
| 66                         | CPVC 20M | 20 ¾  | 100 600 | 20.50  |
| 67                         | CPVC 25M | 25 1  | 50 400  | 29.00  |
| 68                         | CPVC 32M | 32 1¼ | 10 120  | 53.50  |
| 69                         | CPVC 40M | 40 1½ | 10 120  | 80.00  |
| 70                         | CPVC 50M | 50 2  | 10 60   | 154.50 |



|                              |          |       |        |        |
|------------------------------|----------|-------|--------|--------|
| <b>FEMALE THREAD ADAPTOR</b> |          |       |        |        |
| 71                           | CPVC 15F | 15 ½  | 50 500 | 18.50  |
| 72                           | CPVC 20F | 20 ¾  | 50 450 | 25.50  |
| 73                           | CPVC 25F | 25 1  | 25 250 | 42.50  |
| 74                           | CPVC 32F | 32 1¼ | 10 140 | 83.50  |
| 75                           | CPVC 40F | 40 1½ | 10 100 | 124.00 |
| 76                           | CPVC 50F | 50 2  | 5 50   | 203.50 |



|                |            |       |          |        |
|----------------|------------|-------|----------|--------|
| <b>END CAP</b> |            |       |          |        |
| 77             | CPVC 15EC  | 15 ½  | 100 1500 | 6.50   |
| 78             | CPVC 20EC  | 20 ¾  | 100 600  | 11.50  |
| 79             | CPVC 25EC  | 25 1  | 100 300  | 19.50  |
| 80             | CPVC 32EC  | 32 1¼ | 25 150   | 40.00  |
| 81             | CPVC 40EC  | 40 1½ | 15 120   | 56.00  |
| 82             | CPVC 50EC  | 50 2  | 5 60     | 119.50 |
| 83             | CPVC 65EC  | 65 2½ | 10 -     | 236.00 |
| 84             | CPVC 80EC  | 80 3  | 10 -     | 353.00 |
| 85             | CPVC 100EC | 100 4 | 2 -      | 612.00 |



|                        |             |                 |         |        |
|------------------------|-------------|-----------------|---------|--------|
| <b>REDUCER COUPLER</b> |             |                 |         |        |
| 86                     | CPVC 2015RC | 20 x 15 ¾ x ½   | 100 500 | 15.00  |
| 87                     | CPVC 2515RC | 25 x 15 1 x ½   | 100 300 | 24.00  |
| 88                     | CPVC 2520RC | 25 x 20 1 x ¾   | 100 400 | 26.00  |
| 89                     | CPVC 3215RC | 32 x 15 1¼ x ½  | 10 150  | 37.00  |
| 90                     | CPVC 3220RC | 32 x 20 1¼ x ¾  | 10 150  | 39.00  |
| 91                     | CPVC 3225RC | 32 x 25 1¼ x 1  | 10 230  | 45.50  |
| 92                     | CPVC 4015RC | 40 x 15 1½ x ½  | 10 100  | 56.50  |
| 93                     | CPVC 4020RC | 40 x 20 1½ x ¾  | 10 100  | 60.00  |
| 94                     | CPVC 4025RC | 40 x 25 1½ x 1  | 10 100  | 65.00  |
| 95                     | CPVC 4032RC | 40 x 32 1½ x 1¼ | 10 120  | 72.00  |
| 96                     | CPVC 5015RC | 50 x 15 2 x ½   | 5 50    | 116.00 |
| 97                     | CPVC 5020RC | 50 x 20 2 x ¾   | 5 50    | 118.00 |
| 98                     | CPVC 5025RC | 50 x 25 2 x 1   | 5 50    | 124.50 |
| 99                     | CPVC 5032RC | 50 x 32 2 x 1¼  | 5 50    | 130.00 |
| 100                    | CPVC 5040RC | 50 x 40 2 x 1½  | 5 100   | 141.50 |



|                    |             |                     |        |        |
|--------------------|-------------|---------------------|--------|--------|
| <b>REDUCER TEE</b> |             |                     |        |        |
| 101                | CPVC 2015RT | 20x20x15 ¾ x ¾ x ½  | 10 150 | 34.50  |
| 102                | CPVC 2515RT | 25x25x15 1x 1 x ½   | 10 100 | 59.00  |
| 103                | CPVC 2520RT | 25x25x20 1 x 1 x ¾  | 10 100 | 60.00  |
| 104                | CPVC 3215RT | 32x32x15 1¼x1¼x½    | 10 50  | 100.50 |
| 105                | CPVC 3220RT | 32x32x20 1¼x1¼x¾    | 10 50  | 100.50 |
| 106                | CPVC 3225RT | 32x32x25 1¼x1¼x1    | 10 50  | 106.50 |
| 107                | CPVC 4015RT | 40x40x15 1½x1½x½    | 10 30  | 157.00 |
| 108                | CPVC 4020RT | 40x40x20 1½x1½x¾    | 10 30  | 158.50 |
| 109                | CPVC 4025RT | 40x40x25 1½ x1½x1   | 10 30  | 163.50 |
| 110                | CPVC 4032RT | 40x40x32 1½x1½x1¼   | 10 30  | 178.00 |
| 111                | CPVC 5015RT | 50x50x15 2 x 2 x ½  | 5 15   | 295.00 |
| 112                | CPVC 5020RT | 50x50x20 2 x 2 x ¾  | 5 15   | 298.50 |
| 113                | CPVC 5025RT | 50x50x25 2 x 2 x 1  | 5 15   | 307.00 |
| 114                | CPVC 5032RT | 50x50x32 2 x 2 x 1¼ | 5 15   | 314.00 |
| 115                | CPVC 5040RT | 50x50x40 2 x 2 x 1½ | 5 15   | 338.50 |



|                      |             |               |        |       |
|----------------------|-------------|---------------|--------|-------|
| <b>REDUCER ELBOW</b> |             |               |        |       |
| 116                  | CPVC 2015RE | 20 x 15 ¾ x ½ | 10 250 | 24.00 |
| 117                  | CPVC 2520RE | 25 x 20 1 x ¾ | 10 250 | 46.00 |



## CPVC FITTINGS SDR 11 ASTM D 2846

HSN: 39174000

| SR NO              | PRODUCT CODE | STANDARD SIZE<br>(mm) (inch) |         | STD. PACK<br>Pc/Bag Pc/Ctn |      | RATE<br>(pc) |                                                                                     |
|--------------------|--------------|------------------------------|---------|----------------------------|------|--------------|-------------------------------------------------------------------------------------|
| REDUCER MTA        |              |                              |         |                            |      |              |    |
| 118                | CPVC 2015RM  | 20 x 15                      | ¾ x ½   | 100                        | 400  | 19.00        |                                                                                     |
| 119                | CPVC 2515RM  | 25 x 15                      | 1 x ½   | 50                         | 250  | 28.00        |                                                                                     |
| 120                | CPVC 2520RM  | 25 x 20                      | 1 x ¾   | 50                         | 250  | 29.00        |                                                                                     |
| REDUCER BUSHING    |              |                              |         |                            |      |              |    |
| 121                | CPVC 2015RB  | 20 x 15                      | ¾ x ½   | 50                         | 1200 | 8.00         |                                                                                     |
| 122                | CPVC 2515RB  | 25 x 15                      | 1 x ½   | 50                         | 450  | 19.50        |                                                                                     |
| 123                | CPVC 2520RB  | 25 x 20                      | 1 x ¾   | 50                         | 800  | 16.00        |                                                                                     |
| 124                | CPVC 3215RB  | 32 x 15                      | 1¼ x ½  | 25                         | 250  | 33.50        |                                                                                     |
| 125                | CPVC 3220RB  | 32 x 20                      | 1¼ x ¾  | 25                         | 400  | 35.50        |                                                                                     |
| 126                | CPVC 3225RB  | 32 x 25                      | 1¼ x 1  | 25                         | 400  | 25.00        |                                                                                     |
| 127                | CPVC 4015RB  | 40 x 15                      | 1½ x ½  | 10                         | 250  | 53.50        |                                                                                     |
| 128                | CPVC 4020RB  | 40 x 20                      | 1½ x ¾  | 10                         | 250  | 54.50        |                                                                                     |
| 129                | CPVC 4025RB  | 40 x 25                      | 1½ x 1  | 10                         | 250  | 53.50        |                                                                                     |
| 130                | CPVC 4032RB  | 40 x 32                      | 1½ x 1¼ | 10                         | 250  | 35.00        |                                                                                     |
| 131                | CPVC 5015RB  | 50 x 15                      | 2 x ½   | 10                         | 60   | 103.50       |                                                                                     |
| 132                | CPVC 5020RB  | 50 x 20                      | 2 x ¾   | 10                         | 60   | 107.00       |                                                                                     |
| 133                | CPVC 5025RB  | 50 x 25                      | 2 x 1   | 10                         | 60   | 109.50       |                                                                                     |
| 134                | CPVC 5032RB  | 50 x 32                      | 2 x 1¼  | 10                         | 60   | 120.00       |                                                                                     |
| 135                | CPVC 5040RB  | 50 x 40                      | 2 x 1½  | 10                         | 60   | 98.00        |                                                                                     |
| TRANSITION BUSHING |              |                              |         |                            |      |              |  |
| 136                | CPVC 15TB    | 15 x 15                      | ½ x ½   | 100                        | 1200 | 7.50         |                                                                                     |
| 137                | CPVC 20TB    | 20 x 20                      | ¾ x ¾   | 50                         | 500  | 10.50        |                                                                                     |
| 138                | CPVC 25TB    | 25 x 25                      | 1 x 1   | 25                         | 300  | 16.50        |                                                                                     |
| 139                | CPVC 32TB    | 32 x 32                      | 1¼ x 1¼ | 15                         | 150  | 34.00        |                                                                                     |
| 140                | CPVC 40TB    | 40 x 40                      | 1½ x 1½ | 10                         | 100  | 43.50        |                                                                                     |
| 141                | CPVC 50TB    | 50 x 50                      | 2 x 2   | 10                         | 60   | 57.00        |  |
| UNION              |              |                              |         |                            |      |              |                                                                                     |
| 142                | CPVC 15U     | 15                           | ½       | 25                         | 250  | 42.00        |                                                                                     |
| 143                | CPVC 20U     | 20                           | ¾       | 10                         | 140  | 65.00        |                                                                                     |
| 144                | CPVC 25U     | 25                           | 1       | 5                          | 75   | 107.00       |                                                                                     |
| 145                | CPVC 32U     | 32                           | 1¼      | 5                          | 50   | 148.50       |                                                                                     |
| 146                | CPVC 40U     | 40                           | 1½      | 5                          | 30   | 240.50       |                                                                                     |
| 147                | CPVC 50U     | 50                           | 2       | 2                          | 16   | 435.00       |  |
| CROSS TEE          |              |                              |         |                            |      |              |                                                                                     |
| 148                | CPVC 15CT    | 15                           | ½       | 25                         | 300  | 23.00        |                                                                                     |
| 149                | CPVC 20CT    | 20                           | ¾       | 10                         | 120  | 41.50        |                                                                                     |
| 150                | CPVC 25CT    | 25                           | 1       | 5                          | 60   | 79.00        |                                                                                     |
| 151                | CPVC 32CT    | 32                           | 1¼      | 2                          | 60   | 155.50       |                                                                                     |
| 152                | CPVC 40CT    | 40                           | 1½      | 2                          | 30   | 260.00       |  |
| 153                | CPVC 50CT    | 50                           | 2       | 2                          | 20   | 474.50       |                                                                                     |
| STEP OVER BEND     |              |                              |         |                            |      |              |                                                                                     |
| 154                | CPVC 15SB    | 15                           | ½       | 10                         | 120  | 64.50        |                                                                                     |
| 155                | CPVC 20SB    | 20                           | ¾       | 10                         | 60   | 93.00        |  |
| 156                | CPVC 25SB    | 25                           | 1       | 5                          | 30   | 179.00       |                                                                                     |
| ELBOW (BRASS)      |              |                              |         |                            |      |              |                                                                                     |
| 157                | CPVC 15BE    | 15 x 15                      | ½ x ½   | 25                         | 250  | 73.00        |                                                                                     |
| 158                | CPVC 20BE    | 20 x 20                      | ¾ x ¾   | 15                         | 150  | 107.50       |  |
| 159                | CPVC 25BE    | 25 x 25                      | 1 x 1   | 10                         | 80   | 221.50       |                                                                                     |

| SR NO                             | PRODUCT CODE  | STANDARD SIZE<br>(mm) (inch) |           | STD. PACK<br>Pc/Bag Pc/Ctn |     | RATE<br>(pc) |                                                                                       |
|-----------------------------------|---------------|------------------------------|-----------|----------------------------|-----|--------------|---------------------------------------------------------------------------------------|
| ELBOW (BRASS) - WALL MOUNTING     |               |                              |           |                            |     |              |                                                                                       |
| 160                               | CPVC 15BEW    | 15 x 15                      | ½ x ½     | 25                         | 200 | 77.50        |    |
| 161                               | CPVC 20BEW    | 20 x 20                      | ¾ x ¾     | 10                         | 100 | 106.00       |                                                                                       |
| 162                               | CPVC 25BEW    | 25 x 25                      | 1 x 1     | 5                          | 60  | 222.00       |                                                                                       |
| TEE (BRASS)                       |               |                              |           |                            |     |              |                                                                                       |
| 163                               | CPVC 15BT     | 15x15x15                     | ½ x ½ x ½ | 25                         | 250 | 77.50        |    |
| 164                               | CPVC 20BT     | 20x20x20                     | ¾ x ¾ x ¾ | 25                         | 125 | 117.00       |                                                                                       |
| 165                               | CPVC 25BT     | 25x25x25                     | 1 x 1 x 1 | 5                          | 60  | 217.00       |                                                                                       |
| MTA (BRASS)                       |               |                              |           |                            |     |              |                                                                                       |
| 166                               | CPVC 15BM     | 15                           | ½         | 25                         | 300 | 141.00       |    |
| 167                               | CPVC 20BM     | 20                           | ¾         | 20                         | 200 | 163.00       |                                                                                       |
| 168                               | CPVC 25BM     | 25                           | 1         | 10                         | 100 | 304.00       |                                                                                       |
| 169                               | CPVC 32BM     | 32                           | 1¼        | 5                          | 60  | 624.50       |                                                                                       |
| 170                               | CPVC 40BM     | 40                           | 1½        | 5                          | 40  | 824.00       |                                                                                       |
| 171                               | CPVC 50BM     | 50                           | 2         | 2                          | 20  | 1,485.00     |                                                                                       |
| FTA (BRASS)                       |               |                              |           |                            |     |              |                                                                                       |
| 172                               | CPVC 15BF     | 15                           | ½         | 25                         | 300 | 131.00       |  |
| 173                               | CPVC 20BF     | 20                           | ¾         | 20                         | 200 | 165.00       |                                                                                       |
| 174                               | CPVC 25BF     | 25                           | 1         | 10                         | 100 | 374.00       |                                                                                       |
| 175                               | CPVC 32BF     | 32                           | 1¼        | 5                          | 60  | 628.50       |                                                                                       |
| 176                               | CPVC 40BF     | 40                           | 1½        | 5                          | 50  | 788.00       |                                                                                       |
| 177                               | CPVC 50BF     | 50                           | 2         | 2                          | 20  | 1,198.00     |                                                                                       |
| R - ELBOW (BRASS)                 |               |                              |           |                            |     |              |                                                                                       |
| 178                               | CPVC 2015RBE  | 20 x 15                      | ¾ x ½     | 25                         | 200 | 75.50        |  |
| 179                               | CPVC 2515RBE  | 25 x 15                      | 1 x ½     | 25                         | 125 | 112.00       |                                                                                       |
| 180                               | CPVC 2520RBE  | 25 x 20                      | 1 x ¾     | 10                         | 120 | 135.50       |                                                                                       |
| R - ELBOW (BRASS) - WALL MOUNTING |               |                              |           |                            |     |              |                                                                                       |
| 181                               | CPVC 2015RBEW | 20 x 15                      | ¾ x ½     | 15                         | 150 | 102.50       |  |
| R - TEE (BRASS)                   |               |                              |           |                            |     |              |                                                                                       |
| 182                               | CPVC 2015RBT  | 20 x 15                      | ¾ x ½     | 25                         | 125 | 96.50        |  |
| 183                               | CPVC 2515RBT  | 25 x 15                      | 1 x ½     | 10                         | 80  | 137.00       |                                                                                       |
| 184                               | CPVC 2520RBT  | 25 x 20                      | 1 x ¾     | 10                         | 80  | 150.50       |                                                                                       |
| R - MTA (BRASS)                   |               |                              |           |                            |     |              |                                                                                       |
| 185                               | CPVC 1520RBM  | 15 x 20                      | ½ x ¾     | 25                         | 250 | 118.00       |  |
| 186                               | CPVC 2015RBM  | 20 x 15                      | ¾ x ½     | 25                         | 250 | 136.50       |                                                                                       |
| 187                               | CPVC 2515RBM  | 25 x 15                      | 1 x ½     | 20                         | 200 | 112.00       |                                                                                       |
| 188                               | CPVC 2520RBM  | 25 x 20                      | 1 x ¾     | 20                         | 200 | 127.00       |                                                                                       |
| R - FTA (BRASS)                   |               |                              |           |                            |     |              |                                                                                       |
| 189                               | CPVC 1520RBF  | 15 x 20                      | ½ x¾      | 25                         | 250 | 86.50        |  |
| 190                               | CPVC 2015RBF  | 20 x 15                      | ¾ x ½     | 25                         | 250 | 79.00        |                                                                                       |
| 191                               | CPVC 2515RBF  | 25 x 15                      | 1 x ½     | 10                         | 160 | 97.50        |                                                                                       |
| 192                               | CPVC 2520RBF  | 25 x 20                      | 1 x ¾     | 10                         | 160 | 101.50       |                                                                                       |
| TANK NIPPLE                       |               |                              |           |                            |     |              |                                                                                       |
| 193                               | CPVC 15TN     | 15                           | ½         | 25                         | 150 | 61.00        |  |
| 194                               | CPVC 20TN     | 20                           | ¾         | 25                         | 200 | 64.50        |                                                                                       |
| 195                               | CPVC 25TN     | 25                           | 1         | 10                         | 100 | 98.50        |                                                                                       |
| 196                               | CPVC 32TN     | 32                           | 1¼        | 5                          | 60  | 155.00       |                                                                                       |
| 197                               | CPVC 40TN     | 40                           | 1½        | 5                          | 40  | 222.50       |                                                                                       |
| 198                               | CPVC 50TN     | 50                           | 2         | 5                          | 35  | 346.50       |                                                                                       |



## CPVC FITTINGS SDR 11 ASTM D 2846

HSN: 39174000

| SR NO           | PRODUCT CODE | STANDARD SIZE (mm) | STANDARD SIZE (inch) | STD. PACK Pc/Bag | RATE (pc) |
|-----------------|--------------|--------------------|----------------------|------------------|-----------|
| <b>END PLUG</b> |              |                    |                      |                  |           |
| 199             | CPVC 15EP    | 15                 | ½                    | 100              | 8.50      |



| SR NO             | PRODUCT CODE | STANDARD SIZE (mm) | STANDARD SIZE (inch) | STD. PACK Pc/Bag Pc/Ctn | RATE (pc) |
|-------------------|--------------|--------------------|----------------------|-------------------------|-----------|
| <b>BALL VALVE</b> |              |                    |                      |                         |           |
| HSN: 84818090     |              |                    |                      |                         |           |

|     |            |    |    |    |     |          |
|-----|------------|----|----|----|-----|----------|
| 200 | CPVC 15BVI | 15 | ½  | 20 | 100 | 109.50   |
| 201 | CPVC 20BVI | 20 | ¾  | 15 | 75  | 168.50   |
| 202 | CPVC 25BVI | 25 | 1  | 10 | 50  | 242.00   |
| 203 | CPVC 32BVI | 32 | 1¼ | 5  | 25  | 443.00   |
| 204 | CPVC 40BVI | 40 | 1½ | 4  | 20  | 811.50   |
| 205 | CPVC 50BVI | 50 | 2  | 2  | 12  | 1,209.50 |



| SR NO                   | PRODUCT CODE | STANDARD SIZE (mm) | STANDARD SIZE (inch) | STD. PACK Pc/Bag | RATE (pc) |
|-------------------------|--------------|--------------------|----------------------|------------------|-----------|
| <b>VAN STONE FLANGE</b> |              |                    |                      |                  |           |
| 206                     | CPVC 65VF    | 65                 | 2½                   | 2                | 1,142.00  |
| 207                     | CPVC 80VF    | 80                 | 3                    | 2                | 1,269.00  |
| 208                     | CPVC 100VF   | 100                | 4                    | 2                | 2,177.00  |



| SR NO                            | PRODUCT CODE | STANDARD SIZE (mm) | STANDARD SIZE (inch) | STD. PACK Pc/Bag Pc/Ctn | RATE (pc) |
|----------------------------------|--------------|--------------------|----------------------|-------------------------|-----------|
| <b>POWDER COATED METAL STRAP</b> |              |                    |                      |                         |           |

HSN: 73072900

|     |           |    |    |    |     |       |
|-----|-----------|----|----|----|-----|-------|
| 209 | CPVC 15MS | 15 | ½  | 10 | 500 | 10.50 |
| 210 | CPVC 20MS | 20 | ¾  | 10 | 500 | 11.50 |
| 211 | CPVC 25MS | 25 | 1  | 10 | 500 | 12.00 |
| 212 | CPVC 32MS | 32 | 1¼ | 10 | 300 | 13.00 |
| 213 | CPVC 40MS | 40 | 1½ | 10 | 200 | 14.00 |
| 214 | CPVC 50MS | 50 | 2  | 10 | 200 | 15.50 |



| SR NO                                    | PRODUCT CODE | STANDARD SIZE (ml) | STD. PACK Pc/Box Pc/Ctn | RATE (pc) |
|------------------------------------------|--------------|--------------------|-------------------------|-----------|
| <b>CPVC SOLVENT CEMENT (TIN PACKING)</b> |              |                    |                         |           |

HSN: 35061000

|     |            |     |    |     |        |
|-----|------------|-----|----|-----|--------|
| 215 | CPVC SL59  | 59  | 30 | 240 | 134.00 |
| 216 | CPVC SL118 | 118 | 24 | 144 | 231.00 |
| 217 | CPVC SL237 | 237 | 24 | 96  | 364.50 |
| 218 | CPVC SL473 | 473 | 12 | 48  | 684.50 |



## ASTM (uPVC) Pipes & Fittings



**Precision ASTM (uPVC) Pipes and Fittings** are manufactured from a specially formulated unplasticised polyvinyl chloride compound. These pipes and fittings are tough and durable with high tensile and impact strength and are manufactured in accordance to ASTM (uPVC) D 1785 – SCH 40 & SCH 80 and Fittings to ASTM (uPVC) D 2476 – SCH 80

### Applications

Channelising potable water supply in homes, apartments, hotels, commercial complex and hospitals.

### Features

- Various diameters and grades to suit different applications and conditions.
- Time tested operational life of 50 years.
- Economical, maintenance free and Easy to install.
- Heat efficient and lower Installation cost .
- Corrosion free and chemical resistant.
- Fire retardant.
- Low thermal expansion.
- Hygienic and environment friendly.
- Services temperature upto 60°C.
- UV stabilized.

**Colour - White** ☐

**ASTM (uPVC) D 1785 / SCH 40 PIPES**

| Nominal Size<br>Inch | mm  | Nominal<br>OD mm | Wall<br>Thickness |      | Pressure Rating at 23°C<br>kg/cm <sup>2</sup> |
|----------------------|-----|------------------|-------------------|------|-----------------------------------------------|
|                      |     |                  | Min               | Max  |                                               |
| ½                    | 15  | 21.24            | 2.77              | 3.28 | 41.4                                          |
| ¾                    | 20  | 26.57            | 2.87              | 3.38 | 33.1                                          |
| 1                    | 25  | 33.27            | 3.38              | 3.89 | 31.0                                          |
| 1¼                   | 32  | 42.03            | 3.56              | 4.07 | 25.5                                          |
| 1½                   | 40  | 48.11            | 3.68              | 4.19 | 22.8                                          |
| 2                    | 50  | 60.17            | 3.91              | 4.42 | 19.3                                          |
| 2½                   | 65  | 73.02            | 5.16              | 5.77 | 21.10                                         |
| 3                    | 80  | 88.9             | 5.49              | 6.17 | 18.28                                         |
| 4                    | 100 | 114.3            | 6.02              | 6.73 | 15.47                                         |

**ASTM (uPVC) D 1785 / SCH 80 PIPES**

| Nominal Size<br>Inch | mm  | Nominal<br>OD | Wall<br>Thickness |      | Pressure Rating at 23°C<br>kg/cm <sup>2</sup> |
|----------------------|-----|---------------|-------------------|------|-----------------------------------------------|
|                      |     |               | Min               | Max  |                                               |
| ½                    | 15  | 21.24         | 3.73              | 4.24 | 58.6                                          |
| ¾                    | 20  | 26.57         | 3.91              | 4.42 | 47.6                                          |
| 1                    | 25  | 33.27         | 4.55              | 5.08 | 43.4                                          |
| 1¼                   | 32  | 42.03         | 4.85              | 5.43 | 35.9                                          |
| 1½                   | 40  | 48.11         | 5.08              | 5.69 | 32.4                                          |
| 2                    | 50  | 60.17         | 5.54              | 6.20 | 27.6                                          |
| 2½                   | 65  | 73.02         | 7.01              | 7.85 | 29.54                                         |
| 3                    | 80  | 88.9          | 7.62              | 8.53 | 26.02                                         |
| 4                    | 100 | 114.3         | 8.56              | 9.58 | 22.50                                         |

| MINIMUM DIMENSIONS FROM CENTER TO END OF SOCKET (LAYING LENGTH) |    |       |       |      |       |      |      |
|-----------------------------------------------------------------|----|-------|-------|------|-------|------|------|
| uPVC SCH 80 Pipe Fittings                                       |    |       |       |      |       |      |      |
| inch                                                            | mm | inch  | mm    | inch | mm    | inch | mm   |
| ½                                                               | 15 | ½     | 12.70 | ½    | 6.35  | 3/32 | 2.38 |
| ¾                                                               | 20 | 9/16  | 14.29 | 5/16 | 7.94  | 3/32 | 2.38 |
| 1                                                               | 25 | 11/16 | 17.46 | 5/16 | 7.94  | 3/32 | 2.38 |
| 1¼                                                              | 32 | 7/8   | 22.22 | 1/8  | 9.53  | 3/32 | 2.38 |
| 1½                                                              | 40 | 1     | 25.40 | 7/16 | 11.11 | 3/32 | 2.38 |
| 2                                                               | 50 | 1¼    | 31.75 | 5/8  | 15.88 | 3/32 | 2.38 |

| DIMENSIONS FOR TAPERED SOCKET OF uPVC SCH 80 PIPE FITTINGS |                  |        |        |        |                  |        |        |        |                 |       |       |       |                |        |               |        |          |      |
|------------------------------------------------------------|------------------|--------|--------|--------|------------------|--------|--------|--------|-----------------|-------|-------|-------|----------------|--------|---------------|--------|----------|------|
| Nom                                                        | Socket Entrance  |        |        |        | Socket Bottom    |        |        |        | Socket Entrance |       | ID    |       | Wall Thickness |        |               |        | Entrance |      |
| Size                                                       | Diameter inch/mm |        |        |        | Diameter inch/mm |        |        |        | inch            | mm    | inch  | mm    | Socket         |        | Socket Bottom |        |          |      |
| Inch                                                       | Dia              | Dia    | A Tole | A Tole | B Aver           | B Aver | B Tole | B Tole | C min           | C min | D min | D min | EA min         | EA min | EB min        | EB min | F        | F    |
| ½                                                          | 0.848            | 21.54  | 0.004  | 0.10   | 0.836            | 21.23  | 0.004  | 0.10   | 0.875           | 22.22 | 0.502 | 12.75 | 0.147          | 3.73   | 0.185         | 4.70   | 0.03     | 0.79 |
| ¾                                                          | 1.058            | 26.87  | 0.004  | 0.10   | 1.046            | 26.57  | 0.004  | 0.10   | 1.000           | 25.40 | 0.698 | 17.73 | 0.154          | 3.91   | 0.195         | 4.95   | 0.03     | 0.79 |
| 1                                                          | 1.325            | 33.65  | 0.005  | 0.13   | 1.310            | 33.27  | 0.005  | 0.13   | 1.125           | 28.58 | 0.911 | 23.14 | 0.179          | 4.55   | 0.225         | 5.72   | 0.06     | 1.59 |
| 1¼                                                         | 1.670            | 42.42  | 0.005  | 0.13   | 1.655            | 42.04  | 0.005  | 0.13   | 1.250           | 31.75 | 1.227 | 31.17 | 0.191          | 4.85   | 0.239         | 6.07   | 0.06     | 1.59 |
| 1½                                                         | 1.912            | 48.56  | 0.006  | 0.15   | 1.894            | 48.11  | 0.006  | 0.15   | 1.375           | 34.93 | 1.446 | 36.73 | 0.200          | 5.08   | 0.250         | 6.35   | 0.06     | 1.59 |
| 2                                                          | 2.387            | 60.63  | 0.006  | 0.15   | 2.369            | 60.17  | 0.006  | 0.15   | 1.500           | 38.10 | 1.881 | 47.78 | 0.218          | 5.54   | 0.275         | 6.99   | 0.06     | 1.59 |
| 2 ½                                                        | 2.889            | 73.38  | 0.007  | 0.18   | 2.868            | 72.85  | 0.007  | 0.18   | 1.75            | 44.45 | 2.25  | 57.15 | 0.276          | 7.01   | 0.345         | 8.76   | 0.9      | 2.3  |
| 3                                                          | 3.516            | 89.31  | 0.008  | 0.20   | 3.492            | 88.70  | 0.008  | 0.20   | 1.875           | 47.63 | 2.82  | 71.63 | 0.3            | 7.62   | 0.375         | 9.53   | 0.9      | 2.3  |
| 4                                                          | 4.518            | 114.76 | 0.009  | 0.23   | 4.491            | 114.07 | 0.009  | 0.23   | 2.25            | 57.15 | 3.737 | 94.92 | 0.337          | 8.56   | 0.42          | 10.67  | 0.9      | 2.3  |

## ASTM (uPVC) D 1785 PIPES

HSN: 39172390

| SR NO                                            | PRODUCT CODE | NOMINAL SIZE (mm) | NOMINAL SIZE (inch) | STD.PACK (pcs) | RATE (mtr) | RATE 3mtr/pc |
|--------------------------------------------------|--------------|-------------------|---------------------|----------------|------------|--------------|
| ASTM (uPVC) D 1785 / SCH 40 PIPES (Length: 3mtr) |              |                   |                     |                |            |              |
| 219                                              | ASTM 4015/3  | 15                | ½                   | 50             | 65.00      | 195.00       |
| 220                                              | ASTM 4020/3  | 20                | ¾                   | 40             | 90.50      | 271.50       |
| 221                                              | ASTM 4025/3  | 25                | 1                   | 30             | 128.00     | 384.00       |
| 222                                              | ASTM 4032/3  | 32                | 1¼                  | 20             | 179.00     | 537.00       |
| 223                                              | ASTM 4040/3  | 40                | 1½                  | 15             | 206.00     | 618.00       |
| 224                                              | ASTM 4050/3  | 50                | 2                   | 10             | 278.00     | 834.00       |
| 225                                              | ASTM 4065/3  | 65                | 2½                  | 5              | 452.00     | 1,356.00     |
| 226                                              | ASTM 4080/3  | 80                | 3                   | 3              | 595.00     | 1,785.00     |
| 227                                              | ASTM 40100/3 | 100               | 4                   | 2              | 845.00     | 2,535.00     |

| SR NO                                            | PRODUCT CODE | NOMINAL SIZE (mm) | NOMINAL SIZE (inch) | STD.PACK (pcs) | RATE (mtr) | RATE 3mtr/pc |
|--------------------------------------------------|--------------|-------------------|---------------------|----------------|------------|--------------|
| ASTM (uPVC) D 1785 / SCH 80 PIPES (Length: 3mtr) |              |                   |                     |                |            |              |
| 228                                              | ASTM 8015/3  | 15                | ½                   | 50             | 80.50      | 241.50       |
| 229                                              | ASTM 8020/3  | 20                | ¾                   | 40             | 110.00     | 330.00       |
| 230                                              | ASTM 8025/3  | 25                | 1                   | 30             | 160.00     | 480.00       |
| 231                                              | ASTM 8032/3  | 32                | 1¼                  | 20             | 223.00     | 669.00       |
| 232                                              | ASTM 8040/3  | 40                | 1½                  | 15             | 281.00     | 843.00       |
| 233                                              | ASTM 8050/3  | 50                | 2                   | 10             | 396.00     | 1,188.00     |
| 234                                              | ASTM 8065/3  | 65                | 2½                  | 5              | 617.00     | 1,851.00     |
| 235                                              | ASTM 8080/3  | 80                | 3                   | 3              | 824.00     | 2,472.00     |
| 236                                              | ASTM 80100/3 | 100               | 4                   | 2              | 1,207.00   | 3,621.00     |

| SR NO                                            | PRODUCT CODE | NOMINAL SIZE (mm) | NOMINAL SIZE (inch) | STD.PACK (pcs) | RATE (mtr) | RATE 6mtr/pc |
|--------------------------------------------------|--------------|-------------------|---------------------|----------------|------------|--------------|
| ASTM (uPVC) D 1785 / SCH 40 PIPES (Length: 6mtr) |              |                   |                     |                |            |              |
| 237                                              | ASTM 4015/6  | 15                | ½                   | 30             | 65.00      | 390.00       |
| 238                                              | ASTM 4020/6  | 20                | ¾                   | 25             | 90.50      | 543.00       |
| 239                                              | ASTM 4025/6  | 25                | 1                   | 20             | 128.00     | 768.00       |
| 240                                              | ASTM 4032/6  | 32                | 1¼                  | 10             | 179.00     | 1,074.00     |
| 241                                              | ASTM 4040/6  | 40                | 1½                  | 10             | 206.00     | 1,236.00     |
| 242                                              | ASTM 4050/6  | 50                | 2                   | 5              | 278.00     | 1,668.00     |
| 243                                              | ASTM 4065/6  | 65                | 2½                  | 5              | 452.00     | 2,712.00     |
| 244                                              | ASTM 4080/6  | 80                | 3                   | 3              | 595.00     | 3,570.00     |
| 245                                              | ASTM 40100/6 | 100               | 4                   | 2              | 845.00     | 5,070.00     |

| SR NO                                            | PRODUCT CODE | NOMINAL SIZE (mm) | NOMINAL SIZE (inch) | STD.PACK (pcs) | RATE (mtr) | RATE 6mtr/pc |
|--------------------------------------------------|--------------|-------------------|---------------------|----------------|------------|--------------|
| ASTM (uPVC) D 1785 / SCH 80 PIPES (Length: 6mtr) |              |                   |                     |                |            |              |
| 246                                              | ASTM 8015/6  | 15                | ½                   | 30             | 80.50      | 483.00       |
| 247                                              | ASTM 8020/6  | 20                | ¾                   | 25             | 110.00     | 660.00       |
| 248                                              | ASTM 8025/6  | 25                | 1                   | 20             | 160.00     | 960.00       |
| 249                                              | ASTM 8032/6  | 32                | 1¼                  | 10             | 223.00     | 1,338.00     |
| 250                                              | ASTM 8040/6  | 40                | 1½                  | 10             | 281.00     | 1,686.00     |
| 251                                              | ASTM 8050/6  | 50                | 2                   | 5              | 396.00     | 2,376.00     |
| 252                                              | ASTM 8065/6  | 65                | 2½                  | 5              | 617.00     | 3,702.00     |
| 253                                              | ASTM 8080/6  | 80                | 3                   | 3              | 824.00     | 4,944.00     |
| 254                                              | ASTM 80100/6 | 100               | 4                   | 2              | 1,207.00   | 7,242.00     |

SCH 40 - Blue Stripe

SCH 80 - Red Stripe



## ASTM (uPVC) D 2467 / SCH 80 FITTINGS

HSN: 39174000

| SR NO               | PRODUCT CODE | STANDARD SIZE<br>(mm) (inch) |    | STD. PACK<br>Pc/Bag Pc/Ctn |     | RATE (pc) |
|---------------------|--------------|------------------------------|----|----------------------------|-----|-----------|
| COUPLER             |              |                              |    |                            |     |           |
| 255                 | ASTM 15C     | 15                           | ½  | 50                         | 550 | 10.50     |
| 256                 | ASTM 20C     | 20                           | ¾  | 50                         | 350 | 14.00     |
| 257                 | ASTM 25C     | 25                           | 1  | 25                         | 200 | 24.00     |
| 258                 | ASTM 32C     | 32                           | 1¼ | 10                         | 100 | 34.00     |
| 259                 | ASTM 40C     | 40                           | 1½ | 10                         | 100 | 44.00     |
| 260                 | ASTM 50C     | 50                           | 2  | 5                          | 60  | 65.00     |
| ELBOW               |              |                              |    |                            |     |           |
| 261                 | ASTM 15E     | 15                           | ½  | 50                         | 400 | 15.00     |
| 262                 | ASTM 20E     | 20                           | ¾  | 50                         | 250 | 22.50     |
| 263                 | ASTM 25E     | 25                           | 1  | 25                         | 150 | 37.50     |
| 264                 | ASTM 32E     | 32                           | 1¼ | 10                         | 80  | 55.50     |
| 265                 | ASTM 40E     | 40                           | 1½ | 10                         | 50  | 74.50     |
| 266                 | ASTM 50E     | 50                           | 2  | 5                          | 35  | 107.00    |
| TEE                 |              |                              |    |                            |     |           |
| 267                 | ASTM 15T     | 15                           | ½  | 50                         | 250 | 20.50     |
| 268                 | ASTM 20T     | 20                           | ¾  | 25                         | 175 | 30.00     |
| 269                 | ASTM 25T     | 25                           | 1  | 20                         | 100 | 46.00     |
| 270                 | ASTM 32T     | 32                           | 1¼ | 10                         | 50  | 73.50     |
| 271                 | ASTM 40T     | 40                           | 1½ | 5                          | 40  | 95.00     |
| 272                 | ASTM 50T     | 50                           | 2  | 2                          | 24  | 144.00    |
| ELBOW 45°           |              |                              |    |                            |     |           |
| 273                 | ASTM 1545E   | 15                           | ½  | 25                         | 500 | 13.00     |
| 274                 | ASTM 2045E   | 20                           | ¾  | 25                         | 300 | 19.50     |
| 275                 | ASTM 2545E   | 25                           | 1  | 25                         | 150 | 31.50     |
| 276                 | ASTM 3245E   | 32                           | 1¼ | 10                         | 100 | 44.50     |
| 277                 | ASTM 4045E   | 40                           | 1½ | 10                         | 80  | 56.50     |
| 278                 | ASTM 5045E   | 50                           | 2  | 5                          | 45  | 92.50     |
| MALE THREAD ADAPTOR |              |                              |    |                            |     |           |
| 279                 | ASTM 15M     | 15                           | ½  | 50                         | 850 | 8.00      |
| 280                 | ASTM 20M     | 20                           | ¾  | 25                         | 750 | 11.50     |
| 281                 | ASTM 25M     | 25                           | 1  | 25                         | 300 | 19.50     |
| 282                 | ASTM 32M     | 32                           | 1¼ | 10                         | 240 | 30.50     |
| 283                 | ASTM 40M     | 40                           | 1½ | 10                         | 160 | 37.50     |
| 284                 | ASTM 50M     | 50                           | 2  | 5                          | 100 | 54.50     |

| SR NO                 | PRODUCT CODE | STANDARD SIZE<br>(mm) (inch) |         | STD. PACK<br>Pc/Bag Pc/Ctn |      | RATE<br>(pc) |
|-----------------------|--------------|------------------------------|---------|----------------------------|------|--------------|
| FEMALE THREAD ADAPTOR |              |                              |         |                            |      |              |
| 285                   | ASTM 15F     | 15                           | ½       | 25                         | 625  | 10.50        |
| 286                   | ASTM 20F     | 20                           | ¾       | 10                         | 400  | 14.50        |
| 287                   | ASTM 25F     | 25                           | 1       | 10                         | 280  | 23.50        |
| 288                   | ASTM 32F     | 32                           | 1¼      | 5                          | 140  | 34.00        |
| 289                   | ASTM 40F     | 40                           | 1½      | 10                         | 100  | 44.00        |
| 290                   | ASTM 50F     | 50                           | 2       | 5                          | 70   | 63.00        |
| REDUCER COUPLER       |              |                              |         |                            |      |              |
| 291                   | ASTM 2015RC  | 20 x 15                      | ¾ x ½   | 25                         | 400  | 14.00        |
| 292                   | ASTM 2515RC  | 25 x 15                      | 1 x ½   | 25                         | 250  | 22.00        |
| 293                   | ASTM 2520RC  | 25 x 20                      | 1 x ¾   | 25                         | 225  | 22.00        |
| 294                   | ASTM 3215RC  | 32 x 15                      | 1¼ x ½  | 25                         | 150  | 27.00        |
| 295                   | ASTM 3220RC  | 32 x 20                      | 1¼ x ¾  | 25                         | 150  | 29.50        |
| 296                   | ASTM 3225RC  | 32 x 25                      | 1¼ x 1  | 25                         | 125  | 33.00        |
| 297                   | ASTM 4015RC  | 40 x 15                      | 1½ x ½  | 10                         | 120  | 34.50        |
| 298                   | ASTM 4020RC  | 40 x 20                      | 1½ x ¾  | 10                         | 120  | 35.50        |
| 299                   | ASTM 4025RC  | 40 x 25                      | 1½ x 1  | 10                         | 100  | 39.00        |
| 300                   | ASTM 4032RC  | 40 x 32                      | 1½ x 1¼ | 10                         | 100  | 44.00        |
| 301                   | ASTM 5015RC  | 50 x 15                      | 2 x ½   | 10                         | 70   | 56.00        |
| 302                   | ASTM 5020RC  | 50 x 20                      | 2 x ¾   | 10                         | 70   | 59.00        |
| 303                   | ASTM 5025RC  | 50 x 25                      | 2 x 1   | 10                         | 70   | 60.50        |
| 304                   | ASTM 5032RC  | 50 x 32                      | 2 x 1¼  | 10                         | 70   | 61.50        |
| 305                   | ASTM 5040RC  | 50 x 40                      | 2 x 1½  | 5                          | 70   | 69.50        |
| END CAP               |              |                              |         |                            |      |              |
| 306                   | ASTM 15EC    | 15                           | ½       | 25                         | 1000 | 7.50         |
| 307                   | ASTM 20EC    | 20                           | ¾       | 25                         | 700  | 10.50        |
| 308                   | ASTM 25EC    | 25                           | 1       | 25                         | 375  | 17.00        |
| 309                   | ASTM 32EC    | 32                           | 1¼      | 10                         | 250  | 24.00        |
| 310                   | ASTM 40EC    | 40                           | 1½      | 10                         | 200  | 33.00        |
| 311                   | ASTM 50EC    | 50                           | 2       | 5                          | 100  | 50.00        |
| 312                   | ASTM 65EC    | 65                           | 2½      | 10                         | -    | 83.00        |
| 313                   | ASTM 80EC    | 80                           | 3       | 10                         | -    | 118.50       |







## ASTM (uPVC) D 2467 / SCH 80 FITTINGS

HSN: 39174000

| SR NO                  | PRODUCT CODE | STANDARD SIZE<br>(mm) (inch) | STD. PACK<br>Pc/Bag Pc/Ctn | RATE<br>(pc) |
|------------------------|--------------|------------------------------|----------------------------|--------------|
| <b>REDUCER TEE</b>     |              |                              |                            |              |
| 314                    | ASTM 2015RT  | 20x20x15 3/4x3/4x1/2         | 25 175                     | 28.00        |
| 315                    | ASTM 2515RT  | 25x25x15 1 x 1 x 1/2         | 25 100                     | 42.50        |
| 316                    | ASTM 2520RT  | 25x25x20 1 x 1 x 3/4         | 25 100                     | 43.50        |
| 317                    | ASTM 3215RT  | 32x32x15 1 1/4x1 1/4x1/2     | 10 70                      | 59.50        |
| 318                    | ASTM 3220RT  | 32x32x20 1 1/4x1 1/4x3/4     | 10 70                      | 61.00        |
| 319                    | ASTM 3225RT  | 32x32x25 1 1/4x1 1/4x1       | 10 60                      | 65.50        |
| 320                    | ASTM 4015RT  | 40x40x15 1 1/2x1 1/2x1/2     | 5 20                       | 81.50        |
| 321                    | ASTM 4020RT  | 40x40x20 1 1/2x1 1/2x3/4     | 5 20                       | 83.00        |
| 322                    | ASTM 4025RT  | 40x40x25 1 1/2x1 1/2x1       | 5 20                       | 88.00        |
| 323                    | ASTM 4032RT  | 40x40x32 1 1/2x1 1/2x1 1/4   | 5 20                       | 92.50        |
| 324                    | ASTM 5015RT  | 50x50x15 2 x 2 x 1/2         | 5 10                       | 117.00       |
| 325                    | ASTM5020RT   | 50x50x20 2 x 2 x 3/4         | 5 10                       | 119.00       |
| 326                    | ASTM 5025RT  | 50x50x25 2 x 2 x 1           | 5 10                       | 123.00       |
| 327                    | ASTM 5032RT  | 50x50x32 2 x 2 x 1 1/4       | 5 10                       | 127.00       |
| 328                    | ASTM 5040RT  | 50x50x40 2 x 2 x 1 1/2       | 5 10                       | 131.00       |
| <b>REDUCER BUSHING</b> |              |                              |                            |              |
| 329                    | ASTM 2015RB  | 20 x 15 3/4 x 1/2            | 50 1000                    | 4.00         |
| 330                    | ASTM 2515RB  | 25 x 15 1 x 1/2              | 25 600                     | 11.50        |
| 331                    | ASTM 2520RB  | 25 x 20 1 x 3/4              | 50 600                     | 8.50         |
| 332                    | ASTM 3225RB  | 32 x 25 1 1/4 x 1            | 25 300                     | 14.00        |
| 333                    | ASTM 4015RB  | 40 x 15 1 1/2 x 1/2          | 10 250                     | 30.50        |
| 334                    | ASTM 4020RB  | 40 x 20 1 1/2 x 3/4          | 10 250                     | 31.50        |
| 335                    | ASTM 4025RB  | 40 x 25 1 1/2 x 1            | 10 250                     | 25.50        |
| 336                    | ASTM 4032RB  | 40 x 32 1 1/2 x 1 1/4        | 10 250                     | 16.50        |
| 337                    | ASTM 5015RB  | 50 x 15 2 x 1/2              | 10 120                     | 43.00        |
| 338                    | ASTM 5020RB  | 50 x 20 2 x 3/4              | 10 120                     | 45.50        |
| 339                    | ASTM 5025RB  | 50 x 25 2 x 1                | 10 120                     | 51.00        |
| 340                    | ASTM 5032RB  | 50 x 32 2 x 1 1/4            | 10 120                     | 46.00        |
| 341                    | ASTM 5040RB  | 50 x 40 2 x 1 1/2            | 10 120                     | 35.00        |
| <b>REDUCER ELBOW</b>   |              |                              |                            |              |
| 342                    | ASTM 2015RE  | 20 x 15 3/4 x 1/2            | 25 250                     | 22.00        |
| 343                    | ASTM 2515RE  | 25 x 15 1 x 1/2              | 25 200                     | 32.00        |
| 344                    | ASTM 2520RE  | 25 x 20 1 x 3/4              | 25 150                     | 34.00        |
| <b>REDUCER MTA</b>     |              |                              |                            |              |
| 345                    | ASTM 2015RM  | 20 x 15 3/4 x 1/2            | 10 600                     | 11.00        |
| 346                    | ASTM 2515RM  | 25 x 15 1 x 1/2              | 15 420                     | 18.50        |
| 347                    | ASTM 2520RM  | 25 x 20 1 x 3/4              | 15 420                     | 18.50        |
| <b>UNION</b>           |              |                              |                            |              |
| 348                    | ASTM 15U     | 15 1/2                       | 10 250                     | 30.50        |
| 349                    | ASTM 20U     | 20 3/4                       | 10 150                     | 42.50        |
| 350                    | ASTM 25U     | 25 1                         | 5 100                      | 61.50        |
| 351                    | ASTM 32U     | 32 1 1/4                     | 5 60                       | 83.00        |
| 352                    | ASTM 40U     | 40 1 1/2                     | 5 50                       | 113.00       |
| 353                    | ASTM 50U     | 50 2                         | 5 25                       | 169.00       |



| SR NO                    | PRODUCT CODE | STANDARD SIZE<br>(mm) (inch) | STD. PACK<br>Pc/Bag Pc/Ctn | RATE<br>(pc) |
|--------------------------|--------------|------------------------------|----------------------------|--------------|
| <b>CROSS TEE</b>         |              |                              |                            |              |
| 354                      | ASTM 15CT    | 15 1/2                       | 25 200                     | 24.00        |
| 355                      | ASTM 20CT    | 20 3/4                       | 10 120                     | 32.50        |
| 356                      | ASTM 25CT    | 25 1                         | 10 80                      | 54.50        |
| 357                      | ASTM 32CT    | 32 1 1/4                     | 5 45                       | 81.50        |
| 358                      | ASTM 40CT    | 40 1 1/2                     | 5 30                       | 107.00       |
| 359                      | ASTM 50CT    | 50 2                         | 2 20                       | 164.00       |
| <b>STEP OVER BEND</b>    |              |                              |                            |              |
| 360                      | ASTM 15SB    | 15 1/2                       | 5 75                       | 35.50        |
| 361                      | ASTM 20SB    | 20 3/4                       | 10 40                      | 60.50        |
| 362                      | ASTM 25SB    | 25 1                         | 5 25                       | 107.00       |
| <b>ELBOW (BRASS)</b>     |              |                              |                            |              |
| 363                      | ASTM 15BE    | 15 x 15 1/2 x 1/2            | 20 160                     | 94.50        |
| 364                      | ASTM 20BE    | 20 x 20 3/4 x 3/4            | 20 80                      | 146.00       |
| 365                      | ASTM 25BE    | 25 x 25 1 x 1                | 10 40                      | 276.00       |
| <b>TEE (BRASS)</b>       |              |                              |                            |              |
| 366                      | ASTM 15BT    | 15x15x15 1/2x1/2x1/2         | 25 100                     | 106.00       |
| 367                      | ASTM 20BT    | 20x20x20 3/4x3/4x3/4         | 5 65                       | 156.00       |
| 368                      | ASTM 25BT    | 25x25x25 1 x 1 x 1           | 10 40                      | 291.00       |
| <b>MTA (BRASS)</b>       |              |                              |                            |              |
| 369                      | ASTM 15BM    | 15 1/2                       | 10 180                     | 114.00       |
| 370                      | ASTM 20BM    | 20 3/4                       | 10 120                     | 170.00       |
| 371                      | ASTM 25BM    | 25 1                         | 5 75                       | 240.00       |
| 372                      | ASTM 32BM    | 32 1 1/4                     | 5 50                       | 429.00       |
| 373                      | ASTM 40BM    | 40 1 1/2                     | 5 40                       | 427.00       |
| 374                      | ASTM 50BM    | 50 2                         | 2 24                       | 743.00       |
| <b>FTA (BRASS)</b>       |              |                              |                            |              |
| 375                      | ASTM 15BF    | 15 1/2                       | 10 200                     | 78.00        |
| 376                      | ASTM 20BF    | 20 3/4                       | 15 150                     | 106.00       |
| 377                      | ASTM 25BF    | 25 1                         | 5 75                       | 229.00       |
| 378                      | ASTM 32BF    | 32 1 1/4                     | 5 40                       | 259.00       |
| 379                      | ASTM 40BF    | 40 1 1/2                     | 4 32                       | 495.00       |
| 380                      | ASTM 50BF    | 50 2                         | 2 24                       | 695.00       |
| <b>R - ELBOW (BRASS)</b> |              |                              |                            |              |
| 381                      | ASTM 2015RBE | 20 x 15 3/4 x 1/2            | 25 100                     | 113.00       |
| 382                      | ASTM 2515RBE | 25 x 15 1 x 1/2              | 25 75                      | 133.00       |
| 383                      | ASTM 2520RBE | 25 x 20 1 x 3/4              | 5 65                       | 180.00       |
| <b>R - TEE (BRASS)</b>   |              |                              |                            |              |
| 384                      | ASTM 2015RBT | 20x20x15 3/4 x 3/4 x 1/2     | 10 70                      | 135.00       |
| 385                      | ASTM 2515RBT | 25x25x15 1 x 1 x 1/2         | 10 40                      | 165.00       |
| 386                      | ASTM 2520RBT | 25x25x20 1 x 1 x 3/4         | 10 40                      | 192.00       |
| <b>R- MTA (BRASS)</b>    |              |                              |                            |              |
| 387                      | ASTM 2015RBM | 20 x 15 3/4 x 1/2            | 10 150                     | 117.00       |
| 388                      | ASTM 2520RBM | 25 x 20 1 x 3/4              | 10 100                     | 185.00       |
| <b>R - FTA (BRASS)</b>   |              |                              |                            |              |
| 389                      | ASTM 1520RBF | 15 x 20 1/2 x 3/4            | 10 160                     | 104.00       |
| 390                      | ASTM 2015RBF | 20 x 15 3/4 x 1/2            | 10 180                     | 83.00        |
| 391                      | ASTM 2515RBF | 25 x 15 1 x 1/2              | 10 140                     | 99.00        |
| 392                      | ASTM 2520RBF | 25 x 20 1 x 3/4              | 10 120                     | 112.00       |



## ASTM (uPVC) D 2467 / SCH 80 FITTINGS

HSN: 39174000

| SR NO              | PRODUCT CODE | STANDARD SIZE (mm) | STANDARD SIZE (inch) | STD. PACK Pc/Bag | Pc/Ctn | RATE (pc) |
|--------------------|--------------|--------------------|----------------------|------------------|--------|-----------|
| <b>TANK NIPPLE</b> |              |                    |                      |                  |        |           |
| 393                | ASTM 15TN    | 15                 | 1/2                  | 10               | 250    | 33.00     |
| 394                | ASTM 20TN    | 20                 | 3/4                  | 10               | 240    | 59.00     |
| 395                | ASTM 25TN    | 25                 | 1                    | 10               | 120    | 69.00     |
| 396                | ASTM 32TN    | 32                 | 1 1/4                | 10               | 80     | 112.00    |
| 397                | ASTM 40TN    | 40                 | 1 1/2                | 10               | 60     | 126.00    |
| 398                | ASTM 50TN    | 50                 | 2                    | 10               | 40     | 133.00    |



|                   |            |    |       |    |    |        |
|-------------------|------------|----|-------|----|----|--------|
| <b>BALL VALVE</b> |            |    |       |    |    |        |
| HSN: 84818090     |            |    |       |    |    |        |
| 399               | ASTM 15BVI | 15 | 1/2   | 15 | 90 | 84.00  |
| 400               | ASTM 20BVI | 20 | 3/4   | 10 | 70 | 111.00 |
| 401               | ASTM 25BVI | 25 | 1     | 8  | 40 | 161.00 |
| 402               | ASTM 32BVI | 32 | 1 1/4 | 5  | 30 | 219.00 |
| 403               | ASTM 40BVI | 40 | 1 1/2 | 4  | 20 | 313.50 |
| 404               | ASTM 50BVI | 50 | 2     | 2  | 16 | 475.50 |



| SR NO                   | PRODUCT CODE | STANDARD SIZE (mm) | STANDARD SIZE (inch) | STD. PACK Pc/Bag | RATE (pc) |
|-------------------------|--------------|--------------------|----------------------|------------------|-----------|
| <b>VAN STONE FLANGE</b> |              |                    |                      |                  |           |
| 405                     | ASTM 65VF    | 65                 | 2 1/2                | 2                | 282.00    |
| 406                     | ASTM 80VF    | 80                 | 3                    | 2                | 338.00    |



| SR NO                            | PRODUCT CODE | STANDARD SIZE (mm) | STANDARD SIZE (inch) | STD. PACK Pc/Bag | Pc/Ctn | RATE (pc) |
|----------------------------------|--------------|--------------------|----------------------|------------------|--------|-----------|
| <b>POWDER COATED METAL STRAP</b> |              |                    |                      |                  |        |           |
| HSN: 73072900                    |              |                    |                      |                  |        |           |
| 407                              | ASTM 15MS    | 15                 | 1/2                  | 10               | 500    | 11.00     |
| 408                              | ASTM 20MS    | 20                 | 3/4                  | 10               | 500    | 12.00     |
| 409                              | ASTM 25MS    | 25                 | 1                    | 10               | 500    | 13.00     |
| 410                              | ASTM 32MS    | 32                 | 1 1/4                | 10               | 300    | 14.50     |
| 411                              | ASTM 40MS    | 40                 | 1 1/2                | 10               | 200    | 15.00     |
| 412                              | ASTM 50MS    | 50                 | 2                    | 10               | 200    | 17.00     |



| SR NO                                           | PRODUCT CODE | STANDARD SIZE (ml) | STD. PACK Pc/Box | Pc/Ctn | RATE (pc) |
|-------------------------------------------------|--------------|--------------------|------------------|--------|-----------|
| <b>ASTM (uPVC) SOLVENT CEMENT (TIN PACKING)</b> |              |                    |                  |        |           |
| HSN: 35061000                                   |              |                    |                  |        |           |
| 413                                             | ASTM SL59    | 59                 | 30               | 240    | 120.50    |
| 414                                             | ASTM SL118   | 118                | 24               | 144    | 160.50    |
| 415                                             | ASTM SL237   | 237                | 24               | 96     | 258.00    |
| 416                                             | ASTM SL473   | 473                | 12               | 48     | 449.00    |



| SR NO                                              | PRODUCT CODE | STANDARD SIZE (ml) | STD. PACK Pc/Box | Pc/Ctn | RATE (pc) |
|----------------------------------------------------|--------------|--------------------|------------------|--------|-----------|
| <b>ASTM (uPVC) SOLVENT CEMENT (TIN PACKING) HD</b> |              |                    |                  |        |           |
| 417                                                | ASTM HD 118  | 118                | 24               | 144    | 183.50    |



# SEWERAGE WASTE & RAINWATER (SWR)

## Pipes & Fittings



**Precision Sewerage Waste Rainwater (SWR) Pipes and Fittings** are manufactured from a specially formulated unplasticised polyvinyl chloride compound. These pipes and fittings are tough and durable with high tensile and impact strength, manufactured in accordance to IS 13592-2013 and fittings to IS 14735-1999. Rubber ring conforms to IS 5382-1985.

### Applications

Precision Sewerage Waste Rainwater (SWR) Pipes and Fittings are available with 'O' ring joint for quick, efficient and leak free waste discharge systems for homes, apartments, hotels, commercial complex and hospitals.

**Type A:** For rain water discharge as well as venting.

**Type B:** For soil and waste discharge.

### Features

- High quality.
- Time tested operational life of 50 years.
- Economical low maintenance, quick and easy installation.
- UV stabilized weather proof.
- Corrosion and chemical resistance.
- Easy flow due to smooth inner surface.
- Hygienic and environment friendly .
- Easy access for cleaning and clearing obstructions.

**Colour - Grey**



**DIMENSIONS FOR SWR PIPES**

| Nominal Diameter | Mean Outside Diameter |        | Outside Diameter at any Point |        | Wall Thickness |      |        |      |
|------------------|-----------------------|--------|-------------------------------|--------|----------------|------|--------|------|
|                  |                       |        |                               |        | Type A         |      | Type B |      |
| DN               | Min                   | Max    | Min                           | Max    | Min            | Max  | Min    | Max  |
| 75 mm            | 75.00                 | 75.30  | 74.10                         | 75.90  | 1.80           | 2.20 | 3.20   | 3.80 |
| 110 mm           | 110.00                | 110.40 | 108.60                        | 111.40 | 2.20           | 2.70 | 3.20   | 3.80 |
| 160 mm           | 160.00                | 160.50 | 158.00                        | 162.00 | 3.20           | 3.80 | 4.00   | 4.60 |

## RING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) PIPES

HSN: 39172390



| SR NO                                          | PRODUCT CODE | NOM. SIZE (mm) | STD. LENGTH (feet) | RATE (per/pipe) |
|------------------------------------------------|--------------|----------------|--------------------|-----------------|
| <b>TYPE - A</b>                                |              |                |                    |                 |
| 418                                            | SWR 75A10SS  | 75             | 10 (3mtr)          | 566.00          |
| 419                                            | SWR 75A10DS  | 75             | 10 (3mtr)          | 611.00          |
| 420                                            | SWR 75A6SS   | 75             | 6                  | 405.00          |
| 421                                            | SWR 75A6DS   | 75             | 6                  | 429.00          |
| 422                                            | SWR 75A4DS   | 75             | 4                  | 300.00          |
| 423                                            | SWR 75A3DS   | 75             | 3                  | 219.00          |
| 424                                            | SWR 75A2DS   | 75             | 2                  | 151.00          |
| 425                                            | SWR 110A10SS | 110            | 10 (3mtr)          | 1,014.00        |
| 426                                            | SWR 110A10DS | 110            | 10 (3mtr)          | 1,069.00        |
| 427                                            | SWR 110A6SS  | 110            | 6                  | 749.00          |
| 428                                            | SWR 110A6DS  | 110            | 6                  | 761.00          |
| 429                                            | SWR 110A4DS  | 110            | 4                  | 510.00          |
| 430                                            | SWR 110A3DS  | 110            | 3                  | 390.00          |
| 431                                            | SWR 110A2DS  | 110            | 2                  | 263.00          |
| 432                                            | SWR 160A10SS | 160            | 10 (3mtr)          | 2,254.00        |
| 433                                            | SWR 160A10DS | 160            | 10 (3mtr)          | 2,563.00        |
| <b>SEWERAGE PIPES (2.5 kgf/cm<sup>2</sup>)</b> |              |                |                    |                 |
| 434                                            | SEW 7510SS   | 75             | 10 (3mtr)          | 423.00          |
| 435                                            | SEW 11010SS  | 110            | 10 (3mtr)          | 749.00          |
| <b>TYPE - B</b>                                |              |                |                    |                 |
| 436                                            | SWR 75B10SS  | 75             | 10 (3mtr)          | 999.00          |
| 437                                            | SWR 75B10DS  | 75             | 10 (3mtr)          | 1,024.00        |
| 438                                            | SWR 75B6SS   | 75             | 6                  | 637.00          |
| 439                                            | SWR 75B6DS   | 75             | 6                  | 672.00          |
| 440                                            | SWR 75B4DS   | 75             | 4                  | 456.00          |
| 441                                            | SWR 75B3DS   | 75             | 3                  | 365.00          |
| 442                                            | SWR 75B2DS   | 75             | 2                  | 246.00          |
| 443                                            | SWR 110B10SS | 110            | 10 (3mtr)          | 1,486.00        |
| 444                                            | SWR 110B10DS | 110            | 10 (3mtr)          | 1,529.00        |
| 445                                            | SWR 110B6SS  | 110            | 6                  | 1,055.00        |
| 446                                            | SWR 110B6DS  | 110            | 6                  | 1,056.00        |
| 447                                            | SWR 110B4DS  | 110            | 4                  | 704.00          |
| 448                                            | SWR 110B3DS  | 110            | 3                  | 568.00          |
| 449                                            | SWR 110B2DS  | 110            | 2                  | 373.00          |
| 450                                            | SWR 160B10SS | 160            | 10 (3mtr)          | 2,581.00        |
| 451                                            | SWR 160B10DS | 160            | 10 (3mtr)          | 2,792.00        |



## RING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000



| SR NO                             | PRODUCT CODE | SIZE (mm) | STD. PACK Pc/Carton | RATE (pc) |
|-----------------------------------|--------------|-----------|---------------------|-----------|
| <b>COUPLER</b>                    |              |           |                     |           |
| 452                               | SWR 75C      | 75        | 42                  | 82.00     |
| 453                               | SWR 110C     | 110       | 27                  | 143.00    |
| <b>REPAIR COUPLER</b>             |              |           |                     |           |
| 454                               | SWR 75CR     | 75        | 42                  | 75.50     |
| 455                               | SWR 110CR    | 110       | 27                  | 133.00    |
| <b>REDUCER COUPLER</b>            |              |           |                     |           |
| 456                               | SWR 11075RC  | 110 x 75  | 60                  | 115.00    |
| <b>CLEANSING PIPE</b>             |              |           |                     |           |
| 457                               | SWR 75CLP    | 75        | 22                  | 158.00    |
| 458                               | SWR 110CP    | 110       | 15                  | 308.00    |
| <b>BEND 87.5°</b>                 |              |           |                     |           |
| 459                               | SWR 75B      | 75        | 25                  | 101.00    |
| 460                               | SWR 110B     | 110       | 28                  | 200.00    |
| <b>BEND 87.5° (DOOR)</b>          |              |           |                     |           |
| 461                               | SWR 75BD     | 75        | 24                  | 110.00    |
| 462                               | SWR 110BD    | 110       | 24                  | 220.00    |
| <b>SHOE BEND 45°</b>              |              |           |                     |           |
| 463                               | SWR 75SB     | 75        | 30                  | 84.00     |
| 464                               | SWR 110SB    | 110       | 20                  | 160.00    |
| <b>SINGLE TEE</b>                 |              |           |                     |           |
| 465                               | SWR 75T      | 75        | 17                  | 138.00    |
| 466                               | SWR 110T     | 110       | 17                  | 267.00    |
| <b>SINGLE TEE (DOOR)</b>          |              |           |                     |           |
| 467                               | SWR 75TD     | 75        | 14                  | 159.00    |
| 468                               | SWR 110TD    | 110       | 16                  | 303.00    |
| <b>REDUCING SINGLE TEE</b>        |              |           |                     |           |
| 469                               | SWR 11075RT  | 110 x 75  | 14                  | 260.00    |
| <b>REDUCING SINGLE TEE (DOOR)</b> |              |           |                     |           |
| 470                               | SWR 11075RTD | 110 x 75  | 11                  | 270.00    |
| <b>DOUBLE TEE</b>                 |              |           |                     |           |
| 471                               | SWR 75TT     | 75        | 12                  | 192.00    |
| 472                               | SWR 110TT    | 110       | 14                  | 367.00    |
| <b>DOUBLE TEE (DOOR)</b>          |              |           |                     |           |
| 473                               | SWR 75TTD    | 75        | 10                  | 193.00    |
| 474                               | SWR 110TTD   | 110       | 11                  | 372.00    |
| <b>SINGLE Y</b>                   |              |           |                     |           |
| 475                               | SWR 75Y      | 75        | 13                  | 171.00    |
| 476                               | SWR 110Y     | 110       | 15                  | 315.00    |
| 477                               | SWR 160Y     | 160       | 5                   | 944.50    |
| <b>REDUCING SINGLE Y</b>          |              |           |                     |           |
| 478                               | SWR 160110RY | 160 x 110 | 5                   | 697.00    |



## RING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000



| SR NO                          | PRODUCT CODE | SIZE (mm) | STD. SIZE Pc/Carton | RATE (pc) |                                                                                     |
|--------------------------------|--------------|-----------|---------------------|-----------|-------------------------------------------------------------------------------------|
| SINGLE Y (DOOR)                |              |           |                     |           |    |
| 479                            | SWR 75YD     | 75        | 13                  | 188.00    |                                                                                     |
| 480                            | SWR 110YD    | 110       | 13                  | 385.00    |                                                                                     |
| DOUBLE Y                       |              |           |                     |           |    |
| 481                            | SWR 75YY     | 75        | 9                   | 236.00    |                                                                                     |
| 482                            | SWR 110YY    | 110       | 9                   | 478.00    |                                                                                     |
| DOUBLE Y (DOOR)                |              |           |                     |           |    |
| 483                            | SWR 75YYD    | 75        | 8                   | 228.00    |                                                                                     |
| 484                            | SWR 110YYD   | 110       | 8                   | 456.00    |                                                                                     |
| PIPE CLIP                      |              |           |                     |           |    |
| 485                            | SWR 75PC     | 75        | 350                 | 22.50     |                                                                                     |
| 486                            | SWR 110PC    | 110       | 260                 | 30.50     |                                                                                     |
| VENT COWL                      |              |           |                     |           |    |
| 487                            | SWR 75VC     | 75        | 192                 | 20.50     |                                                                                     |
| 488                            | SWR 110VC    | 110       | 126                 | 42.00     |                                                                                     |
| NAHANI TRAP (W/O JALI)         |              |           |                     |           |  |
| 489                            | SWR 11075NT  | 110 x 75  | 48                  | 148.00    |                                                                                     |
| 490                            | SWR 11090NT  | 110 x 90  | 43                  | 168.00    |                                                                                     |
| 491                            | SWR 110110NT | 110 x 110 | 32                  | 185.00    |                                                                                     |
| MULTI FLOOR TRAP (W/O SQ.JALI) |              |           |                     |           |  |
| 492                            | SWR 110MFT   | 110       | 20                  | 209.00    |                                                                                     |
| ROUND JALI                     |              |           |                     |           |                                                                                     |
| 493                            | SWR 110NTJ   | 110       | 225                 | 23.50     |                                                                                     |
| SQUARE JALI                    |              |           |                     |           |  |
| 494                            | SWR 150MTJ   | 150 x 150 | 40                  | 70.50     |                                                                                     |
| P-TRAP                         |              |           |                     |           |                                                                                     |
| 495                            | SWR 110110PT | 110 x 110 | 16                  | 424.00    |  |
| 496                            | SWR 125110PT | 125 x 110 | 12                  | 458.00    |                                                                                     |
| Q-TRAP                         |              |           |                     |           |                                                                                     |
| 497                            | SWR 110110QT | 110 x 110 | 10                  | 640.00    |  |
| 498                            | SWR 125110QT | 125 x 110 | 10                  | 636.00    |                                                                                     |

| SR NO       | PRODUCT CODE | SIZE (mm) | STD. PACK Pc/Carton | RATE (pc) |                                                                                     |
|-------------|--------------|-----------|---------------------|-----------|-------------------------------------------------------------------------------------|
| S-TRAP      |              |           |                     |           |  |
| 499         | SWR 110110ST | 110 x 110 | 12                  | 715.00    |                                                                                     |
| 500         | SWR 125110ST | 125 x 110 | 12                  | 718.00    |                                                                                     |
| DOOR CAP    |              |           |                     |           |  |
| 501         | SWR 75DC     | 75        | 210                 | 21.50     |                                                                                     |
| 502         | SWR 110DC    | 110       | 100                 | 39.00     |                                                                                     |
| SOCKET PLUG |              |           |                     |           |  |
| 503         | SWR 75SP     | 75        | 120                 | 34.50     |                                                                                     |
| 504         | SWR 110SP    | 110       | 50                  | 67.00     |                                                                                     |

| SR NO                                     | PRODUCT CODE | SIZE (mm) | STD. PACK Pc/Bag | RATE (pc) |                                                                                     |
|-------------------------------------------|--------------|-----------|------------------|-----------|-------------------------------------------------------------------------------------|
| W.C. CONNECTOR WITH LIP RING (FABRICATED) |              |           |                  |           |                                                                                     |
| 505                                       | SWR 110WCF   | 110       | 12               | 396.00    |  |
| LIP RING                                  |              |           |                  |           |                                                                                     |
| HSN: 40169320                             |              |           |                  |           |                                                                                     |
| 506                                       | SWR 110LR    | 110       | 1                | 35.00     |  |
| RUBBER RING                               |              |           |                  |           |                                                                                     |

| <b>HSN: 40069090</b> |              |           |                  |           |                                                                                       |
|----------------------|--------------|-----------|------------------|-----------|---------------------------------------------------------------------------------------|
| SR NO                | PRODUCT CODE | SIZE (mm) | STD. PACK Pc/Ctn | RATE (pc) |                                                                                       |
| 507                  | SWR 75RR     | 75        | 1                | 14.00     |  |
| 508                  | SWR 110RR    | 110       | 1                | 17.00     |                                                                                       |
| 509                  | SWR 160RR    | 160       | 1                | 43.50     |                                                                                       |

| SR NO                         | PRODUCT CODE | SIZE (gm) | STD. PACK Pc/Ctn | RATE (pc) |                                                                                       |
|-------------------------------|--------------|-----------|------------------|-----------|---------------------------------------------------------------------------------------|
| <b>RUBBER LUBRICANT (JAR)</b> |              |           |                  |           |                                                                                       |
| <b>HSN: 34039900</b>          |              |           |                  |           |                                                                                       |
| 510                           | SWR RL100    | 100       | 100              | 46.00     |  |
| 511                           | SWR RL250    | 250       | 40               | 96.50     |                                                                                       |
| 512                           | SWR RL500    | 500       | 20               | 200.50    |                                                                                       |
| 513                           | SWR RL1000   | 1000      | 10               | 338.50    |                                                                                       |



## PASTING TYPE - SWR ( SEWERAGE, WASTE & RAINWATER) PIPES

HSN: 39172390

| SR NO                                     | PRODUCT CODE | SIZE (mm) | STD. LENGTH (feet) | RATE (per/pipe) |
|-------------------------------------------|--------------|-----------|--------------------|-----------------|
| TYPE - A                                  |              |           |                    |                 |
| 514                                       | SWR 75A20SSP | 75        | 20 (6mtr)          | 1,121.00        |
| 515                                       | SWR 75A10SSP | 75        | 10 (3 mtr)         | 557.00          |
| 516                                       | SWR 75A10DSP | 75        | 10 (3 mtr)         | 601.00          |
| 517                                       | SWR 75A6SSP  | 75        | 6                  | 396.00          |
| 518                                       | SWR 75A6DSP  | 75        | 6                  | 422.00          |
| 519                                       | SWR 75A4DSP  | 75        | 4                  | 293.00          |
| 520                                       | SWR 75A3DSP  | 75        | 3                  | 204.00          |
| 521                                       | SWR 75A2DSP  | 75        | 2                  | 134.00          |
| 522                                       | SWR 90A20SSP | 90        | 20 (6 mtr)         | 1,435.50        |
| 523                                       | SWR 90A10SSP | 90        | 10 (3 mtr)         | 717.00          |
| 524                                       | SWR 110A20SP | 110       | 20 (6 mtr)         | 2,007.00        |
| 525                                       | SWR 110A10SP | 110       | 10 (3 mtr)         | 1,001.00        |
| 526                                       | SWR 110A10DP | 110       | 10 (3 mtr)         | 1,050.00        |
| 527                                       | SWR 110A6SSP | 110       | 6                  | 731.00          |
| 528                                       | SWR 110A6DSP | 110       | 6                  | 731.50          |
| 529                                       | SWR 110A4DSP | 110       | 4                  | 486.00          |
| 530                                       | SWR 110A3DSP | 110       | 3                  | 364.00          |
| 531                                       | SWR 110A2DSP | 110       | 2                  | 243.00          |
| 532                                       | SWR 160A20SP | 160       | 20 (6 mtr)         | 4,420.00        |
| 533                                       | SWR 160A10SP | 160       | 10 (3 mtr)         | 2,208.00        |
| 534                                       | SWR 160A10DP | 160       | 10 (3 mtr)         | 2,480.00        |
| SEWERAGE PIPES (2.5 kgf/cm <sup>2</sup> ) |              |           |                    |                 |
| 535                                       | SEW 7510SSP  | 75        | 10 (3 mtr)         | 417.00          |
| 536                                       | SEW 11010SSP | 110       | 10 (3 mtr)         | 742.00          |



| SR NO                                 | PRODUCT CODE | SIZE (mm) | STD. LENGTH (feet) | RATE (per/pipe) |
|---------------------------------------|--------------|-----------|--------------------|-----------------|
| TYPE - B                              |              |           |                    |                 |
| 537                                   | SWR 75B20SSP | 75        | 20 (6 mtr)         | 1,979.00        |
| 538                                   | SWR 75B10SSP | 75        | 10 (3 mtr)         | 979.00          |
| 539                                   | SWR 75B10DSP | 75        | 10 (3 mtr)         | 1,001.00        |
| 540                                   | SWR 75B6SSP  | 75        | 6                  | 624.00          |
| 541                                   | SWR 75B6DSP  | 75        | 6                  | 659.00          |
| 542                                   | SWR 75B4DSP  | 75        | 4                  | 447.00          |
| 543                                   | SWR 75B3DSP  | 75        | 3                  | 345.00          |
| 544                                   | SWR 75B2DSP  | 75        | 2                  | 228.00          |
| 545                                   | SWR 90B20SSP | 90        | 20 (6 mtr)         | 2,289.00        |
| 546                                   | SWR 90B10SSP | 90        | 10 (3 mtr)         | 1,144.00        |
| 547                                   | SWR 110B20SP | 110       | 20 (6 mtr)         | 2,981.00        |
| 548                                   | SWR 110B10SP | 110       | 10 (3 mtr)         | 1,483.00        |
| 549                                   | SWR 110B10DP | 110       | 10 (3 mtr)         | 1,517.00        |
| 550                                   | SWR 110B6SSP | 110       | 6                  | 1,025.00        |
| 551                                   | SWR 110B6DSP | 110       | 6                  | 1,026.00        |
| 552                                   | SWR 110B4DSP | 110       | 4                  | 683.00          |
| 553                                   | SWR 110B3DSP | 110       | 3                  | 511.00          |
| 554                                   | SWR 110B2DSP | 110       | 2                  | 342.00          |
| 555                                   | SWR 160B20SP | 160       | 20 (6 mtr)         | 5,129.00        |
| 556                                   | SWR 160B10SP | 160       | 10 (3 mtr)         | 2,563.00        |
| 557                                   | SWR 160B10DP | 160       | 10 (3 mtr)         | 2,757.00        |
| SELFIT PIPES (6 kgf/cm <sup>2</sup> ) |              |           |                    |                 |
| 558                                   | SWR 40610SSP | 40        | 10 (3 mtr)         | 231.00          |
| 559                                   | SWR 40620SSP | 40        | 20 (6 mtr)         | 466.00          |
| 560                                   | SWR 50610SSP | 50        | 10 (3 mtr)         | 343.00          |
| 561                                   | SWR 50620SSP | 50        | 20 (6 mtr)         | 686.00          |



## PASTING TYPE - SWR ( SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000

| SR NO             | PRODUCT CODE | SIZE (mm) | STD. PACK Pc/Carton | RATE (pc) |
|-------------------|--------------|-----------|---------------------|-----------|
| COUPLER           |              |           |                     |           |
| 562               | SWR 75CP     | 75        | 56                  | 61.50     |
| 563               | SWR 110CRP   | 110       | 33                  | 107.00    |
| REPAIR COUPLER    |              |           |                     |           |
| 564               | SWR 75CRP    | 75        | 56                  | 59.50     |
| 565               | SWR 110CRPP  | 110       | 33                  | 116.00    |
| BEND 87.5°        |              |           |                     |           |
| 566               | SWR 75BP     | 75        | 32                  | 91.00     |
| 567               | SWR 110BP    | 110       | 20                  | 164.00    |
| BEND 87.5° (DOOR) |              |           |                     |           |
| 568               | SWR 75BDP    | 75        | 24                  | 101.00    |
| 569               | SWR 110BDP   | 110       | 30                  | 195.00    |
| SHOE BEND 45°     |              |           |                     |           |
| 570               | SWR 75SBP    | 75        | 48                  | 81.00     |
| 571               | SWR 110SBP   | 110       | 35                  | 152.00    |



| SR NO             | PRODUCT CODE | SIZE (mm) | STD. PACK Pc/Carton | RATE (pc) |
|-------------------|--------------|-----------|---------------------|-----------|
| SINGLE TEE        |              |           |                     |           |
| 572               | SWR 75TP     | 75        | 24                  | 124.00    |
| 573               | SWR 110TP    | 110       | 22                  | 242.00    |
| SINGLE TEE (DOOR) |              |           |                     |           |
| 574               | SWR 75TDP    | 75        | 15                  | 144.00    |
| 575               | SWR 110TDP   | 110       | 20                  | 273.00    |
| DOUBLE TEE        |              |           |                     |           |
| 576               | SWR 75TTP    | 75        | 14                  | 161.00    |
| 577               | SWR 110TTP   | 110       | 16                  | 323.00    |
| DOUBLE TEE (DOOR) |              |           |                     |           |
| 578               | SWR 75TTDP   | 75        | 11                  | 164.00    |
| 579               | SWR 110TTDP  | 110       | 12                  | 324.00    |
| SINGLE Y          |              |           |                     |           |
| 580               | SWR 75YP     | 75        | 15                  | 149.00    |
| 581               | SWR 110YP    | 110       | 12                  | 299.00    |



## PASTING TYPE - SWR ( SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000

| SR NO                      | PRODUCT CODE        | SIZE (mm) | STD. PACK Pc/Carton | RATE (pc)     |
|----------------------------|---------------------|-----------|---------------------|---------------|
| <b>SINGLE Y (DOOR)</b>     |                     |           |                     |               |
| 582                        | <b>SWR 75YDP</b>    | 75        | 14                  | <b>169.00</b> |
| 583                        | <b>SWR 110YDP</b>   | 110       | 16                  | <b>355.00</b> |
| <b>REDUCER COUPLER</b>     |                     |           |                     |               |
| 584                        | <b>SWR 11075RCP</b> | 110 x 75  | 60                  | <b>108.00</b> |
| <b>REDUCING SINGLE TEE</b> |                     |           |                     |               |
| 585                        | <b>SWR 11075RTP</b> | 110 x 75  | 14                  | <b>234.00</b> |





| SR NO                             | PRODUCT CODE        | SIZE (mm) | STD. PACK Pc/Carton | RATE (pc)     |
|-----------------------------------|---------------------|-----------|---------------------|---------------|
| <b>REDUCING SINGLE TEE (DOOR)</b> |                     |           |                     |               |
| 586                               | <b>SWR 11075TDP</b> | 110 x 75  | 11                  | <b>245.00</b> |
| <b>CLEANSING PIPE</b>             |                     |           |                     |               |
| 587                               | <b>SWR 75CPP</b>    | 75        | 23                  | <b>128.00</b> |
| 588                               | <b>SWR 110CPP</b>   | 110       | 15                  | <b>264.00</b> |




## AGRICULTURE uPVC

### Pipes & Fittings



**Precision Agriculture uPVC Pipes and Fittings** are manufactured from high impact unplasticised polyvinyl chloride compound that is capable of withstanding the most rigorous on-site conditions and exceeding the most stringent requirements as per Indian standards. The product range is manufactured in accordance with Indian Standards IS 4985-2000 and Moulded Fittings to IS 7834-1987. These pipes and fittings are a perfect choice for potable water supply, where ease of installation, maintenance and zero leakages are a priority.

#### Applications

Agriculture and irrigation, potable water supply, construction, industrial and chemical effluent disposal, tube well casing, telecom and power cable/ducting.

#### Features

- Economical.
- Easy installation.
- Corrosion resistant.
- Flexibility.
- Perfect dimensional standards.
- Fire resistant.
- Chemical resistant.
- Hygienic.
- High flow characteristic.
- Low thermal conductivity.

**Colour - Grey** 


## AGRICULTURE uPVC SELFIT PIPES

HSN: 39172390


**6mtr**

| SR NO                                                | PRODUCT CODE | STD. SIZE (mm) | RATE (mtr) | RATE 6mtr/pc |
|------------------------------------------------------|--------------|----------------|------------|--------------|
| <b>CLASS 1/2.5 kgf/cm<sup>2</sup> (length: 6mtr)</b> |              |                |            |              |
| 589                                                  | SELF90CL1/6  | 90             | 134.00     | 804.00       |
| 590                                                  | SELF110CL1/6 | 110            | 193.00     | 1,158.00     |
| 591                                                  | SELF140CL1/6 | 140            | 312.00     | 1,872.00     |
| 592                                                  | SELF160CL1/6 | 160            | 417.00     | 2,502.00     |
| 593                                                  | SELF180CL1/6 | 180            | 518.00     | 3,108.00     |
| 594                                                  | SELF200CL1/6 | 200            | 625.00     | 3,750.00     |
| 595                                                  | SELF225CL1/6 | 225            | 812.00     | 4,872.00     |
| <b>CLASS 2/4 kgf/cm<sup>2</sup> (length: 6mtr)</b>   |              |                |            |              |
| 596                                                  | SELF63CL2/6  | 63             | 103.00     | 618.00       |
| 597                                                  | SELF75CL2/6  | 75             | 142.00     | 852.00       |
| 598                                                  | SELF90CL2/6  | 90             | 195.00     | 1,170.00     |
| 599                                                  | SELF110CL2/6 | 110            | 283.00     | 1,698.00     |
| 600                                                  | SELF140CL2/6 | 140            | 457.00     | 2,742.00     |
| 601                                                  | SELF160CL2/6 | 160            | 599.00     | 3,594.00     |
| 602                                                  | SELF180CL2/6 | 180            | 811.00     | 4,866.00     |
| 603                                                  | SELF200CL2/6 | 200            | 992.00     | 5,952.00     |
| 604                                                  | SELF225CL2/6 | 225            | 1,269.00   | 7,614.00     |
| 605                                                  | SELF250CL2/6 | 250            | 1,549.00   | 9,294.00     |

| SR NO                                               | PRODUCT CODE | STD. SIZE (mm) | RATE (mtr) | RATE 6mtr/pc |
|-----------------------------------------------------|--------------|----------------|------------|--------------|
| <b>CLASS 3/6 kgf/cm<sup>2</sup> (length: 6mtr)</b>  |              |                |            |              |
| 606                                                 | SELF40CL3/6  | 40             | 63.00      | 378.00       |
| 607                                                 | SELF50CL3/6  | 50             | 91.00      | 546.00       |
| 608                                                 | SELF63CL3/6  | 63             | 149.00     | 894.00       |
| 609                                                 | SELF75CL3/6  | 75             | 206.00     | 1,236.00     |
| 610                                                 | SELF90CL3/6  | 90             | 292.00     | 1,752.00     |
| 611                                                 | SELF110CL3/6 | 110            | 419.00     | 2,514.00     |
| 612                                                 | SELF140CL3/6 | 140            | 707.00     | 4,242.00     |
| 613                                                 | SELF160CL3/6 | 160            | 894.00     | 5,364.00     |
| 614                                                 | SELF180CL3/6 | 180            | 1,167.00   | 7,002.00     |
| 615                                                 | SELF200CL3/6 | 200            | 1,455.00   | 8,730.00     |
| 616                                                 | SELF225CL3/6 | 225            | 1,844.00   | 11,064.00    |
| 617                                                 | SELF250CL3/6 | 250            | 2,263.00   | 13,578.00    |
| <b>CLASS 5/10 kgf/cm<sup>2</sup> (length: 6mtr)</b> |              |                |            |              |
| 618                                                 | SELF20CL5/6  | 20             | 24.50      | 147.00       |
| 619                                                 | SELF25CL5/6  | 25             | 39.50      | 237.00       |
| 620                                                 | SELF32CL5/6  | 32             | 65.00      | 390.00       |
| 621                                                 | SELF40CL5/6  | 40             | 99.00      | 594.00       |
| 622                                                 | SELF50CL5/6  | 50             | 154.00     | 924.00       |
| 623                                                 | SELF63CL5/6  | 63             | 224.00     | 1,344.00     |
| 624                                                 | SELF75CL5/6  | 75             | 320.00     | 1,920.00     |
| 625                                                 | SELF90CL5/6  | 90             | 457.00     | 2,742.00     |
| 626                                                 | SELF110CL5/6 | 110            | 681.00     | 4,086.00     |
| 627                                                 | SELF140CL5/6 | 140            | 1,110.00   | 6,660.00     |
| 628                                                 | SELF160CL5/6 | 160            | 1,431.00   | 8,586.00     |
| 629                                                 | SELF180CL5/6 | 180            | 1,866.00   | 11,196.00    |
| 630                                                 | SELF200CL5/6 | 200            | 2,266.00   | 13,596.00    |
| 631                                                 | SELF225CL5/6 | 225            | 2,874.00   | 17,244.00    |
| 632                                                 | SELF250CL5/6 | 250            | 3,639.00   | 21,834.00    |



## AGRICULTURE uPVC MOULDED FITTINGS

HSN: 39174000



| SR NO                                  | PRODUCT CODE | STD. SIZE (mm) | STD. PACK Pc/Bag | RATE (pc) |
|----------------------------------------|--------------|----------------|------------------|-----------|
| <b>COUPLER 10 kgf/cm<sup>2</sup></b>   |              |                |                  |           |
| 633                                    | PMIC2010     | 20             | 1200             | 3.00      |
| 634                                    | PMIC2510     | 25             | 1200             | 4.50      |
| 635                                    | PMIC3210     | 32             | 700              | 7.50      |
| 636                                    | PMIC4010     | 40             | 500              | 12.50     |
| 637                                    | PMIC5010     | 50             | 250              | 14.50     |
| <b>COUPLER 6 kgf/cm<sup>2</sup></b>    |              |                |                  |           |
| 638                                    | PMIC636      | 63             | 125              | 31.00     |
| 639                                    | PMIC756      | 75             | 80               | 46.00     |
| 640                                    | PMIC906      | 90             | 50               | 69.50     |
| 641                                    | PMIC1106     | 110            | 30               | 107.00    |
| <b>ELBOW 45° 10 kgf/cm<sup>2</sup></b> |              |                |                  |           |
| 642                                    | PMIE 4045    | 40             | 150              | 14.50     |
| 643                                    | PMIE 5045    | 50             | 60               | 21.50     |



| SR NO                              | PRODUCT CODE | STD. SIZE (mm) | STD. PACK Pc/Bag | RATE (pc) |
|------------------------------------|--------------|----------------|------------------|-----------|
| <b>ELBOW 10 kgf/cm<sup>2</sup></b> |              |                |                  |           |
| 644                                | PMIE2010     | 20             | 1200             | 6.50      |
| 645                                | PMIE2510     | 25             | 900              | 10.00     |
| 646                                | PMIE3210     | 32             | 500              | 13.50     |
| 647                                | PMIE4010     | 40             | 250              | 21.00     |
| 648                                | PMIE5010     | 50             | 125              | 34.50     |
| <b>ELBOW 6 kgf/cm<sup>2</sup></b>  |              |                |                  |           |
| 649                                | PMIE636      | 63             | 80               | 56.50     |
| 650                                | PMIE756      | 75             | 50               | 75.50     |
| 651                                | PMIE906      | 90             | 35               | 133.00    |
| 652                                | PMIE1106     | 110            | 15               | 224.00    |
| 653                                | PMIE1406     | 140            | 12               | 315.00    |
| 654                                | PMIE1606     | 160            | 8                | 406.00    |



## AGRICULTURE uPVC MOULDED FITTINGS

HSN: 39174000



| SR NO                                              | PRODUCT CODE | STD. SIZE (mm) | STD. PACK Pc/Bag | RATE (pc) |
|----------------------------------------------------|--------------|----------------|------------------|-----------|
| <b>TEE 10 kgf/cm<sup>2</sup></b>                   |              |                |                  |           |
| 655                                                | PMIT2010     | 20             | 900              | 8.50      |
| 656                                                | PMIT2510     | 25             | 600              | 12.50     |
| 657                                                | PMIT3210     | 32             | 300              | 19.00     |
| 658                                                | PMIT4010     | 40             | 200              | 30.50     |
| 659                                                | PMIT5010     | 50             | 100              | 46.00     |
| <b>TEE 6 kgf/cm<sup>2</sup></b>                    |              |                |                  |           |
| 660                                                | PMIT636      | 63             | 55               | 75.00     |
| 661                                                | PMIT756      | 75             | 35               | 95.00     |
| 662                                                | PMIT906      | 90             | 25               | 166.00    |
| 663                                                | PMIT1106     | 110            | 15               | 259.00    |
| 664                                                | PMIT1406     | 140            | 8                | 468.00    |
| 665                                                | PMIT1606     | 160            | 6                | 515.00    |
| <b>MALE THREAD ADAPTOR 10 kgf/cm<sup>2</sup></b>   |              |                |                  |           |
| 666                                                | PMTA2010     | 20             | 1200             | 3.50      |
| 667                                                | PMTA2510     | 25             | 1100             | 6.50      |
| 668                                                | PMTA3210     | 32             | 700              | 10.50     |
| <b>MALE THREAD ADAPTOR 6 kgf/cm<sup>2</sup></b>    |              |                |                  |           |
| 669                                                | PMTA406      | 40             | 350              | 13.00     |
| 670                                                | PMTA506      | 50             | 250              | 19.00     |
| 671                                                | PMTA636      | 63             | 120              | 46.50     |
| 672                                                | PMTA756      | 75             | 80               | 58.50     |
| 673                                                | PMTA906      | 90             | 50               | 74.50     |
| 674                                                | PMTA1106     | 110            | 30               | 157.00    |
| <b>FEMALE THREAD ADAPTOR 10 kgf/cm<sup>2</sup></b> |              |                |                  |           |
| 675                                                | PFTA2010     | 20             | 1000             | 4.00      |
| 676                                                | PFTA2510     | 25             | 1000             | 7.00      |
| 677                                                | PFTA3210     | 32             | 700              | 8.50      |
| <b>FEMALE THREAD ADAPTOR 6 kgf/cm<sup>2</sup></b>  |              |                |                  |           |
| 678                                                | PFTA406      | 40             | 400              | 12.50     |
| 679                                                | PFTA506      | 50             | 200              | 19.50     |
| 680                                                | PFTA636      | 63             | 120              | 44.50     |
| 681                                                | PFTA756      | 75             | 80               | 65.50     |
| 682                                                | PFTA906      | 90             | 50               | 99.00     |
| 683                                                | PFTA1106     | 110            | 30               | 115.00    |
| <b>TAIL PIECE 6 kgf/cm<sup>2</sup></b>             |              |                |                  |           |
| 684                                                | PMTP636      | 63             | 150              | 32.00     |
| 685                                                | PMTP756      | 75             | 120              | 43.00     |
| 686                                                | PMTP906      | 90             | 80               | 59.50     |
| 687                                                | PMTP1106     | 110            | 50               | 94.00     |
| 688                                                | PMTP1406     | 140            | 30               | 116.00    |
| 689                                                | PMTP1606     | 160            | 15               | 174.00    |
| <b>THREADED END CAP 6 kgf/cm<sup>2</sup></b>       |              |                |                  |           |
| 690                                                | PTEC406      | 40             | 300              | 14.00     |
| 691                                                | PTEC506      | 50             | 200              | 14.50     |
| 692                                                | PTEC636      | 63             | 150              | 22.50     |
| 693                                                | PTEC756      | 75             | 125              | 34.00     |
| 694                                                | PTEC906      | 90             | 100              | 49.50     |
| 695                                                | PTEC1106     | 110            | 60               | 69.50     |



| SR NO                                        | PRODUCT CODE | STD. SIZE (mm) | STD. PACK Pc/Bag | RATE (pc) |
|----------------------------------------------|--------------|----------------|------------------|-----------|
| <b>END CAP 10 kgf/cm<sup>2</sup></b>         |              |                |                  |           |
| 696                                          | PMEC2010     | 20             | 1500             | 3.00      |
| 697                                          | PMEC2510     | 25             | 1500             | 3.00      |
| 698                                          | PMEC3210     | 32             | 1000             | 6.50      |
| <b>END CAP 6 kgf/cm<sup>2</sup></b>          |              |                |                  |           |
| 699                                          | PMEC406      | 40             | 600              | 10.50     |
| 700                                          | PMEC506      | 50             | 500              | 13.00     |
| 701                                          | PMEC636      | 63             | 150              | 32.50     |
| 702                                          | PMEC756      | 75             | 100              | 44.50     |
| 703                                          | PMEC906      | 90             | 70               | 59.00     |
| 704                                          | PMEC1106     | 110            | 50               | 73.50     |
| <b>REDUCER BUSH 10 kgf/cm<sup>2</sup></b>    |              |                |                  |           |
| 705                                          | PMRB2520     | 25 x 20        | 500              | 2.50      |
| 706                                          | PMRB3220     | 32 x 20        | 400              | 7.00      |
| 707                                          | PMRB3225     | 32 x 25        | 400              | 4.00      |
| <b>REDUCER BUSH 6 kgf/cm<sup>2</sup></b>     |              |                |                  |           |
| 708                                          | PMRB6340     | 63 x 40        | 150              | 34.50     |
| 709                                          | PMRB6350     | 63 x 50        | 150              | 25.50     |
| 710                                          | PMRB9063     | 90 x 63        | 80               | 61.50     |
| 711                                          | PMRB9075     | 90 x 75        | 80               | 66.50     |
| 712                                          | PMRB11075    | 110 x 75       | 50               | 124.00    |
| 713                                          | PMRB11090    | 110 x 90       | 50               | 118.00    |
| <b>REDUCER COUPLER 10 kgf/cm<sup>2</sup></b> |              |                |                  |           |
| 714                                          | PMIR2520     | 25 x 20        | 1000             | 6.50      |
| 715                                          | PMIR3220     | 32 x 20        | 750              | 7.50      |
| 716                                          | PMIR3225     | 32 x 25        | 750              | 10.50     |
| <b>REDUCER COUPLER 6 kgf/cm<sup>2</sup></b>  |              |                |                  |           |
| 717                                          | PMIR4020     | 40 x 20        | 250              | 10.00     |
| 718                                          | PMIR4032     | 40 x 32        | 200              | 13.50     |
| 719                                          | PMIR5032     | 50 x 32        | 300              | 18.00     |
| 720                                          | PMIR5040     | 50 x 40        | 300              | 21.00     |
| 721                                          | PMIR6332     | 63 x 32        | 100              | 22.50     |
| 722                                          | PMIR6340     | 63 x 40        | 100              | 23.50     |
| 723                                          | PMIR6350     | 63 x 50        | 175              | 30.00     |
| 724                                          | PMIR7540     | 75 x 40        | 80               | 32.50     |
| 725                                          | PMIR7550     | 75 x 50        | 80               | 34.00     |
| 726                                          | PMIR7563     | 75 x 63        | 120              | 42.50     |
| 727                                          | PMIR9063     | 90 x 63        | 80               | 56.50     |
| 728                                          | PMIR9075     | 90 x 75        | 80               | 61.50     |
| 729                                          | PMIR11063    | 110 x 63       | 50               | 76.00     |
| 730                                          | PMIR11075    | 110 x 75       | 50               | 81.50     |
| 731                                          | PMIR11090    | 110 x 90       | 50               | 128.00    |
| <b>REDUCER TEE 10 kgf/cm<sup>2</sup></b>     |              |                |                  |           |
| 732                                          | PMRT2520     | 25x25x20       | 600              | 14.00     |
| 733                                          | PMRT3220     | 32x32x20       | 300              | 22.50     |
| 734                                          | PMRT3225     | 32x32x25       | 300              | 23.50     |
| <b>REDUCER TEE 6 kgf/cm<sup>2</sup></b>      |              |                |                  |           |
| 735                                          | PMRT6340     | 63x63x40       | 55               | 109.00    |
| 736                                          | PMRT11075    | 110x110x75     | 15               | 341.00    |
| 737                                          | PMRT11090    | 110x110x90     | 15               | 343.00    |



## AGRICULTURE uPVC MOULDED FITTINGS

HSN: 39174000



| SR NO                                      | PRODUCT CODE | STD. SIZE (mm) | STD. PACK Pc/Bag | RATE (pc) |
|--------------------------------------------|--------------|----------------|------------------|-----------|
| <b>SERVICE SADDLE 6 kgf/cm<sup>2</sup></b> |              |                |                  |           |
| 738                                        | PMIS6320     | 63 x 20        | 50               | 108.00    |
| 739                                        | PMIS6325     | 63 x 25        | 50               | 109.00    |
| 740                                        | PMIS6332     | 63 x 32        | 50               | 121.00    |
| 741                                        | PMIS7520     | 75 x 20        | 50               | 133.00    |
| 742                                        | PMIS7525     | 75 x 25        | 50               | 133.00    |
| 743                                        | PMIS7532     | 75 x 32        | 50               | 136.00    |
| 744                                        | PMIS9020     | 90 x 20        | 40               | 147.00    |
| 745                                        | PMIS9025     | 90 x 25        | 40               | 147.00    |
| 746                                        | PMIS9032     | 90 x 32        | 40               | 155.00    |
| 747                                        | PMIS11020    | 110 x 20       | 40               | 168.00    |
| 748                                        | PMIS11025    | 110 x 25       | 40               | 168.00    |
| 749                                        | PMIS11032    | 110 x 32       | 40               | 178.00    |
| 750                                        | PMIS14020    | 140 x 20       | 25               | 189.00    |
| 751                                        | PMIS14025    | 140 x 25       | 25               | 189.00    |
| 752                                        | PMIS14032    | 140 x 32       | 25               | 210.00    |
| 753                                        | PMIS14040    | 140 x 40       | 25               | 210.00    |
| 754                                        | PMIS14050    | 140 x 50       | 25               | 210.00    |
| 755                                        | PMIS14063    | 140 x 63       | 25               | 210.00    |
| 756                                        | PMIS16020    | 160 x 20       | 20               | 225.00    |
| 757                                        | PMIS16025    | 160 x 25       | 20               | 225.00    |
| 758                                        | PMIS16032    | 160 x 32       | 20               | 226.00    |
| 759                                        | PMIS16040    | 160 x 40       | 20               | 226.00    |
| 760                                        | PMIS16050    | 160 x 50       | 20               | 226.00    |
| 761                                        | PMIS16063    | 160 x 63       | 20               | 226.00    |



| SR NO                                      | PRODUCT CODE | STD. SIZE (mm) | STD. PACK Pc/Carton | RATE (pc) |
|--------------------------------------------|--------------|----------------|---------------------|-----------|
| <b>ELBOW (L.W.) 2.5 kgf/cm<sup>2</sup></b> |              |                |                     |           |
| 762                                        | PMIE632      | 63             | 190                 | 24.50     |
| 763                                        | PMIE752      | 75             | 130                 | 39.50     |
| 764                                        | PMIE902      | 90             | 78                  | 53.50     |
| 765                                        | PMIE1102     | 110            | 42                  | 88.00     |
| <b>TEE (L.W.) 2.5 kgf/cm<sup>2</sup></b>   |              |                |                     |           |
| 766                                        | PMIT632      | 63             | 150                 | 35.00     |
| 767                                        | PMIT752      | 75             | 96                  | 49.50     |
| 768                                        | PMIT902      | 90             | 58                  | 70.00     |
| 769                                        | PMIT1102     | 110            | 30                  | 112.00    |




| SR NO                                    | PRODUCT CODE | STD. SIZE (ml) | STD. PACK Pc / Ctn | RATE (pc) |
|------------------------------------------|--------------|----------------|--------------------|-----------|
| <b>uPVC SOLVENT CEMENT (TIN PACKING)</b> |              |                |                    |           |
| <b>HSN: 35061000</b>                     |              |                |                    |           |
| 770                                      | AGRI B250    | 250ml          | 24 96              | 167.50    |
| 771                                      | AGRI B500    | 500ml          | 12 48              | 268.00    |
| 772                                      | AGRI B1L     | 1L             | 6 24               | 460.50    |





## AGRICULTURE uPVC PIPES

HSN: 39172390



### DIMENSION OF AGRICULTURE uPVC PIPES - IS 4985-1988 (all Dimensions in mm)

| Nominal Outside Diameter (Nominal Size) | Mean Outside Diameter |       | Working Pressure, Mpa |     |                    |     |                    |     |                    |      |
|-----------------------------------------|-----------------------|-------|-----------------------|-----|--------------------|-----|--------------------|-----|--------------------|------|
|                                         |                       |       | Class 1<br>0.25 Mpa   |     | Class 2<br>0.4 Mpa |     | Class 3<br>0.6 Mpa |     | Class 5<br>1.0 Mpa |      |
|                                         | Min                   | Max   | Min                   | Max | Min                | Max | Min                | Max | Min                | Max  |
| 20                                      | 20.0                  | 20.3  |                       |     |                    |     |                    |     | 1.1                | 1.5  |
| 25                                      | 25.0                  | 25.3  |                       |     |                    |     |                    |     | 1.4                | 1.8  |
| 32                                      | 32.0                  | 32.3  |                       |     |                    |     |                    |     | 1.8                | 2.2  |
| 40                                      | 40.0                  | 40.3  |                       |     |                    |     | 1.4                | 1.8 | 2.2                | 2.7  |
| 50                                      | 50.0                  | 50.3  |                       |     |                    |     | 1.7                | 2.1 | 2.8                | 3.3  |
| 63                                      | 63.0                  | 63.3  |                       |     | 1.5                | 1.9 | 2.2                | 2.7 | 3.5                | 4.1  |
| 75                                      | 75.0                  | 75.3  |                       |     | 1.8                | 2.2 | 2.6                | 3.1 | 4.2                | 4.9  |
| 90                                      | 90.0                  | 90.3  | 1.3                   | 1.7 | 2.1                | 2.6 | 3.1                | 3.7 | 5.0                | 5.7  |
| 110                                     | 110.0                 | 110.4 | 1.6                   | 2.0 | 2.5                | 3.0 | 3.7                | 4.3 | 6.1                | 7.1  |
| 125                                     | 125.0                 | 125.4 | 1.8                   | 2.2 | 2.9                | 3.4 | 4.3                | 5.0 | 6.9                | 8.0  |
| 140                                     | 140.0                 | 140.5 | 2.0                   | 2.4 | 3.2                | 3.8 | 4.8                | 5.5 | 7.7                | 8.9  |
| 160                                     | 160.0                 | 160.5 | 2.3                   | 2.8 | 3.7                | 4.3 | 5.4                | 6.2 | 8.8                | 10.2 |
| 180                                     | 180.0                 | 180.6 | 2.6                   | 3.1 | 4.2                | 4.9 | 6.1                | 7.1 | 9.9                | 11.4 |
| 200                                     | 200.0                 | 200.6 | 2.9                   | 3.4 | 4.6                | 5.3 | 6.8                | 7.9 | 11.0               | 12.7 |
| 225                                     | 225.0                 | 225.7 | 3.3                   | 3.9 | 5.2                | 6.0 | 7.6                | 8.8 | 12.4               | 14.3 |
| 250                                     | 250.0                 | 250.8 | 3.6                   | 4.2 | 5.7                | 6.5 | 8.5                | 9.8 | 13.8               | 15.9 |

# *Electrical* PIPING SYSTEMS

Round Conduit uPVC, GI & MS Pipes & Fittings

Corrugated Flexible Conduit & Fittings

uPVC Mini/Maxi Trunking Profiles & Fittings

uPVC Panel Trunking



## TERMS & CONDITIONS


- All mentioned prices are exclusive of GST and other government taxes (if any).
- The above prices are ex-factory.
- Any revision in existing taxation or any new government taxes will be to buyers' account only.
- Prices are subjected to change without prior notice.
- Subject to Mumbai Jurisdiction.

ISO 9001:2015



**Precision Plastic Industries Pvt. Ltd.**

19/D, Nand Jyot Industrial Estate,  
Safed Pool, Andheri-Kurla Road,  
Andheri (East), Mumbai 400072, India



Customer Care : +91 77150 00015 | [plumbing@precisionpipes.com](mailto:plumbing@precisionpipes.com) | [www.precisionpipes.com](http://www.precisionpipes.com)