



**PRICE LIST**  
Jan.28, 2025


**SAFETY  
MEIN  
SAMJHOTA  
NAHIN.**





**CPVC**  
PIPES & FITTINGS

Precision Chlorinated Poly Vinyl Chloride (CPVC) Pipes and Fittings are manufactured from a specially formulated compound in accordance with Indian Standard IS 15778 - 2007 ; ASTM F 441 and ASTM D 2846 specifications. These pipes and fittings are a perfect choice, having many advantages over the conventional systems as they are corrosion free and resistant to most acids, bases, salts and halogens.





## APPLICATIONS

Channelising hot and cold water supply and potable water in homes, apartments, hotels, commercial complex, hospitals, gas and solar applications.

## FEATURES



Various Diameters & Grades



Fire retardant & corrosion free



Easy & quick installation



Chemical resistant



Hot & cold water compatible

- Economical, maintenance free.
- Heat efficient and lower installation cost.
- Low thermal expansion.
- Hygienic and environment friendly.
- Service temperature upto 82°C.

## COLOUR:



DIMENSIONS OF SDR 11 (CLASS 1) CPVC PIPES - IS 15778 - 2007						
Nominal Size		Nominal OD	Wall Thickness		Working Pressure/kg/cm <sup>2</sup>	
Inch	mm				27°C	82°C
1/2	15	15.9	1.7	2.2	27.6	6.8
3/4	20	22.2	2.0	2.5	27.6	6.8
1	25	28.6	2.6	3.1	27.6	6.8
1 1/4	32	34.9	3.2	3.7	27.6	6.8
1 1/2	40	41.3	3.8	4.3	27.6	6.8
2	50	54.0	4.9	5.5	27.6	6.8
DIMENSIONS OF SCH 80 CPVC PIPES - ASTM F 441						
2 1/2	65	73.02	7.01	7.85	29.54	7.38
3	80	88.9	7.62	8.53	26.02	6.52
4	100	114.3	8.56	9.58	22.5	5.62

DIMENSIONS OF SDR 13.5 (CLASS 2) CPVC PIPES - IS 15778 - 2007						
Nominal Size		Nominal OD	Wall Thickness		Working Pressure/kg/cm <sup>2</sup>	
Inch	mm				27°C	82°C
1/2	15	15.9	1.4	1.9	21.8	5.5
3/4	20	22.2	1.7	2.2	21.8	5.5
1	25	28.6	2.1	2.6	21.8	5.5
1 1/4	32	34.9	2.6	3.1	21.8	5.5
1 1/2	40	41.3	3.1	3.6	21.8	5.5
2	50	54.0	4.0	4.6	21.8	5.5
DIMENSIONS OF SCH 40 CPVC PIPES - ASTM F 441						
2 1/2	65	73.02	5.16	5.80	27.1	5.27
3	80	88.9	5.49	6.10	18.28	4.57
4	100	114.3	6.02	6.70	15.47	3.87

MINIMUM DIMENSIONS FROM CENTER TO END OF SOCKET (LAYING LENGTH)

CPVC SDR 11 Pipe Fittings

inch	mm	inch	mm	inch	mm	inch	mm
½	15	0.382	9.7	0.183	4.65	0.102	2.59
¾	20	0.507	12.88	0.235	5.97	0.102	2.59
1	25	0.633	16.08	0.287	7.29	0.102	2.59
1¼	32	0.758	19.25	0.339	8.61	0.102	2.59
1½	40	0.884	22.45	0.391	9.93	0.102	2.59
2	50	1.134	28.83	0.495	12.57	0.102	2.59

DIMENSIONS FOR TAPERED SOCKET OF CPVC SDR 11 PIPE FITTINGS

Nom. Size	Socket Entrance				Socket Bottom				Socket Entrance		ID		Wall Thickness				Entrance	
	Diameter mm				Diameter mm				inch	mm	inch	mm	Socket		Socket Bottom		F	F
Inch	A Aver	A Aver	A Tole	A Tole	B Aver	B Aver	B Tole	B Tole	C min	C min	D min	D min	EA min	EA min	EB min	EB min	F	F
½	0.633	16.08	0.003	0.08	0.619	15.72	0.003	0.08	0.500	12.70	0.489	12.42	0.068	1.73	0.102	2.59	0.128	3.25
¾	0.884	22.45	0.003	0.08	0.870	22.10	0.003	0.08	0.700	17.78	0.715	18.16	0.080	2.03	0.102	2.59	0.128	3.25
1	1.135	28.83	0.003	0.08	1.121	28.47	0.003	0.08	0.900	22.86	0.921	23.39	0.102	2.59	0.102	2.59	0.128	3.25
1¼	1.386	35.20	0.003	0.08	1.372	34.85	0.003	0.08	1.100	27.94	1.125	28.58	0.125	3.18	0.125	3.18	0.156	3.96
1½	1.640	41.66	0.004	0.10	1.622	41.20	0.004	0.10	1.300	33.02	1.329	33.76	0.148	3.76	0.148	3.76	0.185	4.70
2	2.141	54.38	0.004	0.10	2.123	53.92	0.004	0.10	1.700	43.18	1.739	44.17	0.193	4.90	0.193	4.90	0.241	6.12
2 ½	2.889	73.38	0.007	0.18	2.868	72.85	0.007	0.18	1.75	44.45	2.25	57.15	0.276	7.01	0.345	8.76	0.9	2.3
3	3.516	89.31	0.008	0.20	3.492	88.70	0.008	0.20	1.875	47.63	2.82	71.63	0.300	7.62	0.375	9.53	0.9	2.3
4	4.518	114.76	0.009	0.23	4.491	114.07	0.009	0.23	2.25	57.15	3.737	94.92	0.337	8.56	0.42	10.67	0.9	2.3

IS:15778



CPVC PIPES IS 15778 - 2007 & ASTM F 441

HSN: 39172390

2007

SR. NO.	PRODUCT CODE	NOMINAL SIZE (mm)	(inch)	STD.PACK (pcs.)	RATE (mtr)	RATE 3mtr/pc
<b>CPVC PIPES - SDR 11 (Length: 3mtr.)</b>						
1	CPVC 1115/3	15	½	70	104.00	312.00
2	CPVC 1120/3	20	¾	50	139.00	417.00
3	CPVC 1125/3	25	1	30	215.00	645.00
4	CPVC 1132/3	32	1¼	20	368.00	1104.00
5	CPVC 1140/3	40	1½	15	505.00	1515.00
6	CPVC 1150/3	50	2	10	876.00	2628.00
<b>CPVC PIPES - SCH 80 (Length: 3mtr.)</b>						
7	CPVC 8065/3	65	2½	5	2057.00	6171.00
8	CPVC 8080/3	80	3	3	2765.00	8295.00
9	CPVC 80100/3	100	4	2	4109.00	12327.00

SR. NO.	PRODUCT CODE	NOMINAL SIZE (mm)	(inch)	STD.PACK (pcs.)	RATE (mtr)	RATE 3mtr/pc
<b>CPVC PIPES - SDR 13.5 (Length: 3mtr.)</b>						
10	CPVC 1315/3	15	½	70	91.00	273.00
11	CPVC 1320/3	20	¾	50	131.00	393.00
12	CPVC 1325/3	25	1	30	191.00	573.00
13	CPVC 1332/3	32	1¼	20	314.00	942.00
14	CPVC 1340/3	40	1½	15	434.00	1302.00
15	CPVC 1350/3	50	2	10	737.00	2211.00
<b>CPVC PIPES - SCH 40 (Length: 3mtr.)</b>						
16	CPVC 4065/3	65	2½	5	1505.00	4515.00
17	CPVC 4080/3	80	3	3	2035.00	6105.00
18	CPVC 40100/3	100	4	2	2953.00	8859.00

SR. NO.	PRODUCT CODE	NOMINAL SIZE (mm)	(inch)	STD.PACK (pcs.)	RATE (mtr)	RATE 5mtr/pc
<b>CPVC PIPES - SDR 11 (Length: 5mtr.)</b>						
19	CPVC 1115/5	15	½	70	104.00	520.00
20	CPVC 1120/5	20	¾	50	139.00	695.00
21	CPVC 1125/5	25	1	30	215.00	1075.00
22	CPVC 1132/5	32	1¼	20	368.00	1840.00
23	CPVC 1140/5	40	1½	15	505.00	2525.00
24	CPVC 1150/5	50	2	10	876.00	4380.00
<b>CPVC PIPES - SCH 80 (Length: 5mtr.)</b>						
25	CPVC 8065/5	65	2½	5	2057.00	10285.00
26	CPVC 8080/5	80	3	3	2765.00	13825.00
27	CPVC 80100/5	100	4	2	4109.00	20545.00

SR. NO.	PRODUCT CODE	NOMINAL SIZE (mm)	(inch)	STD.PACK (pcs.)	RATE (mtr)	RATE 5mtr/pc
<b>CPVC PIPES - SDR 13.5 (Length: 5mtr.)</b>						
28	CPVC 1315/5	15	½	70	91.00	455.00
29	CPVC 1320/5	20	¾	50	131.00	655.00
30	CPVC 1325/5	25	1	30	191.00	955.00
31	CPVC 1332/5	32	1¼	20	314.00	1570.00
32	CPVC 1340/5	40	1½	15	434.00	2170.00
33	CPVC 1350/5	50	2	10	737.00	3685.00
<b>CPVC PIPES - SCH 40 (Length: 5mtr.)</b>						
34	CPVC 4065/5	65	2½	5	1505.00	7525.00
35	CPVC 4080/5	80	3	3	2035.00	10175.00
36	CPVC 40100/5	100	4	2	2953.00	14765.00

SDR 11/SCH 80 - Red Stripe

SDR 13.5/SCH 40 - Brown Stripe

# CPVC FITTINGS SDR 11 ASTM D 2846

HSN : 39174000



## COUPLER

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
37	CPVC 15C	15	1/2	100	1000	18.00
38	CPVC 20C	20	3/4	100	700	21.00
39	CPVC 25C	25	1	50	300	34.00
40	CPVC 32C	32	1 1/4	10	200	70.00
41	CPVC 40C	40	1 1/2	10	110	129.00
42	CPVC 50C	50	2	10	70	265.00
43	CPVC 65C	65	2 1/2	4	-	814.00



## ELBOW 45°

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
59	CPVC 1545E	15	1/2	50	750	25.00
60	CPVC 2045E	20	3/4	25	300	36.00
61	CPVC 2545E	25	1	20	240	64.00
62	CPVC 3245E	32	1 1/4	10	140	134.00
63	CPVC 4045E	40	1 1/2	5	80	214.00
64	CPVC 5045E	50	2	5	35	424.00



## ELBOW

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
44	CPVC 15E	15	1/2	100	600	22.00
45	CPVC 20E	20	3/4	50	550	25.00
46	CPVC 25E	25	1	40	240	48.00
47	CPVC 32E	32	1 1/4	10	120	109.00
48	CPVC 40E	40	1 1/2	10	80	210.00
49	CPVC 50E	50	2	5	40	418.00



## MALE THREAD ADAPTOR

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
65	CPVC 15M	15	1/2	100	800	21.00
66	CPVC 20M	20	3/4	100	600	30.00
67	CPVC 25M	25	1	50	400	45.00
68	CPVC 32M	32	1 1/4	10	120	80.00
69	CPVC 40M	40	1 1/2	10	120	113.00
70	CPVC 50M	50	2	10	60	222.00



## TEE

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
50	CPVC 15T	15	1/2	100	400	30.00
51	CPVC 20T	20	3/4	50	350	40.00
52	CPVC 25T	25	1	25	175	61.00
53	CPVC 32T	32	1 1/4	10	100	139.00
54	CPVC 40T	40	1 1/2	10	50	252.00
55	CPVC 50T	50	2	5	25	527.00
56	CPVC 65T	65	2 1/2	2	-	1759.00
57	CPVC 80T	80	3	1	-	2614.00
58	CPVC 100T	100	4	1	-	4370.00



## FEMALE THREAD ADAPTOR

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
71	CPVC 15F	15	1/2	50	500	27.00
72	CPVC 20F	20	3/4	50	450	39.00
73	CPVC 25F	25	1	25	250	58.00
74	CPVC 32F	32	1 1/4	10	140	156.00
75	CPVC 40F	40	1 1/2	10	100	200.00
76	CPVC 50F	50	2	5	50	316.00

# CPVC FITTINGS SDR 11 ASTM D 2846

HSN : 39174000



## END CAP

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
77	CPVC 15EC	15	1/2	100	1500	14.50
78	CPVC 20EC	20	3/4	100	600	19.00
79	CPVC 25EC	25	1	100	300	30.00
80	CPVC 32EC	32	1 1/4	25	150	62.00
81	CPVC 40EC	40	1 1/2	15	120	91.00
82	CPVC 50EC	50	2	5	60	193.00
83	CPVC 65EC	65	2 1/2	10	-	501.00
84	CPVC 80EC	80	3	10	-	745.00
85	CPVC 100EC	100	4	2	-	1286.00



## REDUCER TEE

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
101	CPVC 2015RT	20x20x15	3/4 x 3/4 x 1/2	10	150	67.00
102	CPVC 2515RT	25x25x15	1 x 1 x 1/2	10	100	103.00
103	CPVC 2520RT	25x25x20	1 x 1 x 3/4	10	100	112.00
104	CPVC 3215RT	32x32x15	1 1/4 x 1 1/4 x 1/2	10	50	187.00
105	CPVC 3220RT	32x32x20	1 1/4 x 1 1/4 x 3/4	10	50	216.00
106	CPVC 3225RT	32x32x25	1 1/4 x 1 1/4 x 1	10	50	200.00
107	CPVC 4015RT	40x40x15	1 1/2 x 1 1/2 x 1/2	10	30	309.00
108	CPVC 4020RT	40x40x20	1 1/2 x 1 1/2 x 3/4	10	30	306.00
109	CPVC 4025RT	40x40x25	1 1/2 x 1 1/2 x 1	10	30	289.00
110	CPVC 4032RT	40x40x32	1 1/2 x 1 1/2 x 1 1/4	10	30	287.00
111	CPVC 5015RT	50x50x15	2 x 2 x 1/2	5	15	548.00
112	CPVC 5020RT	50x50x20	2 x 2 x 3/4	5	15	592.00
113	CPVC 5025RT	50x50x25	2 x 2 x 1	5	15	582.00
114	CPVC 5032RT	50x50x32	2 x 2 x 1 1/4	5	15	592.00
115	CPVC 5040RT	50x50x40	2 x 2 x 1 1/2	5	15	592.00



## REDUCER COUPLER

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
86	CPVC 2015RC	20 x 15	3/4 x 1/2	100	500	30.00
87	CPVC 2515RC	25 x 15	1 x 1/2	100	300	40.00
88	CPVC 2520RC	25 x 20	1 x 3/4	100	400	49.00
89	CPVC 3215RC	32 x 15	1 1/4 x 1/2	10	150	94.00
90	CPVC 3220RC	32 x 20	1 1/4 x 3/4	10	150	97.00
91	CPVC 3225RC	32 x 25	1 1/4 x 1	10	230	100.00
92	CPVC 4015RC	40 x 15	1 1/2 x 1/2	10	100	141.00
93	CPVC 4020RC	40 x 20	1 1/2 x 3/4	10	100	139.00
94	CPVC 4025RC	40 x 25	1 1/2 x 1	10	100	149.00
95	CPVC 4032RC	40 x 32	1 1/2 x 1 1/4	10	120	146.00
96	CPVC 5015RC	50 x 15	2 x 1/2	5	50	291.00
97	CPVC 5020RC	50 x 20	2 x 3/4	5	50	297.00
98	CPVC 5025RC	50 x 25	2 x 1	5	50	291.00
99	CPVC 5032RC	50 x 32	2 x 1 1/4	5	50	304.00
100	CPVC 5040RC	50 x 40	2 x 1 1/2	5	100	359.00



## REDUCER ELBOW

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
116	CPVC 2015RE	20 x 15	3/4 x 1/2	10	250	37.00
117	CPVC 2520RE	25 x 20	1 x 3/4	10	250	70.00



## REDUCER MTA

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
118	CPVC 2015RM	20 x 15	3/4 x 1/2	100	400	42.00
119	CPVC 2515RM	25 x 15	1 x 1/2	50	250	43.00
120	CPVC 2520RM	25 x 20	1 x 3/4	50	250	50.00

# CPVC FITTINGS SDR 11 ASTM D 2846

HSN : 39174000



## REDUCER BUSHING

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
121	CPVC 2015RB	20 x 15	3/4 x 1/2	50	1200	18.00
122	CPVC 2515RB	25 x 15	1 x 1/2	50	450	35.00
123	CPVC 2520RB	25 x 20	1 x 3/4	50	800	30.00
124	CPVC 3215RB	32 x 15	1 1/4 x 1/2	25	250	54.00
125	CPVC 3220RB	32 x 20	1 1/4 x 3/4	25	400	50.00
126	CPVC 3225RB	32 x 25	1 1/4 x 1	25	400	47.00
127	CPVC 4015RB	40 x 15	1 1/2 x 1/2	10	250	89.00
128	CPVC 4020RB	40 x 20	1 1/2 x 3/4	10	250	82.00
129	CPVC 4025RB	40 x 25	1 1/2 x 1	10	250	77.00
130	CPVC 4032RB	40 x 32	1 1/2 x 1 1/4	10	250	54.00
131	CPVC 5015RB	50 x 15	2 x 1/2	10	60	168.00
132	CPVC 5020RB	50 x 20	2 x 3/4	10	60	152.00
133	CPVC 5025RB	50 x 25	2 x 1	10	60	155.00
134	CPVC 5032RB	50 x 32	2 x 1 1/4	10	60	168.00
135	CPVC 5040RB	50 x 40	2 x 1 1/2	10	60	141.00



## CROSS TEE

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
148	CPVC 15CT	15	1/2	25	300	41.00
149	CPVC 20CT	20	3/4	10	120	87.00
150	CPVC 25CT	25	1	5	60	146.00
151	CPVC 32CT	32	1 1/4	2	60	191.00
152	CPVC 40CT	40	1 1/2	2	30	235.00
153	CPVC 50CT	50	2	2	20	479.00



## STEP OVER BEND

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
154	CPVC 15SB	15	1/2	10	120	82.00
155	CPVC 20SB	20	3/4	10	60	114.00
156	CPVC 25SB	25	1	5	30	207.00



## TRANSITION BUSHING

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
136	CPVC 15TB	15 x 15	1/2 x 1/2	100	1200	16.50
137	CPVC 20TB	20 x 20	3/4 x 3/4	50	500	22.00
138	CPVC 25TB	25 x 25	1 x 1	25	300	49.00
139	CPVC 32TB	32 x 32	1 1/4 x 1 1/4	15	150	75.00
140	CPVC 40TB	40 x 40	1 1/2 x 1 1/2	10	100	123.00
141	CPVC 50TB	50 x 50	2 x 2	10	60	219.00



## ELBOW

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
157	CPVC 15BE	15 x 15	1/2 x 1/2	25	250	90.00
158	CPVC 20BE	20 x 20	3/4 x 3/4	15	150	137.00
159	CPVC 25BE	25 x 25	1 x 1	10	80	511.00

(BRASS)



## UNION

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
142	CPVC 15U	15	1/2	25	250	74.00
143	CPVC 20U	20	3/4	10	140	121.00
144	CPVC 25U	25	1	5	75	144.00
145	CPVC 32U	32	1 1/4	5	50	235.00
146	CPVC 40U	40	1 1/2	5	30	387.00
147	CPVC 50U	50	2	2	16	689.00



## ELBOW

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
160	CPVC 15BEW	15 x 15	1/2 x 1/2	25	200	90.00
161	CPVC 20BEW	20 x 20	3/4 x 3/4	10	100	137.00
162	CPVC 25BEW	25 x 25	1 x 1	5	60	511.00

(BRASS)

WALL MOUNTING

# CPVC FITTINGS SDR 11 ASTM D 2846

HSN : 39174000



**TEE**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
163	CPVC 15BT	15x15x15	1/2x1/2x1/2	25	250	114.00
164	CPVC 20BT	20x20x20	3/4x3/4x3/4	25	125	168.00
165	CPVC 25BT	25x25x25	1x1x1	5	60	319.00

(BRASS)




**R - ELBOW**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
181	CPVC 2015RBEW	20 x 15	3/4 x 1/2	15	150	122.00

(BRASS)

**WALL MOUNTING**



**MTA**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
166	CPVC 15BM	15	1/2	25	300	206.00
167	CPVC 20BM	20	3/4	20	200	262.00
168	CPVC 25BM	25	1	10	100	425.00
169	CPVC 32BM	32	1 1/4	5	60	885.00
170	CPVC 40BM	40	1 1/2	5	40	1095.00
171	CPVC 50BM	50	2	2	20	2039.00

(BRASS)



**R - TEE**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
182	CPVC 2015RBT	20 x 15	3/4 x 1/2	25	125	110.50
183	CPVC 2515RBT	25 x 15	1 x 1/2	10	80	137.00
184	CPVC 2520RBT	25 x 20	1 x 3/4	10	80	150.50

(BRASS)



**FTA**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
172	CPVC 15BF	15	1/2	25	300	199.00
173	CPVC 20BF	20	3/4	20	200	266.00
174	CPVC 25BF	25	1	10	100	440.00
175	CPVC 32BF	32	1 1/4	5	60	927.00
176	CPVC 40BF	40	1 1/2	5	50	1031.00
177	CPVC 50BF	50	2	2	20	1844.00

(BRASS)



**R - MTA**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
185	CPVC 1520RBM	15 x 20	1/2 x 3/4	25	250	144.50
186	CPVC 2015RBM	20 x 15	3/4 x 1/2	25	250	167.00
187	CPVC 2515RBM	25 x 15	1 x 1/2	20	200	296.00
188	CPVC 2520RBM	25 x 20	1 x 3/4	20	200	296.00

(BRASS)



**R - ELBOW**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
178	CPVC 2015RBE	20 x 15	3/4 x 1/2	25	200	94.00
179	CPVC 2515RBE	25 x 15	1 x 1/2	25	125	168.00
180	CPVC 2520RBE	25 x 20	1 x 3/4	10	120	267.00

(BRASS)



**R - FTA**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
189	CPVC 1520RBF	15 x 20	1/2 x 3/4	25	250	102.00
190	CPVC 2015RBF	20 x 15	3/4 x 1/2	25	250	86.50
191	CPVC 2515RBF	25 x 15	1 x 1/2	10	160	101.50
192	CPVC 2520RBF	25 x 20	1 x 3/4	10	160	110.50

(BRASS)



# CPVC FITTINGS SDR 11 ASTM D 2846

HSN : 39174000



## TANK NIPPLE

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
193	CPVC 15TN	15	½	25	150	77.00
194	CPVC 20TN	20	¾	25	200	85.00
195	CPVC 25TN	25	1	10	100	131.00
196	CPVC 32TN	32	1¼	5	60	208.00
197	CPVC 40TN	40	1½	5	40	302.00
198	CPVC 50TN	50	2	5	35	470.00



## VAN STONE FLANGE

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
208	CPVC 65VF	65	2½	2	2	1694.00
209	CPVC 80VF	80	3	2	2	1883.00
210	CPVC 100VF	100	4	2	2	3226.00



## POWDER COATED METAL STRAP

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
211	CPVC 15MS	15	½	10	500	16.00
212	CPVC 20MS	20	¾	10	500	16.00
213	CPVC 25MS	25	1	10	500	19.00
214	CPVC 32MS	32	1¼	10	300	19.00
215	CPVC 40MS	40	1½	10	200	20.00
216	CPVC 50MS	50	2	10	200	25.00

HSN: 73072900



## END PLUG

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
199	CPVC 15EP	15	½	100	100	14.00



## BALL VALVE

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
200	CPVC 15BVI	15	½	20	100	123.00
201	CPVC 20BVI	20	¾	15	75	207.00
202	CPVC 25BVI	25	1	10	50	387.00
203	CPVC 32BVI	32	1¼	5	25	607.00
204	CPVC 40BVI	40	1½	4	20	1086.00
205	CPVC 50BVI	50	2	2	12	2034.00
206	CPVC 65BVI	65	2½	1	-	5750.00
207	CPVC 80BVI	80	3	1	-	10007.00

HSN: 84818090



## CPVC SOLVENT CEMENT

SR. NO.	PRODUCT CODE	STANDARD SIZE	STD. PACK		RATE (pc)
		(ml)	Pc./Box	Pc./Ctn.	
217	CPVC SL59	59	30	240	165.00
218	CPVC SL118	118	24	144	230.00
219	CPVC SL237	237	24	96	410.00
220	CPVC SL473	473	12	48	775.00


(TIN PACKING)

HSN: 35061000



**ASTM (uPVC)**  
PIPES & FITTINGS

Precision ASTM (uPVC) Pipes and Fittings are manufactured from a specially formulated unplasticised polyvinyl chloride compound. These pipes and fittings are tough and durable with high tensile and impact strength and are manufactured in accordance to ASTM (uPVC) D1785 –SCH 40 & SCH 80 and Fittings to ASTM (uPVC) D 2476 – SCH 80





## APPLICATIONS

Channelising potable water supply in homes, apartments, hotels, commercial complex and hospitals.

## FEATURES



Various Diameters & Grades



Fire retardant & corrosion free



Easy & quick installation



Chemical resistant



UV stabilized

- Economical, maintenance free.
- Heat efficient and lower Installation cost.
- Low thermal expansion.
- Hygienic and environment friendly.
- Services temperature upto 60°C.

## COLOUR:



ASTM (uPVC) D 1785 / SCH 40 PIPES

Nominal Size		Nominal OD mm	Wall Thickness		Pressure Rating at 23°C kg/cm <sup>2</sup>
Inch	mm		Min	Max	
1/2	15	21.24	2.77	3.28	41.4
3/4	20	26.57	2.87	3.38	33.1
1	25	33.27	3.38	3.89	31.0
1 1/4	32	42.03	3.56	4.07	25.5
1 1/2	40	48.11	3.68	4.19	22.8
2	50	60.17	3.91	4.42	19.3
2 1/2	65	73.02	5.16	5.77	21.10
3	80	88.9	5.49	6.17	18.28
4	100	114.3	6.02	6.73	15.47

ASTM (uPVC) D 1785 / SCH 80 PIPES

Nominal Size		Nominal OD mm	Wall Thickness		Pressure Rating at 23°C kg/cm <sup>2</sup>
Inch	mm		Min	Max	
1/2	15	21.24	3.73	4.24	58.6
3/4	20	26.57	3.91	4.42	47.6
1	25	33.27	4.55	5.08	43.4
1 1/4	32	42.03	4.85	5.43	35.9
1 1/2	40	48.11	5.08	5.69	32.4
2	50	60.17	5.54	6.20	27.6
2 1/2	65	73.02	7.01	7.85	29.54
3	80	88.9	7.62	8.53	26.02
4	100	114.3	8.56	9.58	22.50

MINIMUM DIMENSIONS FROM CENTER TO END OF SOCKET (LAYING LENGTH)

uPVC SCH 80 Pipe Fittings

inch	mm	inch	mm	inch	mm	inch	mm
1/2	15	1/2	12.70	1/2	6.35	3/32	2.38
3/4	20	9/16	14.29	5/16	7.94	3/32	2.38
1	25	11/16	17.46	5/16	7.94	3/32	2.38
1 1/4	32	7/8	22.22	1/8	9.53	3/32	2.38
1 1/2	40	1	25.40	7/16	11.11	3/32	2.38
2	50	1 1/4	31.75	5/8	15.88	3/32	2.38

DIMENSIONS FOR TAPERED SOCKET OF uPVC SCH 80 PIPES FITTINGS

Nom Size	Socket Entrance				Socket Bottom				Socket Entrance		ID		Wall Thickness				Entrance	
	Diameter inch/mm				Diameter inch/mm				inch	mm	inch	mm	Socket		Socket Bottom		F	F
Inch	Dia	Dia	A Tole	A Tole	B Aver	B Aver	B Tole	B Tole	C min	C min	D min	D min	EA min	EA min	EB min	EB min	F	F
1/2	0.848	21.54	0.004	0.10	0.836	21.23	0.004	0.10	0.875	22.22	0.502	12.75	0.147	3.73	0.185	4.70	0.03	0.79
3/4	1.058	26.87	0.004	0.10	1.046	26.57	0.004	0.10	1.000	25.40	0.698	17.73	0.154	3.91	0.195	4.95	0.03	0.79
1	1.325	33.65	0.005	0.13	1.310	33.27	0.005	0.13	1.125	28.58	0.911	23.14	0.179	4.55	0.225	5.72	0.06	1.59
1 1/4	1.670	42.42	0.005	0.13	1.655	42.04	0.005	0.13	1.250	31.75	1.227	31.17	0.191	4.85	0.239	6.07	0.06	1.59
1 1/2	1.912	48.56	0.006	0.15	1.894	48.11	0.006	0.15	1.375	34.93	1.446	36.73	0.200	5.08	0.250	6.35	0.06	1.59
2	2.387	60.63	0.006	0.15	2.369	60.17	0.006	0.15	1.500	38.10	1.881	47.78	0.218	5.54	0.275	6.99	0.06	1.59
2 1/2	2.889	73.38	0.007	0.18	2.868	72.85	0.007	0.18	1.75	44.45	2.25	57.15	0.276	7.01	0.345	8.76	0.9	2.3
3	3.516	89.31	0.008	0.20	3.492	88.70	0.008	0.20	1.875	47.63	2.82	71.63	0.3	7.62	0.375	9.53	0.9	2.3
4	4.518	114.76	0.009	0.23	4.491	114.07	0.009	0.23	2.25	57.15	3.737	94.92	0.337	8.56	0.42	10.67	0.9	2.3

# ASTM (uPVC) D 1785 PIPES

HSN: 39172390

SR. NO.	PRODUCT CODE	NOMINAL SIZE (mm)	(inch)	STD.PACK (pcs.)	RATE (mtr)	RATE 3mtr/pc
ASTM (uPVC) D 1785 / SCH 40 PIPES Length:3 mtr						
221	ASTM 4015/3	15	1/2	50	81.00	243.00
222	ASTM 4020/3	20	3/4	40	103.00	309.00
223	ASTM 4025/3	25	1	30	154.00	462.00
224	ASTM 4032/3	32	1 1/4	20	217.00	651.00
225	ASTM 4040/3	40	1 1/2	15	256.00	768.00
226	ASTM 4050/3	50	2	10	342.00	1026.00
227	ASTM 4065/3	65	2 1/2	5	552.00	1656.00
228	ASTM 4080/3	80	3	3	746.00	2238.00
229	ASTM 40100/3	100	4	2	1052.00	3156.00

SR. NO.	PRODUCT CODE	NOMINAL SIZE (mm)	(inch)	STD.PACK (pcs.)	RATE (mtr)	RATE 3mtr/pc
ASTM (uPVC) D 1785 / SCH 80 PIPES Length:3 mtr						
230	ASTM 8015/3	15	1/2	50	102.00	306.00
231	ASTM 8020/3	20	3/4	40	138.00	414.00
232	ASTM 8025/3	25	1	30	201.00	603.00
233	ASTM 8032/3	32	1 1/4	20	277.00	831.00
234	ASTM 8040/3	40	1 1/2	15	338.00	1014.00
235	ASTM 8050/3	50	2	10	465.00	1395.00
236	ASTM 8065/3	65	2 1/2	5	720.00	2160.00
237	ASTM 8080/3	80	3	3	960.00	2880.00
238	ASTM 80100/3	100	4	2	1398.00	4194.00

SR. NO.	PRODUCT CODE	NOMINAL SIZE (mm)	(inch)	STD.PACK (pcs.)	RATE (mtr)	RATE 6mtr/pc
ASTM (uPVC) D 1785 / SCH 40 PIPES Length:6 mtr						
239	ASTM 4015/6	15	1/2	30	81.00	486.00
240	ASTM 4020/6	20	3/4	25	103.00	618.00
241	ASTM 4025/6	25	1	20	154.00	924.00
242	ASTM 4032/6	32	1 1/4	10	217.00	1302.00
243	ASTM 4040/6	40	1 1/2	10	256.00	1536.00
244	ASTM 4050/6	50	2	5	342.00	2052.00
245	ASTM 4065/6	65	2 1/2	5	552.00	3312.00
246	ASTM 4080/6	80	3	3	746.00	4476.00
247	ASTM 40100/6	100	4	2	1052.00	6312.00

SR. NO.	PRODUCT CODE	NOMINAL SIZE (mm)	(inch)	STD.PACK (pcs.)	RATE (mtr)	RATE 6mtr/pc
ASTM (uPVC) D 1785 / SCH 80 PIPES Length:6 mtr						
248	ASTM 8015/6	15	1/2	30	102.00	612.00
249	ASTM 8020/6	20	3/4	25	138.00	828.00
250	ASTM 8025/6	25	1	20	201.00	1206.00
251	ASTM 8032/6	32	1 1/4	10	277.00	1662.00
252	ASTM 8040/6	40	1 1/2	10	338.00	2028.00
253	ASTM 8050/6	50	2	5	465.00	2790.00
254	ASTM 8065/6	65	2 1/2	5	720.00	4320.00
255	ASTM 8080/6	80	3	3	960.00	5760.00
256	ASTM 80100/6	100	4	2	1398.00	8388.00

SCH 40 - Blue Stripe

SCH 80 - Red Stripe

# ASTM (uPVC) D 2467 / SCH 80 FITTINGS

HSN : 39174000



## COUPLER

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
257	ASTM 15C	15	1/2	50	550	13.50
258	ASTM 20C	20	3/4	50	350	16.50
259	ASTM 25C	25	1	25	200	25.00
260	ASTM 32C	32	1 1/4	10	100	37.50
261	ASTM 40C	40	1 1/2	10	100	51.00
262	ASTM 50C	50	2	5	60	70.00



## ELBOW 45°

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
275	ASTM 1545E	15	1/2	25	500	16.50
276	ASTM 2045E	20	3/4	25	300	24.50
277	ASTM 2545E	25	1	25	150	35.00
278	ASTM 3245E	32	1 1/4	10	100	53.50
279	ASTM 4045E	40	1 1/2	10	80	72.50
280	ASTM 5045E	50	2	5	45	107.00



## ELBOW

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
263	ASTM 15E	15	1/2	50	400	16.00
264	ASTM 20E	20	3/4	50	250	23.50
265	ASTM 25E	25	1	25	150	36.00
266	ASTM 32E	32	1 1/4	10	80	54.50
267	ASTM 40E	40	1 1/2	10	50	71.00
268	ASTM 50E	50	2	5	35	105.00



## MALE THREAD ADAPTOR

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
281	ASTM 15M	15	1/2	50	850	10.00
282	ASTM 20M	20	3/4	25	750	14.00
283	ASTM 25M	25	1	25	300	21.00
284	ASTM 32M	32	1 1/4	10	240	32.50
285	ASTM 40M	40	1 1/2	10	160	41.50
286	ASTM 50M	50	2	5	100	60.50



## TEE

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
269	ASTM 15T	15	1/2	50	250	21.00
270	ASTM 20T	20	3/4	25	175	27.50
271	ASTM 25T	25	1	20	100	46.00
272	ASTM 32T	32	1 1/4	10	50	77.50
273	ASTM 40T	40	1 1/2	5	40	97.00
274	ASTM 50T	50	2	2	24	153.00



## FEMALE THREAD ADAPTOR

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
287	ASTM 15F	15	1/2	25	625	13.00
288	ASTM 20F	20	3/4	10	400	19.50
289	ASTM 25F	25	1	10	280	25.00
290	ASTM 32F	32	1 1/4	5	140	41.00
291	ASTM 40F	40	1 1/2	10	100	50.00
292	ASTM 50F	50	2	5	70	74.00

# ASTM (uPVC) D 2467 / SCH 80 FITTINGS

HSN : 39174000



## REDUCER COUPLER

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
293	ASTM 2015RC	20 x 15	¾ x ½	25	400	20.50
294	ASTM 2515RC	25 x 15	1 x ½	25	250	32.00
295	ASTM 2520RC	25 x 20	1 x ¾	25	225	32.50
296	ASTM 3215RC	32 x 15	1¼ x ½	25	150	41.50
297	ASTM 3220RC	32 x 20	1¼ x ¾	25	150	43.00
298	ASTM 3225RC	32 x 25	1¼ x 1	25	125	45.50
299	ASTM 4015RC	40 x 15	1½ x ½	10	120	52.50
300	ASTM 4020RC	40 x 20	1½ x ¾	10	120	56.50
301	ASTM 4025RC	40 x 25	1½ x 1	10	100	56.50
302	ASTM 4032RC	40 x 32	1½ x 1¼	10	100	62.00
303	ASTM 5015RC	50 x 15	2 x ½	10	70	81.50
304	ASTM 5020RC	50 x 20	2 x ¾	10	70	89.50
305	ASTM 5025RC	50 x 25	2 x 1	10	70	89.50
306	ASTM 5032RC	50 x 32	2 x 1¼	10	70	93.00
307	ASTM 5040RC	50 x 40	2 x 1½	5	70	94.50



## REDUCER TEE

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
316	ASTM 2015RT	20x20x15	¾ x ¾ x ½	25	175	30.50
317	ASTM 2515RT	25x25x15	1 x 1 x ½	25	100	46.00
318	ASTM 2520RT	25x25x20	1 x 1 x ¾	25	100	45.00
319	ASTM 3215RT	32x32x15	1¼ x 1¼ x ½	10	70	97.50
320	ASTM 3220RT	32x32x20	1¼ x 1¼ x ¾	10	70	97.50
321	ASTM 3225RT	32x32x25	1¼ x 1¼ x 1	10	60	97.50
322	ASTM 4015RT	40x40x15	1½ x 1½ x ½	5	20	104.00
323	ASTM 4020RT	40x40x20	1½ x 1½ x ¾	5	20	110.00
324	ASTM 4025RT	40x40x25	1½ x 1½ x 1	5	20	110.00
325	ASTM 4032RT	40x40x32	1½ x 1½ x 1¼	5	20	133.00
326	ASTM 5015RT	50x50x15	2 x 2 x ½	5	10	160.00
327	ASTM 5020RT	50x50x20	2 x 2 x ¾	5	10	174.00
328	ASTM 5025RT	50x50x25	2 x 2 x 1	5	10	174.00
329	ASTM 5032RT	50x50x32	2 x 2 x 1¼	5	10	175.00
330	ASTM 5040RT	50x50x40	2 x 2 x 1½	5	10	175.00



## END CAP

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
308	ASTM 15EC	15	½	25	1000	9.00
309	ASTM 20EC	20	¾	25	700	13.00
310	ASTM 25EC	25	1	25	375	19.00
311	ASTM 32EC	32	1¼	10	250	32.50
312	ASTM 40EC	40	1½	10	200	40.00
313	ASTM 50EC	50	2	5	100	60.50
314	ASTM 65EC	65	2½	10	-	118.00
315	ASTM 80EC	80	3	10	-	170.00



## REDUCER BUSHING

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
331	ASTM 2015RB	20 x 15	¾ x ½	50	1000	10.50
332	ASTM 2515RB	25 x 15	1 x ½	25	600	16.50
333	ASTM 2520RB	25 x 20	1 x ¾	50	600	16.50
334	ASTM 3225RB	32 x 25	1¼ x 1	25	300	31.00
335	ASTM 4015RB	40 x 15	1½ x ½	10	250	40.00
336	ASTM 4020RB	40 x 20	1½ x ¾	10	250	41.50
337	ASTM 4025RB	40 x 25	1½ x 1	10	250	41.50
338	ASTM 4032RB	40 x 32	1½ x 1¼	10	250	41.50
339	ASTM 5015RB	50 x 15	2 x ½	10	120	76.00
340	ASTM 5020RB	50 x 20	2 x ¾	10	120	76.00
341	ASTM 5025RB	50 x 25	2 x 1	10	120	76.00
342	ASTM 5032RB	50 x 32	2 x 1¼	10	120	66.50
343	ASTM 5040RB	50 x 40	2 x 1½	10	120	66.50

# ASTM (uPVC) D 2467 / SCH 80 FITTINGS

HSN : 39174000



## REDUCER ELBOW

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
344	ASTM 2015RE	20 x 15	¾ x ½	25	250	24.50
345	ASTM 2515RE	25 x 15	1 x ½	25	200	33.50
346	ASTM 2520RE	25 x 20	1 x ¾	25	150	45.00



## CROSS TEE

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
356	ASTM 15CT	15	½	25	200	50.50
357	ASTM 20CT	20	¾	10	120	78.50
358	ASTM 25CT	25	1	10	80	131.00
359	ASTM 32CT	32	1¼	5	45	404.00
360	ASTM 40CT	40	1½	5	30	504.00
361	ASTM 50CT	50	2	2	20	823.00



## REDUCER MTA

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
347	ASTM 2015RM	20 x 15	¾ x ½	10	600	14.50
348	ASTM 2515RM	25 x 15	1 x ½	15	420	24.00
349	ASTM 2520RM	25 x 20	1 x ¾	15	420	24.50



## STEP OVER BEND

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
362	ASTM 15SB	15	½	5	75	78.00
363	ASTM 20SB	20	¾	10	40	115.00
364	ASTM 25SB	25	1	5	25	167.00



## UNION

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
350	ASTM 15U	15	½	10	250	40.00
351	ASTM 20U	20	¾	10	150	48.00
352	ASTM 25U	25	1	5	100	72.50
353	ASTM 32U	32	1¼	5	60	117.00
354	ASTM 40U	40	1½	5	50	143.00
355	ASTM 50U	50	2	5	25	211.00



## ELBOW

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
365	ASTM 15BE	15 x 15	½ x ½	20	160	116.00
366	ASTM 20BE	20 x 20	¾ x ¾	20	80	189.00
367	ASTM 25BE	25 x 25	1 x 1	10	40	343.00

(BRASS)



## TEE

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
368	ASTM 15BT	15x15x15	½ x ½ x ½	25	100	132.00
369	ASTM 20BT	20x20x20	¾ x ¾ x ¾	5	65	195.00
370	ASTM 25BT	25x25x25	1 x 1 x 1	10	40	373.00

(BRASS)

# ASTM (uPVC) D 2467 / SCH 80 FITTINGS

HSN : 39174000



**MTA**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
371	ASTM 15BM	15	1/2	10	180	166.00
372	ASTM 20BM	20	3/4	10	120	262.00
373	ASTM 25BM	25	1	5	75	314.00
374	ASTM 32BM	32	1 1/4	5	50	536.00
375	ASTM 40BM	40	1 1/2	5	40	662.00
376	ASTM 50BM	50	2	2	24	999.00

(BRASS)



**R-TEE**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
386	ASTM 2015RBT	20x20x15	3/4x3/4x1/2	10	70	146.00
387	ASTM 2515RBT	25x25x15	1x1x1/2	10	40	170.00
388	ASTM 2520RBT	25x25x20	1x1x3/4	10	40	268.00

(BRASS)



**FTA**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
377	ASTM 15BF	15	1/2	10	200	114.00
378	ASTM 20BF	20	3/4	15	150	181.00
379	ASTM 25BF	25	1	5	75	234.00
380	ASTM 32BF	32	1 1/4	5	40	390.00
381	ASTM 40BF	40	1 1/2	4	32	539.00
382	ASTM 50BF	50	2	2	24	682.00

(BRASS)



**R - MTA**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
389	ASTM 2015RBM	20 x 15	3/4 x 1/2	10	150	206.00
390	ASTM 2520RBM	25 x 20	1 x 3/4	10	100	254.00

(BRASS)



**R - FTA**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
391	ASTM 1520RBF	15 x 20	1/2 x 3/4	10	160	139.00
392	ASTM 2015RBF	20 x 15	3/4 x 1/2	10	180	111.00
393	ASTM 2515RBF	25 x 15	1 x 1/2	10	140	175.00
394	ASTM 2520RBF	25 x 20	1 x 3/4	10	120	221.00

(BRASS)



**R - ELBOW**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
383	ASTM 2015RBE	20 x 15	3/4 x 1/2	25	100	151.00
384	ASTM 2515RBE	25 x 15	1 x 1/2	25	75	170.00
385	ASTM 2520RBE	25 x 20	1 x 3/4	5	65	228.50

(BRASS)



**TANK NIPPLE**

SR. NO.	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc./Bag	Pc./Ctn.	
395	ASTM 15TN	15	1/2	10	250	73.00
396	ASTM 20TN	20	3/4	10	240	79.00
397	ASTM 25TN	25	1	10	120	93.00
398	ASTM 32TN	32	1 1/4	10	80	134.00
399	ASTM 40TN	40	1 1/2	10	60	158.00
400	ASTM 50TN	50	2	10	40	189.00



# ASTM (uPVC) D 2467 / SCH 80 FITTINGS

HSN : 39174000



## BALL VALVE

SR NO	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc/Bag	Pc/Ctn	
401	ASTM 15BVI	15	1/2	15	90	151.00
402	ASTM 20BVI	20	3/4	10	70	202.00
403	ASTM 25BVI	25	1	8	40	306.00
404	ASTM 32BVI	32	1 1/4	5	30	453.00
405	ASTM 40BVI	40	1 1/2	4	20	679.00
406	ASTM 50BVI	50	2	2	16	1038.00
407	ASTM 65BVI	65	2 1/2	1	-	4266.00
408	ASTM 80BVI	80	3	1	-	8094.00

HSN: 84818090



## ASTM (uPVC) SOLVENT CEMENT

SR NO	PRODUCT CODE	STANDARD SIZE	STD. PACK		RATE (pc)
		(ml)	Pc/Box	Pc/Ctn	
417	ASTM SL59	59	30	240	105.00
418	ASTM SL118	118	24	144	180.00
419	ASTM SL237	237	24	96	275.00
420	ASTM SL473	473	12	48	515.00

(TIN PACKING)

HSN: 35061000



## VAN STONE FLANGE

SR NO	PRODUCT CODE	STANDARD SIZE		STD. PACK	RATE (pc)
		(mm)	(inch)	Pc/Bag	
409	ASTM 65VF	65	2 1/2	2	630.00
410	ASTM 80VF	80	3	2	832.00



## ASTM (uPVC) SOLVENT CEMENT

SR NO	PRODUCT CODE	STANDARD SIZE	STD. PACK		RATE (pc)
		(ml)	Pc/Box	Pc/Ctn	
421	ASTM HD 118	118	24	144	174.00

(TIN PACKING) HD

HSN: 35061000



## POWDER COATED METAL STRAP

SR NO	PRODUCT CODE	STANDARD SIZE		STD. PACK		RATE (pc)
		(mm)	(inch)	Pc/Bag	Pc/Ctn	
411	ASTM 15MS	15	1/2	10	500	12.00
412	ASTM 20MS	20	3/4	10	500	12.50
413	ASTM 25MS	25	1	10	500	13.00
414	ASTM 32MS	32	1 1/4	10	300	15.50
415	ASTM 40MS	40	1 1/2	10	200	16.50
416	ASTM 50MS	50	2	10	200	19.50

HSN: 73072900



**SEWERAGE WASTE &  
RAINWATER (SWR)**  
PIPES & FITTINGS

Precision Sewerage Waste & Rainwater (SWR) Pipes and Fittings are manufactured from a specially formulated unplasticised polyvinyl chloride compound. These pipes and fittings are tough and durable with high tensile and impact strength, manufactured in accordance to IS:13592-2013 and fittings to IS 14735-1999. Rubber rings conforms to IS:5382-1985.





## APPLICATIONS

Precision Sewerage Waste Rainwater (SWR) Pipes and Fittings are available with 'O' ring joint for quick, efficient and leak free waste discharge systems for homes, apartments, hotels, commercial complex and hospitals.

**Type A:** For rain water discharge as well as venting.

**Type B:** For soil and waste discharge.

## FEATURES



High quality



Easy and quick installation



UV stabilized



Corrosion-free & chemical resistant



Easy flow due to smooth inner surface

- Economical low maintenance.
- Hygienic and environment friendly.
- Easy access for cleaning and clearing obstructions.

**COLOUR:**



DIMENSIONS FOR SWR PIPES

Nominal Diameter	Mean Outside Diameter		Outside Diameter at any Point		Wall Thickness			
					Type A		Type B	
DN	Min	Max	Min	Max	Min	Max	Min	Max
75 mm	75.00	75.30	74.10	75.90	1.80	2.20	3.20	3.80
110 mm	110.00	110.40	108.60	111.40	2.20	2.70	3.20	3.80
160 mm	160.00	160.50	158.00	162.00	3.20	3.80	4.00	4.60

IS:13592



2013

## RING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) PIPES

SR. NO.	PRODUCT CODE	NORM. SIZE (mm)	STD. LENGTH (feet)	RATE (per pipe)
<b>TYPE - A</b>				
422	SWR 75A10SS	75	10	594.00
423	SWR 75A10DS	75	10	627.00
424	SWR 75A6SS	75	6	396.00
425	SWR 75A6DS	75	6	418.00
426	SWR 75A4DS	75	4	293.00
427	SWR 75A3DS	75	3	239.00
428	SWR 75A2DS	75	2	175.00
429	SWR 110A10SS	110	10	1032.00
430	SWR 110A10DS	110	10	1134.00
431	SWR 110A6SS	110	6	694.00
432	SWR 110A6DS	110	6	730.00
433	SWR 110A4DS	110	4	508.00
434	SWR 110A3DS	110	3	401.00
435	SWR 110A2DS	110	2	300.00
436	SWR 160A10SS	160	10	2328.00
437	SWR 160A10DS	160	10	2451.00
<b>SEWERAGE PIPES (2.5 kgf/cm<sup>2</sup>)</b>				
438	SEW 7510SS	75	10	479.00
439	SEW 11010SS	110	10	847.50

SR. NO.	PRODUCT CODE	NORM. SIZE (mm)	STD. LENGTH (feet)	RATE (per pipe)
<b>TYPE - B</b>				
440	SWR 75B10SS	75	10	1014.00
441	SWR 75B10DS	75	10	1056.00
442	SWR 75B6SS	75	6	717.00
443	SWR 75B6DS	75	6	726.00
444	SWR 75B4DS	75	4	511.00
445	SWR 75B3DS	75	3	388.00
446	SWR 75B2DS	75	2	277.00
447	SWR 110B10SS	110	10	1500.00
448	SWR 110B10DS	110	10	1566.00
449	SWR 110B6SS	110	6	1018.00
450	SWR 110B6DS	110	6	1082.00
451	SWR 110B4DS	110	4	726.00
452	SWR 110B3DS	110	3	551.00
453	SWR 110B2DS	110	2	384.00
454	SWR 160B10SS	160	10	2901.00
455	SWR 160B10DS	160	10	3132.00



IS:14735



1999

## RING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000



### COUPLER

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
456	SWR 75C	75	42	72.00
457	SWR 110C	110	27	129.00



### REDUCER COUPLER

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
460	SWR 11075RC	110 x 75	60	112.00



### REPAIR COUPLER

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
458	SWR 75CR	75	42	79.00
459	SWR 110CR	110	27	137.00



### CLEANSING PIPE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
461	SWR 75CLP	75	22	125.00
462	SWR 110CP	110	15	249.00

IS:14735



1999

# RING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000



## BEND 87.5°

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
463	SWR 75B	75	25	97.00
464	SWR 110B	110	28	188.00



## SINGLE TEE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
471	SWR 75TD	75	14	166.00
472	SWR 110TD	110	16	291.00

(DOOR)



## BEND 87.5°

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
465	SWR 75BD	75	24	129.00
466	SWR 110BD	110	24	227.00

(DOOR)



## REDUCING SINGLE TEE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
473	SWR 11075RT	110 x 75	14	221.00



## SHOE BEND 45°

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
467	SWR 75SB	75	30	81.00
468	SWR 110SB	110	20	149.00



## REDUCING SINGLE TEE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
474	SWR 11075RTD	110 x 75	11	272.00

(DOOR)



## SINGLE TEE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
469	SWR 75T	75	17	136.00
470	SWR 110T	110	17	253.00



## DOUBLE TEE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
475	SWR 75TT	75	12	195.00
476	SWR 110TT	110	14	314.00



# RING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000



## DOUBLE TEE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
477	SWR 75TTD	75	10	299.00
478	SWR 110TTD	110	11	385.00

(DOOR)



## DOUBLE Y

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
485	SWR 75YY	75	9	207.00
486	SWR 110YY	110	9	416.00



## SINGLE Y

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
479	SWR 75Y	75	13	159.00
480	SWR 110Y	110	15	307.00
481	SWR 160Y	160	5	825.00



## DOUBLE Y

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
487	SWR 75YYD	75	8	289.00
488	SWR 110YYD	110	8	495.00

(DOOR)



## REDUCING SINGLE Y

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
482	SWR 160110RY	160 x 110	5	724.00



## PIPE CLIP

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
489	SWR 75PC	75	350	23.00
490	SWR 110PC	110	260	32.50



## SINGLE Y

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
483	SWR 75YD	75	13	195.00
484	SWR 110YD	110	13	393.00

(DOOR)



## VENT COWL

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
491	SWR 75VC	75	192	28.00
492	SWR 110VC	110	126	48.00

IS:14735



1999

# RING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000



## NAHANI TRAP

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
493	SWR 11075NT	110 x 75	48	158.00
494	SWR 11090NT	110 x 90	43	163.00
495	SWR 110110NT	110 x 110	32	178.00

(W/O JALI)



## P - TRAP

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
499	SWR 110110PT	110 x 110	16	396.00
500	SWR 125110PT	125 x 110	12	436.00



## MULTI FLOOR TRAP

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
496	SWR 110MFT	110	20	221.00

(W/O SQ. JALI)



## Q - TRAP

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
501	SWR 110110QT	110 x 110	10	453.00
502	SWR 125110QT	125 x 110	10	607.00



## ROUND JALI

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
497	SWR 110NTJ	110	225	27.00



## S - TRAP

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
503	SWR 110110ST	110 x 110	12	600.00
504	SWR 125110ST	125 x 110	12	716.00



## SQUARE JALI

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
498	SWR 150MTJ	150 x 150	40	77.50



## DOOR CAP

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
505	SWR 75DC	75	210	43.00
506	SWR 110DC	110	100	60.00



# RING TYPE - SWR (SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000



## SOCKET PLUG

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
507	SWR 75SP	75	120	49.00
508	SWR 110SP	110	50	76.00



## RUBBER RING

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
511	SWR 75RR	75	1	11.50
512	SWR 110RR	110	1	17.50
513	SWR 160RR	160	1	41.00

HSN: 40069090



## W.C. CONNECTOR WITH LIP RING

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
509	SWR 110WCF	110	12	372.00

(FABRICATED)



## RUBBER LUBRICANT (JAR)

SR. NO.	PRODUCT CODE	SIZE (gm)	STD. PACK Pc./Carton	RATE (pc)
514	SWR RL100	100	100	100.00
515	SWR RL250	250	40	160.00
516	SWR RL500	500	20	295.00
517	SWR RL1000	1000	10	525.00

HSN: 34039900



## LIP RING

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
510	SWR 110LR	110	1	35.00

HSN: 40169320



IS:13592



2013

## SELFIT TYPE - SWR (SEWERAGE, WASTE & RAINWATER) PIPES

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. LENGTH (feet)	RATE (per/pipe)
<b>TYPE - A</b>				
518	SWR 75A2OSSP	75	20	1140.00
519	SWR 75A1OSSP	75	10	579.00
520	SWR 75A10DSP	75	10	603.00
521	SWR 75A6SSP	75	6	384.00
522	SWR 75A6DSP	75	6	401.00
523	SWR 75A4DSP	75	4	285.00
524	SWR 75A3DSP	75	3	234.00
525	SWR 75A2DSP	75	2	165.00
526	SWR 90A2OSSP	90	20	1626.00
527	SWR 90A1OSSP	90	10	813.00
528	SWR 110A2OSP	110	20	2022.00
529	SWR 110A1OSP	110	10	1017.00
530	SWR 110A10DP	110	10	1089.00
531	SWR 110A6SSP	110	6	679.00
532	SWR 110A6DSP	110	6	692.00
533	SWR 110A4DSP	110	4	482.00
534	SWR 110A3DSP	110	3	377.00
535	SWR 110A2DSP	110	2	272.00
536	SWR 160A2OSP	160	20	4638.00
537	SWR 160A1OSP	160	10	2328.00
538	SWR 160A10DP	160	10	2361.00
<b>SEWERAGE PIPES (2.5 kgf/cm<sup>2</sup>)</b>				
539	SEW 751OSSP	75	10	470.50
540	SEW 1101OSSP	110	10	835.50

Special Size

Special Size

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. LENGTH (feet)	RATE (per/pipe)
<b>TYPE - B</b>				
541	SWR 75B2OSSP	75	20	1950.00
542	SWR 75B1OSSP	75	10	984.00
543	SWR 75B10DSP	75	10	1041.00
544	SWR 75B6SSP	75	6	698.00
545	SWR 75B6DSP	75	6	754.00
546	SWR 75B4DSP	75	4	495.00
547	SWR 75B3DSP	75	3	374.00
548	SWR 75B2DSP	75	2	263.00
549	SWR 90B2OSSP	90	20	2502.00
550	SWR 90B1OSSP	90	10	1275.00
551	SWR 110B2OSP	110	20	2982.00
552	SWR 110B1OSP	110	10	1500.00
553	SWR 110B10DP	110	10	1540.00
554	SWR 110B6SSP	110	6	1018.00
555	SWR 110B6DSP	110	6	1064.00
556	SWR 110B4DSP	110	4	708.00
557	SWR 110B3DSP	110	3	532.00
558	SWR 110B2DSP	110	2	365.00
559	SWR 160B2OSP	160	20	5754.00
560	SWR 160B1OSP	160	10	2886.00
561	SWR 160B10DP	160	10	3090.00
<b>SELFIT PIPES (6 kgf/cm<sup>2</sup>)</b>				
562	SWR 4061OSSP	40	10	267.50
563	SWR 4062OSSP	40	20	535.00
564	SWR 5061OSSP	50	10	393.50
565	SWR 5062OSSP	50	20	786.50



IS:14735



1999

## SELFIT TYPE - SWR (SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000



### COUPLER

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
566	SWR 75CP	75	56	57.00
567	SWR 110CRP	110	33	109.00



### REPAIR COUPLER

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
568	SWR 75CRP	75	56	73.00
569	SWR 110CRPP	110	33	125.00

IS:14735



1999

# SELFIT TYPE - SWR (SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000



## BEND 87.5°

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
570	SWR 75BP	75	32	85.00
571	SWR 110BP	110	20	158.00



## SINGLE TEE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
578	SWR 75TDP	75	15	153.00
579	SWR 110TDP	110	20	273.00

(DOOR)



## BEND 87.5°

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
572	SWR 75BDP	75	24	116.00
573	SWR 110BDP	110	30	197.00

(DOOR)



## DOUBLE TEE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
580	SWR 75TTP	75	14	171.00
581	SWR 110TTP	110	16	272.00



## SHOE BEND 45°

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
574	SWR 75SBP	75	48	73.00
575	SWR 110SBP	110	35	129.00



## DOUBLE TEE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
582	SWR 75TTDP	75	11	246.00
583	SWR 110TTDP	110	12	368.00

(DOOR)



## SINGLE TEE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
576	SWR 75TP	75	24	122.00
577	SWR 110TP	110	22	235.00



## SINGLE Y

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
584	SWR 75YP	75	15	140.00
585	SWR 110YP	110	12	277.00

IS:14735



1999

# SELFIT TYPE - SWR (SEWERAGE, WASTE & RAINWATER) FITTINGS

HSN: 39174000



## SINGLE Y

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
586	SWR 75YDP	75	14	180.00
587	SWR 110YDP	110	16	374.00

(DOOR)



## REDUCING SINGLE TEE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
590	SWR 11075TDP	110 x 75	11	257.00

(DOOR)



## REDUCER COUPLER

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
588	SWR 11075RCP	110 x 75	60	101.00



## CLEANSING PIPE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
591	SWR 75CPP	75	23	121.00
592	SWR 110CPP	110	15	236.00



## REDUCING SINGLE TEE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Carton	RATE (pc)
589	SWR 11075RTP	110 x 75	14	213.00



**AGRICULTURE**  
PIPES & FITTINGS

Precision Agriculture Pipes and Fittings are manufactured from high impact unplasticised polyvinyl chloride compound that is capable of withstanding the most rigorous on-site conditions and exceeding the most stringent requirements as per Indian standards. The product range is manufactured in accordance with Indian Standards IS:4985-2021 and Moulded Fittings to IS:7834-1987. These pipes and fittings are a perfect choice for potable water supply, where ease of installation, maintenance and zero leakages are a priority.





## APPLICATIONS

Agriculture and irrigation, potable water supply, construction, industrial and chemical effluent disposal, tube well casing, telecom and power cable/ducting.

## FEATURES



Economical



Easy & quick installation



Corrosion free



Fire Resistant



Flexibility



Hygienic



Chemical resistant



Perfect dimensional standards



High flow characteristic



Low thermal conductivity

**COLOUR:**





# AGRICULTURE SELFIT PIPES

HSN: 39172390

2021

6 mtr

SR NO	PRODUCT CODE	STD. SIZE (mm)	RATE (mtr)	RATE (6mtr/pc)
CLASS 1/2.5 kgf/cm <sup>2</sup> (length: 6mtr)				
593	SELF90CL1/6	90	177.00	1062.00
594	SELF110CL1/6	110	262.50	1575.00
595	SELF140CL1/6	140	417.50	2505.00
596	SELF160CL1/6	160	544.50	3267.00
597	SELF180CL1/6	180	701.50	4209.00
598	SELF200CL1/6	200	864.00	5184.00
599	SELF225CL1/6	225	1145.50	6873.00
CLASS 2/4 kgf/cm <sup>2</sup> (length: 6mtr)				
600	SELF63CL2/6	63	139.00	834.00
601	SELF75CL2/6	75	197.00	1182.00
602	SELF90CL2/6	90	275.50	1653.00
603	SELF110CL2/6	110	400.50	2403.00
604	SELF140CL2/6	140	652.00	3912.00
605	SELF160CL2/6	160	851.00	5106.00
606	SELF180CL2/6	180	1104.00	6624.00
607	SELF200CL2/6	200	1339.50	8037.00
608	SELF225CL2/6	225	1743.00	10458.00
609	SELF250CL2/6	250	2136.50	12819.00

SR7 NO	PRODUCT CODE	STD. SIZE (mm)	RATE (mtr)	RATE (6mtr/pc)
CLASS 3/6 kgf/cm <sup>2</sup> (length: 6mtr)				
610	SELF40CL3/6	40	84.00	504.00
611	SELF50CL3/6	50	126.00	756.00
612	SELF63CL3/6	63	200.00	1200.00
613	SELF75CL3/6	75	278.50	1671.00
614	SELF90CL3/6	90	401.50	2409.00
615	SELF110CL3/6	110	581.00	3486.00
616	SELF140CL3/6	140	951.00	5706.00
617	SELF160CL3/6	160	1230.50	7383.00
618	SELF180CL3/6	180	1582.50	9495.00
619	SELF200CL3/6	200	1939.00	11634.00
620	SELF225CL3/6	225	2533.50	15201.00
621	SELF250CL3/6	250	3171.00	19026.00
CLASS 5/10 kgf/cm <sup>2</sup> (length: 6mtr)				
622	SELF20CL5/6	20	35.00	210.00
623	SELF25CL5/6	25	52.00	312.00
624	SELF32CL5/6	32	83.00	498.00
625	SELF40CL5/6	40	123.00	738.00
626	SELF50CL5/6	50	199.50	1197.00
627	SELF63CL5/6	63	307.50	1845.00
628	SELF75CL5/6	75	438.00	2628.00
629	SELF90CL5/6	90	621.50	3729.00
630	SELF110CL5/6	110	935.50	5613.00
631	SELF140CL5/6	140	1505.00	9030.00
632	SELF160CL5/6	160	1957.00	11742.00
633	SELF180CL5/6	180	2495.00	14970.00
634	SELF200CL5/6	200	3083.00	18498.00
635	SELF225CL5/6	225	4029.00	24174.00
636	SELF250CL5/6	250	5016.00	30096.00



# AGRICULTURE MOULDED FITTINGS

HSN: 39174000

1987



## COUPLER

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
637	PMIC2010	20	1200	7.00
638	PMIC2510	25	1200	7.50
639	PMIC3210	32	700	10.50
640	PMIC4010	40	500	14.50
641	PMIC5010	50	250	21.50

10 kgf/cm<sup>2</sup>



## COUPLER

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
642	PMIC636	63	125	34.00
643	PMIC756	75	80	44.00
644	PMIC906	90	50	75.00
645	PMIC1106	110	30	121.00

6 kgf/cm<sup>2</sup>



# AGRICULTURE MOULDED FITTINGS

HSN: 39174000



## ELBOW

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
646	PMIE4045	40	150	25.00
647	PMIE5045	50	60	43.00

45° 10 kgf/cm<sup>2</sup>



## ELBOW

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
648	PMIE2010	20	1200	8.50
649	PMIE2510	25	900	11.50
650	PMIE3210	32	500	16.00
651	PMIE4010	40	250	26.00
652	PMIE5010	50	125	46.50

10 kgf/cm<sup>2</sup>



## ELBOW

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
653	PMIE636	63	80	63.50
654	PMIE756	75	50	83.50
655	PMIE906	90	35	152.00
656	PMIE1106	110	15	218.00
657	PMIE1406	140	12	424.00
658	PMIE1606	160	8	638.50

6 kgf/cm<sup>2</sup>



## TEE

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
659	PMIT2010	20	900	11.00
660	PMIT2510	25	600	15.00
661	PMIT3210	32	300	21.00
662	PMIT4010	40	200	35.00
663	PMIT5010	50	100	62.50

10 kgf/cm<sup>2</sup>



## TEE

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
664	PMIT636	63	55	73.00
665	PMIT756	75	35	108.50
666	PMIT906	90	25	175.50
667	PMIT1106	110	15	295.00
668	PMIT1406	140	8	568.00
669	PMIT1606	160	5	934.50

6 kgf/cm<sup>2</sup>



## MALE THREAD ADAPTOR

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
670	PMTA2010	20	1200	6.00
671	PMTA2510	25	1100	7.00
672	PMTA3210	32	700	10.50

10 kgf/cm<sup>2</sup>



## MALE THREAD ADAPTOR

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
673	PMTA406	40	350	15.00
674	PMTA506	50	250	25.00
675	PMTA636	63	120	38.00
676	PMTA756	75	80	51.00
677	PMTA906	90	50	79.00
678	PMTA1106	110	30	125.50

6 kgf/cm<sup>2</sup>



## TAIL PIECE

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
688	PMTP636	63	150	35.00
689	PMTP756	75	120	44.00
690	PMTP906	90	80	69.00
691	PMTP1106	110	50	106.50
692	PMTP1406	140	30	172.50
693	PMTP1606	160	15	254.00

6 kgf/cm<sup>2</sup>



## FEMALE THREAD ADAPTOR

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
679	PFTA2010	20	1000	7.00
680	PFTA2510	25	1000	9.00
681	PFTA3210	32	700	10.50

10 kgf/cm<sup>2</sup>



## THREADED END CAP

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
694	PTEC406	40	300	16.00
695	PTEC506	50	200	21.50
696	PTEC636	63	150	40.50
697	PTEC756	75	125	43.00
698	PTEC906	90	100	53.00
699	PTEC1106	110	60	79.50

6 kgf/cm<sup>2</sup>



## FEMALE THREAD ADAPTOR

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
682	PFTA406	40	400	20.50
683	PFTA506	50	200	26.50
684	PFTA636	63	120	43.50
685	PFTA756	75	80	71.00
686	PFTA906	90	50	85.50
687	PFTA1106	110	30	150.50

6 kgf/cm<sup>2</sup>



## END CAP

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
700	PMEC2010	20	1500	4.00
701	PMEC2510	25	1500	5.50
702	PMEC3210	32	1000	8.00

10 kgf/cm<sup>2</sup>





## END CAP

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
703	PMEC406	40	600	14.50
704	PMEC506	50	500	21.00
705	PMEC636	63	150	40.50
706	PMEC756	75	100	53.50
707	PMEC906	90	70	80.00
708	PMEC1106	110	50	129.00

6 kgf/cm<sup>2</sup>



## REDUCER BUSH

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
709	PMRB2520	25 x 20	500	4.50
710	PMRB3220	32 x 20	400	10.00
711	PMRB3225	32 x 25	400	7.00

10 kgf/cm<sup>2</sup>



## REDUCER BUSH

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
712	PMRB6340	63 x 40	150	29.50
713	PMRB6350	63 x 50	150	30.50
714	PMRB9063	90 x 63	80	103.00
715	PMRB9075	90 x 75	80	64.50
716	PMRB11075	110 x 75	50	117.50
717	PMRB11090	110 x 90	50	85.00

6 kgf/cm<sup>2</sup>



## REDUCER COUPLER

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
718	PMIR2520	25 x 20	1000	7.00
719	PMIR3220	32 x 20	750	8.50
720	PMIR3225	32 x 25	750	11.00

10 kgf/cm<sup>2</sup>



## REDUCER COUPLER

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
721	PMIR4020	40 x 20	250	11.50
722	PMIR4032	40 x 32	200	16.00
723	PMIR5032	50 x 32	300	22.50
724	PMIR5040	50 x 40	300	28.00
725	PMIR6332	63 x 32	100	28.50
726	PMIR6340	63 x 40	100	29.50
727	PMIR6350	63 x 50	175	40.50
728	PMIR7540	75 x 40	80	43.50
729	PMIR7550	75 x 50	80	45.00
730	PMIR7563	75 x 63	120	50.00
731	PMIR9063	90 x 63	80	67.00
732	PMIR9075	90 x 75	80	68.00
733	PMIR11063	110 x 63	50	97.50
734	PMIR11075	110 x 75	50	106.50
735	PMIR11090	110 x 90	50	113.00

6 kgf/cm<sup>2</sup>



## REDUCER TEE

SR. NO.	PRODUCT CODE	SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
736	PMRT2520	25 x 25 x 20	600	19.00
737	PMRT3220	32 x 32 x 20	300	31.00
738	PMRT3225	32 x 32 x 25	300	34.00

10 kgf/cm<sup>2</sup>



## REDUCER TEE

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
739	PMRT6340	63 x 63 x 40	55	104.00
740	PMRT11075	110 x 110 x 75	15	235.50
741	PMRT11090	110 x 110 x 90	15	250.00

6 kgf/cm<sup>2</sup>



## ELBOW (L.W.)

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
766	PMIE632	63	190	23.50
767	PMIE752	75	130	37.50
768	PMIE902	90	78	51.00
769	PMIE1102	110	42	84.00

2.5 kgf/cm<sup>2</sup>



## SERVICE SADDLE

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
742	PMIS6320	63 x 20	50	143.00
743	PMIS6325	63 x 25	50	143.00
744	PMIS6332	63 x 32	50	143.00
745	PMIS7520	75 x 20	50	163.50
746	PMIS7525	75 x 25	50	163.50
747	PMIS7532	75 x 32	50	163.50
748	PMIS9020	90 x 20	40	194.50
749	PMIS9025	90 x 25	40	194.50
750	PMIS9032	90 x 32	40	194.50
751	PMIS11020	110 x 20	40	211.00
752	PMIS11025	110 x 25	40	211.00
753	PMIS11032	110 x 32	40	211.00
754	PMIS14020	140 x 20	25	280.00
755	PMIS14025	140 x 25	25	280.00
756	PMIS14032	140 x 32	25	280.00
757	PMIS14040	140 x 40	25	280.00
758	PMIS14050	140 x 50	25	280.00
759	PMIS14063	140 x 63	25	280.00
760	PMIS16020	160 x 20	20	318.50
761	PMIS16025	160 x 25	20	318.50
762	PMIS16032	160 x 32	20	318.50
763	PMIS16040	160 x 40	20	318.50
764	PMIS16050	160 x 50	20	318.50
765	PMIS16063	160 x 63	20	318.50

6 kgf/cm<sup>2</sup>



## TEE (L.W.)

SR. NO.	PRODUCT CODE	STD. SIZE (mm)	STD. PACK Pc./Bag	RATE (pc)
770	PMIT632	63	150	33.50
771	PMIT752	75	96	47.00
772	PMIT902	90	58	66.50
773	PMIT1102	110	30	106.00

2.5 kgf/cm<sup>2</sup>



## AGRICULTURE SOLVENT CEMENT

SR. NO.	PRODUCT CODE	STD. SIZE (ml)	STD. PACK Pc./Carton	RATE (pc)
774	AGRI B250	250ml	24 96	207.00
775	AGRI B500	500ml	12 48	331.00
776	AGRI B1L	1L	6 24	569.50

TIN PACKING  
HSN: 35061000



# AGRICULTURE PIPES

HSN: 39172390

## DIMENSION OF AGRICULTURE PIPES - IS 4985 - 2021 (all Dimensions in mm)

Nominal Outside Diameter (Nominal Size)	Mean Outside Diameter		Working Pressure, Mpa							
			Class 1 0.25 Mpa		Class 2 0.4 Mpa		Class 3 0.6 Mpa		Class 5 1.0 Mpa	
			Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.
20	20.0	20.3							1.1	1.5
25	25.0	25.3							1.4	1.8
32	32.0	32.3							1.8	2.2
40	40.0	40.3					1.4	1.8	2.2	2.7
50	50.0	50.3					1.7	2.1	2.8	3.3
63	63.0	63.3			1.5	1.9	2.2	2.7	3.5	4.1
75	75.0	75.3			1.8	2.2	2.6	3.1	4.2	4.9
90	90.0	90.3	1.3	1.7	2.1	2.6	3.1	3.7	5.0	5.7
110	110.0	110.4	1.6	2.0	2.5	3.0	3.7	4.3	6.1	7.1
125	125.0	125.4	1.8	2.2	2.9	3.4	4.3	5.0	6.9	8.0
140	140.0	140.5	2.0	2.4	3.2	3.8	4.8	5.5	7.7	8.9
160	160.0	160.5	2.3	2.8	3.7	4.3	5.4	6.2	8.8	10.2
180	180.0	180.6	2.6	3.1	4.2	4.9	6.1	7.1	9.9	11.4
200	200.0	200.6	2.9	3.4	4.6	5.3	6.8	7.9	11.0	12.7
225	225.0	225.7	3.3	3.9	5.2	6.0	7.6	8.8	12.4	14.3
250	250.0	250.8	3.6	4.2	5.7	6.5	8.5	9.8	13.8	15.9



plumbing@precisionpipes.com  
www.precisionpipes.com

---

**We Care +91 77150 00015**

---

**PRECISION PLASTIC INDUSTRIES PVT. LTD.**

19/D, Nand Jyot Industrial Estate, Safed Pool, Andheri - Kurla Road,  
Andheri East, Mumbai 400 072, Maharashtra, India.