



**PRICE LIST**  
**FEB 04, 2026**

**SAFETY  
MEIN  
SAMJHOTA  
NAHIN.**



## ROUND CONDUIT (uPVC) PIPES & FITTINGS

### Precision Round Conduit uPVC Pipes & Fittings

are manufactured from a specially formulated unplasticated polyvinyl chloride (uPVC) to meet the most stringent Indian and international standards. Our products are made of extra super high impact material which make them safe to use in harsh environments. The products are manufactured in accordance with IS 9537 - Part 3, BS EN 61386-21 for uPVC conduits, IS 3419 : 1988 and BS 4607 for uPVC fittings.

### Applications

Channelising concealed and surface wiring  
Telecommunication and cable ducting

### DIMENSIONS OF ROUND CONDUIT uPVC PIPES IS 9537- PART 3

| Nominal Size<br>(mm) | Outside Diameter<br>(mm) | Tolerance on Outside Diameter<br>(mm) | Inside Diameter (Min.)<br>(mm) |        |       |
|----------------------|--------------------------|---------------------------------------|--------------------------------|--------|-------|
|                      |                          |                                       | Light                          | Medium | Heavy |
| 20                   | 20                       | -0.3                                  | 17.4                           | 16.9   | 15.8  |
| 25                   | 25                       | -0.4                                  | 22.1                           | 21.4   | 20.6  |
| 32                   | 32                       | -0.4                                  | 28.6                           | 27.8   | 26.6  |
| 40                   | 40                       | -0.4                                  | 35.8                           | 35.4   | 34.4  |
| 50                   | 50                       | -0.5                                  | 45.1                           | 44.3   | 43.2  |
| 63                   | 63                       | -0.6                                  | 57.0                           | -      | -     |
| #SPECIAL SIZES       |                          |                                       |                                |        |       |
| 19                   | 19                       | -0.3                                  | 16.5                           | 16.0   | 15.1  |

### Features

-  Various Diameters & Grades
-  Fire Retardant & Corrosion Free
-  Easy and Quick Installation
-  Thermal Resistant (-5° C to +60° C)
-  Durable & Impact Resistant
-  Laser Engraved Pipe

- Light, medium and heavy mechanical stress, to suit various applications and site conditions
- Wide range of component maximises application
- Precision circular boxes and adaptable boxes are provided with M4 brass insert with a load suspension capacity of 3 Kgs at +60° C



# ROUND CONDUIT uPVC PIPES (SOCKETED)

HSN: 39172310

IS:9537



Part 3



| SR. NO.                       | PRODUCT CODE | SIZE       | STANDARD PACK |             | NORTH INDIA PACK | RATE Mtr. |        |
|-------------------------------|--------------|------------|---------------|-------------|------------------|-----------|--------|
|                               |              | OD (mm)    | Pc. x Mtr.    | Mtr. / Bdl. | Mtr. / Bdl.      |           |        |
| LMS (LIGHT MECHANICAL STRESS) |              |            |               |             |                  |           |        |
| #                             | 1            | PRCS 19L   | 19            | 100 x 3m    | 300              | -         | 20.75  |
| #                             | 2            | PRCS 19LNI | 19            | 40 x 3m     | -                | 120       | 20.75  |
|                               | 3            | PRCS 20L   | 20            | 100 x 3m    | 300              | -         | 22.25  |
|                               | 4            | PRCS 20LNI | 20            | 40 x 3m     | -                | 120       | 22.25  |
|                               | 5            | PRCS 25L   | 25            | 100 x 3m    | 300              | -         | 30.75  |
|                               | 6            | PRCS 25LNI | 25            | 25 x 3m     | -                | 75        | 30.75  |
|                               | 7            | PRCS 32L   | 32            | 50 x 3m     | 150              | -         | 43.25  |
|                               | 8            | PRCS 32LNI | 32            | 10 x 3m     | -                | 30        | 43.25  |
|                               | 9            | PRCS 40L   | 40            | 25 x 3m     | 75               | -         | 69.00  |
|                               | 10           | PRCS 40LNI | 40            | 5 x 3m      | -                | 15        | 69.00  |
|                               | 11           | PRCS 50L   | 50            | 20 x 3m     | 60               | -         | 98.50  |
|                               | 12           | PRCS 50LNI | 50            | 5 x 3m      | -                | 15        | 98.50  |
|                               | 13           | PRCS 63L   | 63            | 18 x 3m     | 54               | -         | 150.00 |

|                                       |            |    |          |     |     |        |
|---------------------------------------|------------|----|----------|-----|-----|--------|
| <b>MMS (MEDIUM MECHANICAL STRESS)</b> |            |    |          |     |     |        |
| # 14                                  | PRCS 19M   | 19 | 100 x 3m | 300 | -   | 23.75  |
| # 15                                  | PRCS 19MNI | 19 | 40 x 3m  | -   | 120 | 23.75  |
| 16                                    | PRCS 20M   | 20 | 100 x 3m | 300 | -   | 25.00  |
| 17                                    | PRCS 20MNI | 20 | 40 x 3m  | -   | 120 | 25.00  |
| 18                                    | PRCS 25M   | 25 | 100 x 3m | 300 | -   | 35.25  |
| 19                                    | PRCS 25MNI | 25 | 25 x 3m  | -   | 75  | 35.25  |
| 20                                    | PRCS 32M   | 32 | 50 x 3m  | 150 | -   | 53.00  |
| 21                                    | PRCS 32MNI | 32 | 10 x 3m  | -   | 30  | 53.00  |
| 22                                    | PRCS 40M   | 40 | 25 x 3m  | 75  | -   | 76.00  |
| 23                                    | PRCS 40MNI | 40 | 5 x 3m   | -   | 15  | 76.00  |
| 24                                    | PRCS 50M   | 50 | 20 x 3m  | 60  | -   | 115.00 |
| 25                                    | PRCS 50MNI | 50 | 5 x 3m   | -   | 15  | 115.00 |

| SR. NO.                       | PRODUCT CODE | SIZE    | STANDARD PACK |             | NORTH INDIA PACK | RATE Mtr. |
|-------------------------------|--------------|---------|---------------|-------------|------------------|-----------|
|                               |              | OD (mm) | Pc. x Mtr.    | Mtr. / Bdl. | Mtr. / Bdl.      |           |
| HMS (HEAVY MECHANICAL STRESS) |              |         |               |             |                  |           |
| # 26                          | PRCS 19H     | 19      | 100 x 3m      | 300         | -                | 32.25     |
| # 27                          | PRCS 19HNI   | 19      | 40 x 3m       | -           | 120              | 32.25     |
| 28                            | PRCS 20H     | 20      | 100 x 3m      | 300         | -                | 34.25     |
| 29                            | PRCS 20HNI   | 20      | 40 x 3m       | -           | 120              | 34.25     |
| 30                            | PRCS 25H     | 25      | 50 x 3m       | 150         | -                | 43.75     |
| 31                            | PRCS 25HNI   | 25      | 25 x 3m       | -           | 75               | 43.75     |
| 32                            | PRCS 32H     | 32      | 50 x 3m       | 150         | -                | 69.00     |
| 33                            | PRCS 32HNI   | 32      | 10 x 3m       | -           | 30               | 69.00     |
| 34                            | PRCS 40H     | 40      | 25 x 3m       | 75          | -                | 90.50     |
| 35                            | PRCS 40HNI   | 40      | 5 x 3m        | -           | 15               | 90.50     |
| 36                            | PRCS 50H     | 50      | 20 x 3m       | 60          | -                | 137.00    |
| 37                            | PRCS 50HNI   | 50      | 5 x 3m        | -           | 15               | 137.00    |



# ROUND CONDUIT uPVC PIPES (SOCKETED)

FRLS | CE



| SR. NO.                        | PRODUCT CODE | SIZE    | STANDARD PACK |             | NORTH INDIA PACK | RATE Mtr. |
|--------------------------------|--------------|---------|---------------|-------------|------------------|-----------|
|                                |              | OD (mm) | Pc. x Mtr.    | Mtr. / Bdl. | Mtr. / Bdl.      |           |
| MMS (MEDIUM MECHANICAL STRESS) |              |         |               |             |                  |           |
| 38                             | PFRL 20MS    | 20      | 50 X 3m       | 150         | -                | 26.25     |
| 39                             | PFRL 20MSNI  | 20      | 50 X 3m       | -           | 150              | 26.25     |
| 40                             | PFRL 25MS    | 25      | 50 X 3m       | 150         | -                | 37.25     |
| 41                             | PFRL 25MSNI  | 25      | 50 X 3m       | -           | 150              | 37.25     |
| HMS (HEAVY MECHANICAL STRESS)  |              |         |               |             |                  |           |
| 42                             | PFRL 20HS    | 20      | 50 X 3m       | 150         | -                | 36.00     |
| 43                             | PFRL 20HSNI  | 20      | 50 X 3m       | -           | 150              | 36.00     |
| 44                             | PFRL 25HS    | 25      | 50 X 3m       | 150         | -                | 46.00     |
| 45                             | PFRL 25HSNI  | 25      | 50 X 3m       | -           | 150              | 46.00     |

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |             | NORTH INDIA PACK | RATE Mtr. |
|---------|--------------|---------|---------------|-------------|------------------|-----------|
|         |              | OD (mm) | Pc. x Mtr.    | Mtr. / Bdl. | Mtr. / Bdl.      |           |
| # 46    | PRCS19SPL    | 19x1mm  | 100 X 3m      | 300         | -                | 16.25     |
| # 47    | PRCS19SPLNI  | 19x1mm  | 40 X 3m       | -           | 120              | 16.25     |
| # 48    | PRCS20SPL    | 20x1mm  | 100 X 3m      | 300         | -                | 17.25     |
| # 49    | PRCS20SPLNI  | 20x1mm  | 40 X 3m       | -           | 120              | 17.25     |
| # 50    | PRCS25SPL    | 25x1mm  | 100 X 3m      | 300         | -                | 22.00     |
| # 51    | PRCS25SPLNI  | 25x1mm  | 25 X 3m       | -           | 75               | 22.00     |

# Special Size

# ROUND CONDUIT uPVC PIPE FITTINGS

HSN: 39174000

## CIRCULAR BOX WITHOUT LID



### TERMINAL - 1 WAY CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 52      | PRCB 191     | 19      | 20            | 600        | 17.75   |
| 53      | PRCB 201     | 20      | 20            | 600        | 18.25   |
| 54      | PRCB 251     | 25      | 15            | 450        | 23.00   |
| 55      | PRCB 321     | 32      | 10            | 160        | 42.75   |
| 56      | PRCB 401     | 40      | 10            | 160        | 51.50   |
| 57      | PRCB 501     | 50      | 5             | 80         | 93.00   |



### INTERSECTION - 4 WAY CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 76      | PRCB 194     | 19      | 20            | 400        | 22.25   |
| 77      | PRCB 204     | 20      | 20            | 400        | 22.75   |
| 78      | PRCB 254     | 25      | 15            | 240        | 31.50   |
| 79      | PRCB 324     | 32      | 10            | 160        | 48.75   |
| 80      | PRCB 404     | 40      | 10            | 160        | 66.75   |
| 81      | PRCB 504     | 50      | 5             | 80         | 118.00  |



### ANGLE - 2 WAY CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 58      | PRCB 192A    | 19      | 20            | 400        | 18.25   |
| 59      | PRCB 202A    | 20      | 20            | 400        | 18.75   |
| 60      | PRCB 252A    | 25      | 15            | 300        | 23.25   |
| 61      | PRCB 322A    | 32      | 10            | 160        | 45.00   |
| 62      | PRCB 402A    | 40      | 10            | 160        | 56.00   |
| 63      | PRCB 502A    | 50      | 5             | 80         | 100.75  |



### TERMINAL - 1 WAY DEEP CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 82      | PRCB 191D    | 19      | 10            | 280        | 29.50   |
| 83      | PRCB 201D    | 20      | 10            | 280        | 30.75   |
| 84      | PRCB 251D    | 25      | 10            | 280        | 37.00   |
| 85      | PRCB 321D    | 32      | 10            | 280        | 43.00   |



### ANGLE - 2 WAY DEEP CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 86      | PRCB 192AD   | 19      | 10            | 280        | 31.25   |
| 87      | PRCB 202AD   | 20      | 10            | 280        | 31.75   |
| 88      | PRCB 252AD   | 25      | 10            | 280        | 38.25   |
| 89      | PRCB 322AD   | 32      | 10            | 220        | 46.50   |



### THROUGH - 2 WAY CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE<br>OD (mm) | STANDARD PACK |            | RATE Pc |
|---------|--------------|-----------------|---------------|------------|---------|
|         |              |                 | Pc./Box       | Pc./Carton |         |
| 64      | PRCB 192S    | 19              | 20            | 400        | 18.25   |
| 65      | PRCB 202S    | 20              | 20            | 400        | 18.75   |
| 66      | PRCB 252S    | 25              | 15            | 300        | 23.25   |
| 67      | PRCB 322S    | 32              | 10            | 160        | 45.00   |
| 68      | PRCB 402S    | 40              | 10            | 160        | 56.00   |
| 69      | PRCB 502S    | 50              | 5             | 80         | 100.75  |



### THROUGH - 2 WAY DEEP CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 90      | PRCB 192SD   | 19      | 10            | 200        | 31.25   |
| 91      | PRCB 202SD   | 20      | 10            | 200        | 31.75   |
| 92      | PRCB 252SD   | 25      | 10            | 200        | 38.25   |
| 93      | PRCB 322SD   | 32      | 10            | 200        | 46.50   |



### TEE - 3 WAY CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 70      | PRCB 193     | 19      | 20            | 400        | 20.50   |
| 71      | PRCB 203     | 20      | 20            | 400        | 21.50   |
| 72      | PRCB 253     | 25      | 15            | 300        | 27.75   |
| 73      | PRCB 323     | 32      | 10            | 160        | 46.25   |
| 74      | PRCB 403     | 40      | 10            | 160        | 58.75   |
| 75      | PRCB 503     | 50      | 5             | 80         | 108.25  |



### TEE - 3 WAY DEEP CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 94      | PRCB 193D    | 19      | 10            | 220        | 35.25   |
| 95      | PRCB 203D    | 20      | 10            | 220        | 36.00   |
| 96      | PRCB 253D    | 25      | 10            | 220        | 45.00   |
| 97      | PRCB 323D    | 32      | 10            | 160        | 50.00   |

# ROUND CONDUIT uPVC PIPE FITTINGS

HSN: 39174000

## CIRCULAR BOX WITHOUT LID

IS:3419



### INTERSECTION - 4 WAY

#### DEEP CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 98      | PRCB 194D    | 19      | 10            | 220        | 35.75   |
| 99      | PRCB 204D    | 20      | 10            | 220        | 37.00   |
| 100     | PRCB 254D    | 25      | 10            | 220        | 47.50   |
| 101     | PRCB 324D    | 32      | 10            | 160        | 51.50   |

### BRANCH - 2 WAY (U)

#### CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 102     | PRCB 19U     | 19      | 20            | 400        | 31.75   |
| 103     | PRCB 20U     | 20      | 20            | 400        | 32.25   |
| 104     | PRCB 25U     | 25      | 20            | 400        | 43.50   |

### BRANCH - 3 WAY (Y)

#### CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 105     | PRCB 19Y     | 19      | 20            | 400        | 34.25   |
| 106     | PRCB 20Y     | 20      | 20            | 320        | 36.00   |
| 107     | PRCB 25Y     | 25      | 15            | 300        | 47.25   |

### BRANCH - 4 WAY (H)

#### CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 108     | PRCB 19H     | 19      | 15            | 300        | 36.25   |
| 109     | PRCB 20H     | 20      | 15            | 300        | 37.25   |
| 110     | PRCB 25H     | 25      | 15            | 300        | 50.50   |

### BACK OUTLET - 1 WAY

#### CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 111     | PRCB 201 BO  | 20      | 20            | 400        | 31.50   |
| 112     | PRCB 251 BO  | 25      | 15            | 300        | 45.00   |

### BACK OUTLET THROUGH - 2 WAY

#### CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 113     | PRCB 202S BO | 20      | 20            | 400        | 32.00   |
| 114     | PRCB 252S BO | 25      | 15            | 300        | 47.25   |

### BACK OUTLET ANGLE - 2 WAY

#### CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 115     | PRCB 202A BO | 20      | 20            | 400        | 32.00   |
| 116     | PRCB 252A BO | 25      | 15            | 300        | 47.25   |

### BACK OUTLET TEE - 3 WAY

#### CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 117     | PRCB 203 BO  | 20      | 20            | 400        | 36.00   |
| 118     | PRCB 253 BO  | 25      | 15            | 300        | 51.00   |

### WITH SCREW

#### CIRCULAR LID



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| »119    | PRCL65       | 65      | 100           | 2000       | 5.75    |
| 120     | PRCL80       | 80      | 100           | 2000       | 11.00   |
| 121     | PRCL85       | 85      | 100           | 2000       | 11.00   |
| 122     | PRCL90       | 90      | 100           | 1800       | 12.50   |
| 123     | PRCL93       | 93      | 25            | 750        | 12.50   |
| 124     | PRCL110      | 110     | 50            | 900        | 19.50   |

### WITHOUT SCREW

#### CIRCULAR LID



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| »125    | PRCL65WS     | 65      | 100           | 2000       | 4.50    |
| 126     | PRCL80WS     | 80      | 100           | 2000       | 10.50   |
| 127     | PRCL85WS     | 85      | 100           | 2000       | 10.50   |
| 128     | PRCL90WS     | 90      | 100           | 1800       | 12.00   |
| 129     | PRCL93WS     | 93      | 25            | 750        | 12.00   |
| 130     | PRCL110WS    | 110     | 50            | 900        | 19.00   |

» 65 - For 19/20/25mm JB, DJB & 32 DJB 126 - For 32/40mm JB ~ 93 - For 50mm JB

## CIRCULAR BOX WITH LID & SCREW

### TERMINAL - 1 WAY

#### CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 131     | PRCB 191L    | 19      | 20            | 600        | 24.50   |
| 132     | PRCB 201L    | 20      | 20            | 600        | 25.00   |
| 133     | PRCB 251L    | 25      | 15            | 450        | 29.75   |
| 134     | PRCB 321L    | 32      | 10            | 160        | 54.75   |
| 135     | PRCB 401L    | 40      | 10            | 160        | 63.50   |
| 136     | PRCB 501L    | 50      | 5             | 80         | 106.50  |

Also available in Red and Green.

# ROUND CONDUIT uPVC PIPE FITTINGS

HSN: 39174000



## ANGLE - 2 WAY CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 137     | PRCB 192AL   | 19      | 20            | 400        | 25.00   |
| 138     | PRCB 202AL   | 20      | 20            | 400        | 25.50   |
| 139     | PRCB 252AL   | 25      | 15            | 300        | 30.00   |
| 140     | PRCB 322AL   | 32      | 10            | 160        | 57.00   |
| 141     | PRCB 402AL   | 40      | 10            | 160        | 68.00   |
| 142     | PRCB 502AL   | 50      | 5             | 80         | 114.25  |

## THROUGH - 2 WAY CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 143     | PRCB 192SL   | 19      | 20            | 400        | 25.00   |
| 144     | PRCB 202SL   | 20      | 20            | 400        | 25.50   |
| 145     | PRCB 252SL   | 25      | 15            | 300        | 30.00   |
| 146     | PRCB 322SL   | 32      | 10            | 160        | 57.00   |
| 147     | PRCB 402SL   | 40      | 10            | 160        | 68.00   |
| 148     | PRCB 502SL   | 50      | 5             | 80         | 114.25  |

## TEE - 3 WAY CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 149     | PRCB 193L    | 19      | 20            | 400        | 27.25   |
| 150     | PRCB 203L    | 20      | 20            | 400        | 28.25   |
| 151     | PRCB 253L    | 25      | 15            | 300        | 34.50   |
| 152     | PRCB 323L    | 32      | 5             | 110        | 58.25   |
| 153     | PRCB 403L    | 40      | 5             | 110        | 70.75   |
| 154     | PRCB 503L    | 50      | 5             | 80         | 121.75  |

## INTERSECTION - 4 WAY CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 155     | PRCB 194L    | 19      | 20            | 320        | 29.00   |
| 156     | PRCB 204L    | 20      | 20            | 320        | 29.50   |
| 157     | PRCB 254L    | 25      | 15            | 240        | 38.25   |
| 158     | PRCB 324L    | 32      | 5             | 110        | 60.75   |
| 159     | PRCB 404L    | 40      | 5             | 110        | 78.75   |
| 160     | PRCB 504L    | 50      | 5             | 80         | 131.50  |

## DEEP CIRCULAR BOX WITH LID & SCREW



### TERMINAL - 1 WAY DEEP CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 161     | PRCB 191DL   | 19      | 10            | 280        | 36.25   |
| 162     | PRCB 201DL   | 20      | 10            | 280        | 37.50   |
| 163     | PRCB 251DL   | 25      | 10            | 280        | 43.75   |
| 164     | PRCB 321DL   | 32      | 10            | 280        | 58.75   |

### ANGLE - 2 WAY DEEP CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 165     | PRCB 192ADL  | 19      | 10            | 280        | 38.00   |
| 166     | PRCB 202ADL  | 20      | 10            | 280        | 38.50   |
| 167     | PRCB 252ADL  | 25      | 10            | 280        | 45.00   |
| 168     | PRCB 322ADL  | 32      | 10            | 220        | 61.00   |

### THROUGH - 2 WAY DEEP CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 169     | PRCB 192SDL  | 19      | 10            | 200        | 38.00   |
| 170     | PRCB 202SDL  | 20      | 10            | 200        | 38.50   |
| 171     | PRCB 252SDL  | 25      | 10            | 200        | 45.00   |
| 172     | PRCB 322SDL  | 32      | 10            | 200        | 61.00   |

### TEE - 3 WAY DEEP CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 173     | PRCB 193DL   | 19      | 10            | 220        | 42.00   |
| 174     | PRCB 203DL   | 20      | 10            | 220        | 42.75   |
| 175     | PRCB 253DL   | 25      | 10            | 220        | 51.75   |
| 176     | PRCB 323DL   | 32      | 10            | 160        | 62.25   |

### INTERSECTION - 4 WAY DEEP CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 177     | PRCB 194DL   | 19      | 10            | 220        | 42.50   |
| 178     | PRCB 204DL   | 20      | 10            | 220        | 43.75   |
| 179     | PRCB 254DL   | 25      | 10            | 220        | 54.25   |
| 180     | PRCB 324DL   | 32      | 10            | 160        | 64.75   |

# ROUND CONDUIT uPVC PIPE FITTINGS

HSN: 39174000



## BRANCH - 2 WAY (U) CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 181     | PRCB 19UL    | 19      | 20            | 400        | 38.50   |
| 182     | PRCB 20UL    | 20      | 20            | 400        | 39.00   |
| 183     | PRCB 25UL    | 25      | 20            | 400        | 50.25   |



## BRANCH - 3 WAY (Y) CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 184     | PRCB 19YL    | 19      | 15            | 300        | 41.00   |
| 185     | PRCB 20YL    | 20      | 20            | 320        | 42.75   |
| 186     | PRCB 25YL    | 25      | 15            | 300        | 54.00   |



## BRANCH - 4 WAY (H) CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 187     | PRCB 19HL    | 19      | 15            | 300        | 43.00   |
| 188     | PRCB 20HL    | 20      | 15            | 300        | 44.00   |
| 189     | PRCB 25HL    | 25      | 15            | 300        | 57.25   |



## BACK OUTLET - 1 WAY CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 190     | PRCB 201 BOL | 20      | 20            | 400        | 38.25   |
| 191     | PRCB 251 BOL | 25      | 15            | 300        | 51.75   |



## BACK OUTLET THROUGH - 2 WAY CIRCULAR BOX

| SR. NO. | PRODUCT CODE  | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|---------------|---------|---------------|------------|---------|
|         |               | OD (mm) | Pc./Box       | Pc./Carton |         |
| 192     | PRCB 202S BOL | 20      | 15            | 300        | 38.75   |
| 193     | PRCB 252S BOL | 25      | 15            | 240        | 54.00   |



## BACK OUTLET ANGLE - 2 WAY CIRCULAR BOX

| SR. NO. | PRODUCT CODE  | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|---------------|---------|---------------|------------|---------|
|         |               | OD (mm) | Pc./Box       | Pc./Carton |         |
| 194     | PRCB 202A BOL | 20      | 15            | 300        | 38.75   |
| 195     | PRCB 252A BOL | 25      | 15            | 240        | 54.00   |



## BACK OUTLET TEE - 3 WAY CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 196     | PRCB 203 BOL | 20      | 15            | 300        | 42.75   |
| 197     | PRCB 253 BOL | 25      | 15            | 240        | 57.75   |

## PP CIRCULAR BOX WITH LID & SCREW



## INTERSECTION - 4 WAY (POLYPROPYLENE) CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 198     | PPCB194L     | 19      | 20            | 320        | 23.75   |
| 199     | PPCB254L     | 25      | 15            | 240        | 28.50   |

## PP DEEP CIRCULAR BOX WITH LID & SCREW



## INTERSECTION - 4 WAY (POLYPROPYLENE) DEEP CIRCULAR BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 200     | PPCB194DL    | 19      | 10            | 220        | 34.50   |
| 201     | PPCB254DL    | 25      | 10            | 220        | 40.50   |



## CIRCULAR EXTENSION RING

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 202     | PRER 20      | 20      | 50            | 800        | 13.00   |
| 203     | PRER 25      | 25      | 40            | 640        | 16.75   |



## LOOP IN BOX

| SR. NO. | PRODUCT CODE | SIZE         | STANDARD PACK |            | RATE Pc |
|---------|--------------|--------------|---------------|------------|---------|
|         |              | OD (mm)      | Pc./Box       | Pc./Carton |         |
| 204     | PRLB 19      | 19 (4 punch) | 20            | 400        | 18.50   |
| 205     | PRLB 20      | 20 (4 punch) | 20            | 400        | 18.50   |
| 206     | PRLB 25      | 25 (2 punch) | 20            | 400        | 18.50   |

Also available in Black, Grey and Ivory.

# ROUND CONDUIT uPVC PIPE FITTINGS

HSN: 39174000



## LOOP IN BOX EXTENSION

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 207     | PRLB 20E     | 20      | 24            | 384        | 28.00   |



## COUPLER

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 208     | PCR 19       | 19      | 100           | 2000       | 5.00    |
| 209     | PCR 20       | 20      | 100           | 2000       | 5.75    |
| 210     | PCR 20 L     | 20 Long | 150           | 2400       | 6.00    |
| 211     | PCR 25       | 25      | 100           | 2000       | 7.50    |
| 212     | PCR 32       | 32      | 60            | 960        | 13.25   |
| 213     | PCR 40       | 40      | 30            | 480        | 22.50   |
| 214     | PCR 50       | 50      | 20            | 320        | 38.50   |



(PIPE TO FITTING)

## REDUCER COUPLER

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 215     | PRR1         | 25>20   | 250           | 4000       | 7.50    |



(PIPE TO PIPE)

## REDUCER COUPLER

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 216     | PRR 2520     | 25 > 20 | 70            | 1400       | 7.50    |
| 217     | PRR 3220     | 32 > 20 | 60            | 1200       | 9.75    |
| 218     | PRR 3225     | 32 > 25 | 40            | 800        | 13.25   |
| 219     | PRR 4020     | 40 > 20 | 48            | 960        | 16.75   |
| 220     | PRR 4032     | 40 > 32 | 32            | 640        | 18.50   |
| 221     | PRR 5032     | 50 > 32 | 30            | 480        | 22.25   |
| 222     | PRR 5040     | 50 > 40 | 30            | 480        | 22.50   |



## SLIP TYPE BEND

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 223     | PRBN 19      | 19      | 65            | 1040       | 8.25    |
| 224     | PRBN 20      | 20      | 65            | 1040       | 8.75    |
| 225     | PRBN 25      | 25      | 35            | 560        | 14.00   |
| 226     | PRBN 32      | 32      | 20            | 320        | 40.75   |
| 227     | PRBN 40      | 40      | 10            | 160        | 104.50  |
| 228     | PRBN 50      | 50      | 5             | 80         | 144.50  |

## SLIP TYPE LONG BEND



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 229     | PRBL 20      | 20      | 45            | 720        | 13.25   |
| 230     | PRBL 25      | 25      | 20            | 320        | 21.75   |
| 231     | PRBL 32      | 32      | 10            | 160        | 58.00   |
| 232     | PRBL 40      | 40      | -             | 80         | 133.50  |
| 233     | PRBL 50      | 50      | -             | 55         | 209.25  |



## SPACE BAR SADDLE

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 234     | PRBS 19      | 19      | 100           | 2000       | 7.00    |
| 235     | PRBS 20      | 20      | 100           | 2000       | 7.50    |
| 236     | PRBS 25      | 25      | 100           | 2000       | 9.25    |
| 237     | PRBS 32      | 32      | 100           | 1600       | 15.75   |
| 238     | PRBS 40      | 40      | 80            | 1280       | 17.50   |
| 239     | PRBS 50      | 50      | 60            | 960        | 21.00   |
| 240     | PRBS 63      | 63      | -             | 50         | 27.25   |



## SADDLE STRAP

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 241     | PRSS 19      | 19      | 100           | 2000       | 4.25    |
| 242     | PRSS 20      | 20      | 100           | 2000       | 4.50    |
| 243     | PRSS 25      | 25      | 100           | 2000       | 6.00    |
| 244     | PRSS 32      | 32      | 100           | 1600       | 7.00    |
| 245     | PRSS 40      | 40      | 80            | 1280       | 9.25    |
| 246     | PRSS 50      | 50      | 60            | 960        | 12.25   |

(POLYPROPYLENE)

## SELF LOCKING SADDLE CLIP



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 247     | PPSC20SL     | 20      | 75            | 450        | 4.00    |
| 248     | PPSC25SL     | 25      | 50            | 300        | 5.00    |



## ROUND 'U' CLIP

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 249     | PRUC 20      | 20      | 200           | 4000       | 7.75    |
| 250     | PRUC 25      | 25      | 100           | 3000       | 12.25   |

# ROUND CONDUIT uPVC PIPE FITTINGS

HSN: 39174000



## END CAP

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 251     | PREC 20      | 20      | 150           | 3000       | 3.00    |
| 252     | PREC 25      | 25      | 100           | 2000       | 5.00    |
| 253     | PREC 32      | 32      | 70            | 1400       | 6.00    |
| 254     | PREC 40      | 40      | 32            | 640        | 11.50   |
| 255     | PREC 50      | 50      | 24            | 480        | 16.50   |



## MALE BUSH ADAPTOR

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 256     | PMBA 19      | 19      | 100           | 2000       | 7.50    |
| 257     | PMBA 20      | 20      | 100           | 2000       | 8.25    |
| 258     | PMBA 25      | 25      | 100           | 2000       | 9.75    |



## FEMALE BUSH ADAPTOR

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 259     | PFBA 19      | 19      | 100           | 2000       | 7.50    |
| 260     | PFBA 20      | 20      | 100           | 2000       | 8.25    |
| 261     | PFBA 25      | 25      | 100           | 2000       | 10.25   |
| 262     | PFBA 32      | 32      | 75            | 1200       | 15.75   |
| 263     | PFBA 40      | 40      | 50            | 800        | 21.25   |
| 264     | PFBA 50      | 50      | 25            | 400        | 35.75   |



## ROUND ELBOW

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 265     | PRE 20       | 20      | 125           | 2500       | 7.50    |
| 266     | PRE 25       | 25      | 75            | 1200       | 10.25   |
| 267     | PRE 32       | 32      | 20            | 400        | 14.25   |
| 268     | PRE 40       | 40      | 15            | 300        | 22.00   |
| 269     | PRE 50       | 50      | 10            | 200        | 35.50   |



## ROUND TEE

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 270     | PRT 20       | 20      | 50            | 1500       | 12.50   |
| 271     | PRT 25       | 25      | 50            | 800        | 15.50   |
| 272     | PRT 32       | 32      | 15            | 300        | 17.50   |
| 273     | PRT 40       | 40      | 10            | 200        | 26.25   |
| 274     | PRT 50       | 50      | 10            | 160        | 41.50   |



## INSPECTION ELBOW

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 275     | PIE 20       | 20      | 20            | 600        | 32.25   |
| 276     | PIE 25       | 25      | 20            | 400        | 40.25   |



## INSPECTION TEE

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 277     | PIT 20       | 20      | 20            | 600        | 31.75   |
| 278     | PIT 25       | 25      | 20            | 400        | 47.25   |



## INSPECTION BEND

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 279     | PIB 20       | 20      | 20            | 600        | 32.00   |
| 280     | PIB 25       | 25      | 20            | 400        | 47.00   |



## ADAPTABLE BOX WITH LID

| SR. NO. | PRODUCT CODE | SIZE         | STANDARD PACK |            | RATE Pc |
|---------|--------------|--------------|---------------|------------|---------|
|         |              | OD (mm)      | Pc./Box       | Pc./Carton |         |
| 281     | PAB 75L      | 3" x 3" x 2" | 10            | 200        | 69.00   |
|         |              | 75x75x50     |               |            |         |
| 282     | PAB 110L     | 4" x 4" x 3" | -             | 100        | 135.00  |
|         |              | 110x110x75   |               |            |         |
| 283     | PAB 160L     | 6" x 4" x 3" | -             | 75         | 273.00  |
|         |              | 160x110x75   |               |            |         |
| 284     | PAB 160SL    | 6" x 6" x 3" | -             | 50         | 299.00  |
|         |              | 160x160x75   |               |            |         |
| 285     | PAB 225SL    | 9" x 9" x 3" | -             | 20         | 647.00  |
|         |              | 225x225x75   |               |            |         |

△ 32/38/40mm Knockout Available ◇ 50mm Knockout Available



(WHITE)

## SURFACE SWITCH BOX

| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 286     | PSB1         | 3" x 3" | 10            | 300        | 43.25   |
| 287     | PSB2         | 6" x 3" | 10            | 200        | 74.00   |

✱ 20mm Knockout Available

# ROUND CONDUIT uPVC PIPE FITTINGS

HSN: 39174000



(WHITE)

## SWITCH BOX LID



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 288     | PSBL1 LID    | 3" x 3" | 40            | 1200       | 18.75   |
| 289     | PSBL2 LID    | 6" x 3" | 25            | 750        | 25.50   |

(SWITCH BOX)

## FLUSH MOUNTED



| SR. NO. | PRODUCT CODE | SIZE     | STANDARD PACK |            | RATE Pc |
|---------|--------------|----------|---------------|------------|---------|
|         |              | OD (mm)  | Pc./Box       | Pc./Carton |         |
| 290     | PFSB1        | 3"x3"x2" | 10            | 200        | 48.75   |
| 291     | PFSB2        | 6"x3"x2" | 10            | 160        | 65.50   |

20/25mm Knockout Available

(BLACK)

## FAN BOX



| SR. NO. | PRODUCT CODE | SIZE           | STANDARD PACK |            | RATE Pc |
|---------|--------------|----------------|---------------|------------|---------|
|         |              | OD (mm)        | Pc./Box       | Pc./Carton |         |
| 292     | PRFB20       | 20 Standard    | 10            | 220        | 51.50   |
| 293     | PRFB25       | 25 Standard    | 10            | 220        | 51.50   |
| 294     | PRFB20SL     | 20 Large       | 10            | 140        | 70.00   |
| 295     | PRFB25SL     | 25 Large       | 10            | 140        | 70.00   |
| 296     | PRFBRD2025   | 20/25 with Rod | 1             | 28         | 206.50  |
| 297     | PRFBRD25     | 25 with Rod    | 1             | 28         | 206.50  |



## METAL FAN BOX WITH ROD (BROWN)

HSN : 73072900



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 298     | PMFB 2025    | 20/25   | 2             | 40         | 160.75  |

25mm Four Sockets & 20mm Three Knockouts

## METAL FAN BOX WITH ROD (BROWN)

HSN : 73072900



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 299     | PMFB 2525    | 25/25   | 2             | 40         | 147.50  |

25mm Seven Knockouts

uPVC

## SOLVENT CEMENT

HSN: 35061000



| SR. NO. | PRODUCT CODE | SIZE  | STANDARD PACK |         |            | RATE<br>Pc |
|---------|--------------|-------|---------------|---------|------------|------------|
|         |              | (ml)  | Colour        | Pc./Box | Pc./Carton |            |
| 300     | PSC100 ML    | 100ml | Transparent   | 24      | 144        | 79.75      |
| 301     | PSC250 ML    | 250ml | Transparent   | 24      | 96         | 143.75     |
| 302     | PSC500 ML    | 500ml | Transparent   | 12      | 48         | 243.75     |
| 303     | PSC1L        | 1L    | Transparent   | 6       | 24         | 419.25     |
| 304     | PSC5L        | 5L    | Transparent   | -       | 6          | 1740.00    |

## PVC ELECTRICAL INSULATION TAPE

HSN : 85469090



| SR. NO. | PRODUCT CODE | SIZE         | STANDARD PACK |            | RATE Pc |
|---------|--------------|--------------|---------------|------------|---------|
|         |              | W(mm)xL(Mtr) | Pc./Box       | Pc./Carton |         |
| 305     | PPIT 18      | 18 x 6       | 30            | 540        | 13.00   |

## BENDING SPRING

HSN : 73201019




| SR. NO.      | PRODUCT CODE | SIZE OD (mm) | COLOUR | STANDARD PACK |           | RATE Pc |
|--------------|--------------|--------------|--------|---------------|-----------|---------|
|              |              |              |        | Pc/Bag        | Pc/Carton |         |
| LIGHT GAUGE  |              |              |        |               |           |         |
| 306          | PBS20L       | 20           | Black  | 10            | 50        | 265.00  |
| 307          | PBS25L       | 25           | Black  | 5             | 30        | 351.50  |
| MEDIUM GAUGE |              |              |        |               |           |         |
| 308          | PBS20M       | 20           | Silver | 10            | 50        | 265.00  |
| 309          | PBS25M       | 25           | Silver | 5             | 30        | 351.50  |
| HEAVY GAUGE  |              |              |        |               |           |         |
| 310          | PBS20H       | 20           | Gold   | 10            | 50        | 265.00  |
| 311          | PBS25H       | 25           | Gold   | 5             | 30        | 351.50  |

Suitable for 19mm LMS and 19mm MMS conduits also.

## ALL WEATHER BOXES

**Precision All Weather Boxes** are manufactured from high quality impact resistant Engineering Thermoplastics (Polycarbonate / ABS). The material itself is self-extinguishing and our specially developed formulation gives it special ability to withstand high temperatures. The product passes stringent IP 67 standard requirements which makes it suitable to use indoor and outdoor in harsh environment. Our specially made design gives it highest level of safety from unwanted ingress of oil / water / any other solid waste.



### Applications

Enclosure boxes for electrical installations  
Suitable for Outdoor / Indoor environment

### Features

- IP 67 compliance, suitable for Outdoor Installations (CIPET tested)
- Specially formulated Engineering Thermoplastic (Polycarbonate / ABS) gives temperature protection ranging from  $-40^{\circ}\text{C}$  to  $+90^{\circ}\text{C}$
- Weatherproof, Dust proof and Impact resistant
- Transparent lids ensure enhanced visibility
- Innovative design makes compatible for various types of Switchgears / Electrical components
- Body part with adequate molded markings for easy cable entry location from all sides
- Various sizes available as per individual choice
- Screws supplied are made up of anti-rust SS / Engineering Plastic for corrosion free working and durability as well



# ALL WEATHER BOXES

## IP 67 HSN: 85381010



### ALL WEATHER BOXES OPAQUE LID WITH KNOCKOUT (ABS)

| Sr No. | Product Code | Size (mm)      | Standard Pack (Pc/Carton) | Rate (Pc) |
|--------|--------------|----------------|---------------------------|-----------|
| 312    | PAB 8888OL   | 88 x 88 x 53   | 27                        | 222.25    |
| 313    | PAB 9898OL   | 98 x 98 x 61   | 24                        | 245.25    |
| 314    | PAB 139119OL | 139 x 119 x 70 | 10                        | 239.75    |
| 315    | PAB 167125OL | 167 x 125 x 82 | 12                        | 295.75    |
| 316    | PAB 200160OL | 200 x 160 x 98 | 8                         | 464.25    |

### ALL WEATHER BOXES OPAQUE LID WITHOUT KNOCKOUT (ABS)

| Sr No. | Product Code | Size (mm)       | Standard Pack (Pc/Carton) | Rate (Pc) |
|--------|--------------|-----------------|---------------------------|-----------|
| 317    | PAB 8383OL   | 83 x 83 x 65    | 21                        | 212.75    |
| 318    | PAB 100100OL | 100 x 100 x 65  | 21                        | 246.50    |
| 319    | PAB 13080OL  | 130 x 80 x 65   | 16                        | 282.75    |
| 320    | PAB 130130OL | 130 x 130 x 80  | 16                        | 415.50    |
| 321    | PAB 18080OL  | 180 x 80 x 90   | 12                        | 342.25    |
| 322    | PAB 1801OL   | 180 x 130 x 75  | 16                        | 462.50    |
| 323    | PAB 1802OL   | 180 x 130 x 100 | 12                        | 470.25    |
| 324    | PAB 180180OL | 180 x 180 x 100 | 20                        | 601.75    |
| 325    | PAB 210190OL | 210 x 190 x 100 | 6                         | 693.25    |
| 326    | PAB 27080OL  | 270 x 80 x 90   | 12                        | 418.25    |
| 327    | PAB 280190OL | 280 x 190 x 130 | 4                         | 855.50    |
| 328    | PAB 280280OL | 280 x 280 x 130 | 2                         | 1201.25   |
| 329    | PAB 380190OL | 380 x 190 x 130 | 3                         | 1107.25   |
| 330    | PAB 380280OL | 380 x 280 x 130 | 2                         | 1571.00   |
| 331    | PAB 560380OL | 560 x 380 x 180 | 2                         | 3648.75   |

### ALL WEATHER BOXES TRANSPARENT LID WITHOUT KNOCKOUT (ABS)

| Sr No. | Product Code | Size (mm)       | Standard Pack (Pc/Carton) | Rate (Pc) |
|--------|--------------|-----------------|---------------------------|-----------|
| 332    | PAB 18080TL  | 180 x 80 x 90   | 12                        | 394.25    |
| 333    | PAB 27080TL  | 270 x 80 x 90   | 12                        | 489.25    |
| 334    | PAB 180130TL | 180 x 130 x 100 | 12                        | 479.50    |
| 335    | PAB 180180TL | 180 x 180 x 100 | 20                        | 618.50    |
| 336    | PAB 210190TL | 210 x 190 x 100 | 6                         | 720.75    |
| 337    | PAB 280190TL | 280 x 190 x 130 | 4                         | 930.00    |
| 338    | PAB 280280TL | 280 x 280 x 130 | 2                         | 1257.75   |
| 339    | PAB 380190TL | 380 x 190 x 130 | 3                         | 1262.25   |
| 340    | PAB 380280TL | 380 x 280 x 130 | 2                         | 1827.25   |
| 341    | PAB 560380TL | 560 x 380 x 180 | 2                         | 4153.50   |

### PG GLANDS (PP)

| Sr No. | Product Code | Size (mm) | Standard Pack (Pc/Carton) | Rate (Pc) |
|--------|--------------|-----------|---------------------------|-----------|
| 342    | PPPG 7GL     | 7         | 600                       | 4.75      |
| 343    | PPPG 9GL     | 9         | 320                       | 6.25      |
| 344    | PPPG 11GL    | 11        | 240                       | 6.75      |
| 345    | PPPG 13.5GL  | 13.5      | 300                       | 6.00      |
| 346    | PPPG 16GL    | 16        | 240                       | 7.00      |
| 347    | PPPG 19GL    | 19        | 180                       | 9.75      |
| 348    | PPPG 21GL    | 21        | 120                       | 11.25     |
| 349    | PPPG 25GL    | 25        | 120                       | 14.25     |



## G.I & M.S. CONDUIT PIPES & FITTINGS

**Precision G.I & M.S. Conduit Pipes** are manufactured from rigorously tested raw material, in accordance with IS 9537 Part- 2. G.I. Conduit Pipes are coated at a hot dipped galvanising plant in which iron or steel is coated with a layer of zinc. This coating makes the conduit safe and durable for industrial installations, coastal line atmosphere & thermal power stations. M.S. Conduit Pipes are treated and coated with paint.

### Applications

Channelising electrical surface wiring and cable ducting

#### DIMENSIONS OF G.I. & M.S. CONDUIT PIPES

| Nominal Size<br>(mm) | Outside Diameter<br>(mm) | Tolerance on Outside Diameter<br>(mm) | Wall Thickness<br>(mm) | Wall Thickness Tolerance<br>(mm) |
|----------------------|--------------------------|---------------------------------------|------------------------|----------------------------------|
| 20                   | 20                       | 0<br>-0.3                             | 1.4 - 1.6              | ±0.2                             |
| 25                   | 25                       | 0<br>-0.4                             | 1.4 - 1.6              | ±0.2                             |
| 32                   | 32                       | 0<br>-0.4                             | 1.4 - 1.6              | ±0.2                             |
| 40                   | 40                       | 0<br>-0.4                             | 1.6 - 2.0              | +0.2<br>- 0.4                    |
| 50                   | 50                       | 0<br>-0.5                             | 1.6 - 2.0              | +0.2<br>- 0.4                    |

### Features



Anti - Rust Coat



Good Finish



Easy to Cut



High Resistance  
to Corrosion



# G.I. & M.S. CONDUIT PIPES

HSN: 73069090



COLOUR : SILVER

## G.I. CONDUIT PIPES



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |           | RATE (Mtr) |
|---------|--------------|---------|---------------|-----------|------------|
|         |              | OD (mm) | Pc./Mtr       | Mtr./Bdl. |            |
| 350     | PGIC 20      | 20      | 26 x 3m       | 78        | 230.00     |
| 351     | PGIC 25      | 25      | 21 x 3m       | 63        | 280.00     |
| 352     | PGIC 32      | 32      | 16 x 3m       | 48        | 420.00     |
| 353     | PGIC 40      | 40      | 10 x 3m       | 30        | 665.00     |
| 354     | PGIC 50      | 50      | 5 x 3m        | 15        | 755.00     |

COLOUR : BLACK

## M.S. CONDUIT PIPES



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |           | RATE (Mtr) |
|---------|--------------|---------|---------------|-----------|------------|
|         |              | OD (mm) | Pc./Mtr       | Mtr./Bdl. |            |
| 355     | PMSC 20      | 20      | 26 x 3m       | 78        | 145.00     |
| 356     | PMSC 25      | 25      | 21 x 3m       | 63        | 185.00     |
| 357     | PMSC 32      | 32      | 16 x 3m       | 48        | 260.00     |
| 358     | PMSC 40      | 40      | 10 x 3m       | 30        | 435.00     |
| 359     | PMSC 50      | 50      | 5 x 3m        | 15        | 570.00     |

# G.I. & M.S. CONDUIT PIPE FITTINGS

HSN: 73269099

## CIRCULAR BOX WITH LID AND SCREW



TERMINAL - 1 WAY (SCREW TYPE)

## G.I. CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 360     | PGIB 201     | 20      | 20            | 200        | 71.00   |
| 361     | PGIB 251     | 25      | 20            | 200        | 72.50   |

THROUGH - 2 WAY (SCREW TYPE)

## M.S. CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 366     | PMSB 202S    | 20      | 20            | 200        | 64.25   |
| 367     | PMSB 252S    | 25      | 20            | 200        | 67.00   |

TERMINAL - 1 WAY (SCREW TYPE)

## M.S. CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 362     | PMSB 201     | 20      | 20            | 200        | 64.25   |
| 363     | PMSB 251     | 25      | 20            | 200        | 67.00   |

TEE - 3 WAY (SCREW TYPE)

## G.I. CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 368     | PGIB 203     | 20      | 20            | 200        | 71.00   |
| 369     | PGIB 253     | 25      | 20            | 200        | 72.50   |

THROUGH - 2 WAY (SCREW TYPE)

## G.I. CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 364     | PGIB 202S    | 20      | 20            | 200        | 71.00   |
| 365     | PGIB 252S    | 25      | 20            | 200        | 72.50   |

TEE - 3 WAY (SCREW TYPE)

## M.S. CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE Pc |
|---------|--------------|---------|---------------|------------|---------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton |         |
| 370     | PMSB 203     | 20      | 20            | 200        | 64.25   |
| 371     | PMSB 253     | 25      | 20            | 200        | 67.00   |

# G.I. & M.S. CONDUIT PIPE FITTINGS

HSN: 73269099

## CIRCULAR BOX WITH LID AND SCREW



INTERSECTION - 4 WAY  
(SCREW TYPE)

### G.I. CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE  |
|---------|--------------|---------|---------------|------------|-------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton | Pc    |
| 372     | PGIB 204     | 20      | 20            | 200        | 71.00 |
| 373     | PGIB 254     | 25      | 20            | 200        | 72.50 |

SCREW TYPE

### M.S. INSPECTION BEND



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE  |
|---------|--------------|---------|---------------|------------|-------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton | Pc    |
| 378     | PMS 20IBS    | 20      | 20            | 200        | 61.50 |
| 379     | PMS 25IBS    | 25      | 20            | 200        | 64.50 |

INTERSECTION - 4 WAY  
(SCREW TYPE)

### M.S. CIRCULAR BOX



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE  |
|---------|--------------|---------|---------------|------------|-------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton | Pc    |
| 374     | PMSB 204     | 20      | 20            | 200        | 64.25 |
| 375     | PMSB 254     | 25      | 20            | 200        | 67.00 |

SCREW TYPE

### M.S.NORMAL BEND



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE  |
|---------|--------------|---------|---------------|------------|-------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton | Pc    |
| 380     | PMS 20NBS    | 20      | 12            | 144        | 61.25 |
| 381     | PMS 25NBS    | 25      | 12            | 144        | 69.00 |

SCREW TYPE

### G.I. INSPECTION BEND



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE  |
|---------|--------------|---------|---------------|------------|-------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton | Pc    |
| 376     | PGI 20IBS    | 20      | 20            | 200        | 67.75 |
| 377     | PGI 25IBS    | 25      | 20            | 200        | 68.75 |

SCREW TYPE

### G.I.NORMAL BEND



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE  |
|---------|--------------|---------|---------------|------------|-------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton | Pc    |
| 382     | PGI 20NBS    | 20      | 12            | 144        | 69.50 |
| 383     | PGI 25NBS    | 25      | 12            | 144        | 72.75 |

## (uPVC) MINI/MAXI TRUNKING PROFILE & FITTINGS

### Precision uPVC Mini/Maxi Trunking Profile & Fittings

are manufactured from high impact unplasticised polyvinyl chloride (uPVC) grade material capable of withstanding the most hazardous conditions on-site and exceeds the most stringent requirements of Indian and International standards

The product range brings a whole new world of sophistication and convenience to home, office and commercial establishments and is in accordance with Indian Standard IS 14927 - Part 2 and BS EN 50085 -2-1. Mini Trunking Profile are also available with self-fixing tape for instant and easy installation. Clip on lid provides security while allowing easy maintenance

Precision uPVC Maxi Trunking Profile Cable Management System is designed for convenience and safety with compartments for separate wiring applications. Maxi Trunking Profile Fittings are available in moulded and fabricated form, thus adding a sleek touch to your interiors

### Applications

To organize and protect cables on surface

### Features



Easy and Quick  
Installation



Secure &  
Elegant Look



Fire Retardant



Various Diameters  
& Grades



Durable & Impact  
Resistant



Thermal Resistant  
(-5° C to +60° C)



# uPVC MINI / MAXI TRUNKING PROFILE

HSN: 39162019



IVORY/WHITE

## uPVC MINI TRUNKING PROFILE



| SR. NO. | PRODUCT CODE | SIZE (WxH) | STANDARD PACK |           | RATE (Mtr) |
|---------|--------------|------------|---------------|-----------|------------|
|         |              | (mm)       | Pc./Mtr       | Mtr / Bdl |            |
| 384     | PT2012       | 20 x 12    | 100 x 2m      | 200       | 21.50      |
| 385     | PT2512       | 25 x 12    | 100 x 2m      | 200       | 25.50      |
| 386     | PT3015       | 30 x 15    | 100 x 2m      | 200       | 27.25      |
| 387     | PT3212       | 32 x 12    | 100 x 2m      | 200       | 32.00      |
| 388     | PT 3212SPL   | 32 x 12    | 100 x 2m      | 200       | 26.50      |
| 389     | PT1616       | 16 x 16    | 100 x 2m      | 200       | 20.75      |
| 390     | PT2516       | 25 x 16    | 100 x 2m      | 200       | 30.75      |
| 391     | PT 2516SPL   | 25 x 16    | 100 x 2m      | 200       | 25.50      |
| 392     | PT3216       | 32 x 16    | 100 x 2m      | 200       | 28.50      |
| 393     | PT3816       | 38 x 16    | 50 x 2m       | 100       | 50.00      |
| 394     | PT3825       | 38 x 25    | 50 x 2m       | 100       | 56.50      |
| 395     | PT3838       | 38 x 38    | 25 x 2m       | 50        | 75.00      |
| 396     | PT5016       | 50 x 16    | 50 x 2m       | 100       | 86.50      |

WHITE

## uPVC MAXI TRUNKING PROFILE



| SR. NO. | PRODUCT CODE | SIZE (WxH) | STANDARD PACK |           | RATE (Mtr) |
|---------|--------------|------------|---------------|-----------|------------|
|         |              | (mm)       | Pc./Mtr       | Mtr / Bdl |            |
| 397     | PT5050       | 50 x 50    | 20 x 2m       | 40        | 146.00     |
| 398     | PT7550       | 75 x 50    | 12 x 2m       | 24        | 353.50     |
| 399     | PT7575       | 75 x 75    | 9 x 2m        | 18        | 462.50     |
| 400     | PT10050      | 100 x 50   | 10 x 2m       | 20        | 576.00     |
| 401     | PT100100     | 100 x 100  | 6 x 2m        | 12        | 738.50     |
| 402     | PT15050      | 150 x 50   | 5 x 2m        | 10        | 876.50     |
| 403     | PT150100     | 150 x 100  | 4 x 2m        | 8         | 1066.50    |

# uPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN: 39174000



## COUPLER



| SR. NO. | PRODUCT CODE | SIZE (W x H) (mm) | STANDARD PACK Pc./Box | RATE Pc |
|---------|--------------|-------------------|-----------------------|---------|
| 404     | PTC 2012     | 20 x 12           | 100                   | 3.00    |
| 405     | PTC 2512     | 25 x 12           | 100                   | 2.75    |
| 406     | PTC 3212     | 32 x 12           | 100                   | 2.75    |
| 407     | PTC 1616     | 16 x 16           | 100                   | 3.00    |
| 408     | PTC 3816     | 38 x 16           | 50                    | 5.00    |
| 409     | PTC 3825     | 38 x 25           | 50                    | 6.00    |

## TEE



| SR. NO. | PRODUCT CODE | SIZE (W x H) (mm) | STANDARD PACK Pc./Box | RATE Pc |
|---------|--------------|-------------------|-----------------------|---------|
| 416     | PTT 2012     | 20 x 12           | 100                   | 5.00    |
| 417     | PTT 2512     | 25 x 12           | 50                    | 4.50    |
| 418     | PTT 3212     | 32 x 12           | 50                    | 6.00    |
| 419     | PTT 1616     | 16 x 16           | 100                   | 5.00    |
| 420     | PTT 3816     | 38 x 16           | 50                    | 7.25    |
| 421     | PTT 3825     | 38 x 25           | 50                    | 8.75    |

## ELBOW



| SR. NO. | PRODUCT CODE | SIZE (W x H) (mm) | STANDARD PACK Pc./Box | RATE Pc |
|---------|--------------|-------------------|-----------------------|---------|
| 410     | PTB 2012     | 20 x 12           | 100                   | 4.50    |
| 411     | PTB 2512     | 25 x 12           | 100                   | 3.00    |
| 412     | PTB 3212     | 32 x 12           | 100                   | 5.00    |
| 413     | PTB 1616     | 16 x 16           | 100                   | 3.00    |
| 414     | PTB 3816     | 38 x 16           | 100                   | 6.00    |
| 415     | PTB 3825     | 38 x 25           | 100                   | 7.50    |

## INTERNAL BEND



| SR. NO. | PRODUCT CODE | SIZE (W x H) (mm) | STANDARD PACK Pc./Box | RATE Pc |
|---------|--------------|-------------------|-----------------------|---------|
| 422     | PTI 2512     | 25 x 12           | 100                   | 2.00    |
| 423     | PTI 3212     | 32 x 12           | 100                   | 3.00    |
| 424     | PTI 1616     | 16 x 16           | 100                   | 3.00    |
| 425     | PTI 3816     | 38 x 16           | 100                   | 5.00    |
| 426     | PTI 3825     | 38 x 25           | 50                    | 6.50    |

# UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN: 39174000



## EXTERNAL BEND

| SR. NO. | PRODUCT CODE | SIZE (W x H) (mm) | STANDARD PACK Pc./Box | RATE Pc |
|---------|--------------|-------------------|-----------------------|---------|
| 427     | PTE 2512     | 25 x 12           | 100                   | 2.75    |
| 428     | PTE 3212     | 32 x 12           | 100                   | 4.50    |
| 429     | PTE 1616     | 16 x 16           | 100                   | 5.00    |
| 430     | PTE 3816     | 38 x 16           | 100                   | 6.00    |
| 431     | PTE 3825     | 38 x 25           | 50                    | 9.00    |



## 4 - WAY

| SR. NO. | PRODUCT CODE | SIZE (W x H) (mm) | STANDARD PACK Pc./Box | RATE Pc |
|---------|--------------|-------------------|-----------------------|---------|
| 432     | PTW3212      | 32 x 12           | 50                    | 9.75    |

## (POLY PROPYLENE) JUNCTION LINKER



| SR. NO. | PRODUCT CODE | SIZE (W x H) (mm) | STANDARD PACK |            | RATE Pc |
|---------|--------------|-------------------|---------------|------------|---------|
|         |              |                   | Pc./Box       | Pc./Carton |         |
| 433     | PTJL7575     | Standard          | 35            | 560        | 11.00   |

## TRUNKING KNOCKOUT SURFACE SWITCH BOX



| SR. NO. | PRODUCT CODE | SIZE (W x H) (mm) | STANDARD PACK |            | RATE Pc |
|---------|--------------|-------------------|---------------|------------|---------|
|         |              |                   | Pc./Box       | Pc./Carton |         |
| \$ 434  | PTSB1        | 3"x3" (W)         | 10            | 300        | 42.75   |
| \$ 435  | PTSB2        | 6"x3" (W)         | 10            | 200        | 71.00   |

\$ 16 x 16, 25 x 16 Knockout Available  
(W) - White

# UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (FABRICATED)

HSN: 39174000



## ELBOW

| SR. NO. | PRODUCT CODE | SIZE (W x H) (mm) | STANDARD PACK Pc./Bag | RATE Pc |
|---------|--------------|-------------------|-----------------------|---------|
| 436     | PMTL50       | 50 x 50           | 5                     | 84.00   |
| 437     | PMTL751      | 75 x 50           | 5                     | 201.00  |
| 438     | PMTL752      | 75 x 75           | 5                     | 240.00  |
| 439     | PMTL1001     | 100 x 50          | 5                     | 323.75  |
| 440     | PMTL1002     | 100 x 100         | 5                     | 344.00  |
| 441     | PMTL1501     | 150 x 50          | 5                     | 325.00  |



## TEE

| SR. NO. | PRODUCT CODE | SIZE (W x H) (mm) | STANDARD PACK Pc./Bag | RATE Pc |
|---------|--------------|-------------------|-----------------------|---------|
| 442     | PMTT50       | 50 x 50           | 5                     | 118.00  |
| 443     | PMTT751      | 75 x 50           | 5                     | 201.00  |
| 444     | PMTT752      | 75 x 75           | 5                     | 240.00  |
| 445     | PMTT1001     | 100 x 50          | 5                     | 249.00  |
| 446     | PMTT1002     | 100 x 100         | 5                     | 344.00  |
| 447     | PMTT1501     | 150 x 50          | 5                     | 325.00  |



## INTERNAL ANGLE

| SR. NO. | PRODUCT CODE | SIZE (W x H) (mm) | STANDARD PACK Pc./Bag | RATE Pc |
|---------|--------------|-------------------|-----------------------|---------|
| 448     | PMTI50       | 50 x 50           | 5                     | 84.00   |
| 449     | PMTI751      | 75 x 50           | 5                     | 201.00  |
| 450     | PMTI752      | 75 x 75           | 5                     | 240.00  |
| 451     | PMTI1001     | 100 x 50          | 5                     | 319.50  |
| 452     | PMTI1002     | 100 x 100         | 5                     | 344.00  |
| 453     | PMTI1501     | 150 x 50          | 5                     | 325.00  |



## EXTERNAL ANGLE

| SR. NO. | PRODUCT CODE | SIZE (W x H) (mm) | STANDARD PACK Pc./Bag | RATE Pc |
|---------|--------------|-------------------|-----------------------|---------|
| 454     | PMTE50       | 50 x 50           | 5                     | 84.00   |
| 455     | PMTE751      | 75 x 50           | 5                     | 201.00  |
| 456     | PMTE752      | 75 x 75           | 5                     | 240.00  |
| 457     | PMTE1001     | 100 x 50          | 5                     | 319.50  |
| 458     | PMTE1002     | 100 x 100         | 5                     | 344.00  |
| 459     | PMTE1501     | 150 x 50          | 5                     | 325.00  |



## END CAP

| SR. NO. | PRODUCT CODE | SIZE (W x H) (mm) | STANDARD PACK Pc./Bag | RATE Pc |
|---------|--------------|-------------------|-----------------------|---------|
| 460     | PFTC50       | 50 x 50           | 5                     | 23.75   |
| 461     | PFTC751      | 75 x 50           | 5                     | 32.75   |
| 462     | PFTC752      | 75 x 75           | 5                     | 37.75   |
| 463     | PFTC1001     | 100 x 50          | 5                     | 48.50   |
| 464     | PFTC1002     | 100 x 100         | 5                     | 79.50   |
| 465     | PFTC1501     | 150 x 50          | 5                     | 87.50   |

## uPVC PANEL TRUNKING

**Precision uPVC Panel Trunking** is manufactured from high impact unplasticised polyvinyl chloride (uPVC) to ensure panel & machinery safety in extreme conditions. These trunkings are ideal to channelise medium, big size panels & various applications where economy, space saving, safety and durability are paramount.

### Applications

To conduct, organise and protect cables inside electrical and telecommunication panels, industrial machinery wiring, computer LAN wiring and data centers

### Features



Fire Retardant



Thermal Resistant  
(-5° C to +60° C)



High Tensile Strength  
(390kg/cm<sup>2</sup>)

- Non - brittle, wrap proof
- Vertical slides and detachable strips facilitates systematic wiring, permits faster connections, additions and fault tracing of wires
- Avoids bunching, taping and provides complete electrical insulation
- Unique cover locking design prevents popping of wires while removing cover
- Elongated slots at bottom allows flexible mounting.




GREY

UPVC PANEL TRUNKING

HSN: 85381010

≈ FRLS | C E



STANDARD SLOT

UPVC PANEL TRUNKING

| SR. NO. | PRODUCT CODE | SIZE      | STANDARD PACK |            | RATE (Mtr) |
|---------|--------------|-----------|---------------|------------|------------|
|         |              | H x W(mm) | Pc/Mtr        | Mtr/Carton |            |
| 466     | PPT1515      | 15 x 15   | 200 x 1m      | 200        | 47.75      |
| 467     | PPT2525      | 25 x 25   | 130 x 1m      | 130        | 72.50      |
| 468     | PPT3025      | 30 x 25   | 125 x 1m      | 125        | 77.25      |
| 469     | PPT4525      | 45 x 25   | 90 x 1m       | 90         | 95.25      |
| 470     | PPT4545      | 45 x 45   | 50 x 1m       | 50         | 131.25     |
| 471     | PPT4560      | 45 x 60   | 50 x 1m       | 50         | 170.00     |
| 472     | PPT6025      | 60 x 25   | 70 x 1m       | 70         | 121.50     |
| 473     | PPT6040      | 60 x 40   | 60 x 1m       | 60         | 152.25     |
| 474     | PPT6045      | 60 x 45   | 50 x 1m       | 50         | 153.50     |
| 475     | PPT6060      | 60 x 60   | 40 x 1m       | 40         | 192.00     |
| 476     | PPT7525      | 75 x 25   | 60 x 1m       | 60         | 154.50     |
| 477     | PPT7575      | 75 x 75   | 30 x 1m       | 30         | 282.50     |
| 478     | PPT10075     | 100 x 75  | 24 x 1m       | 24         | 464.50     |
| 479     | PPT100100    | 100 x 100 | 16 x 1m       | 16         | 549.25     |



THIN SLOT

UPVC PANEL TRUNKING

| SR. NO. | PRODUCT CODE | SIZE      | STANDARD PACK |            | RATE (Mtr) |
|---------|--------------|-----------|---------------|------------|------------|
|         |              | H x W(mm) | Pc/Mtr        | Mtr/Carton |            |
| 480     | PPT3025TS    | 30 x 25   | 125 x 1m      | 125        | 80.75      |
| 481     | PPT4525TS    | 45 x 25   | 90 x 1m       | 90         | 99.25      |
| 482     | PPT4545TS    | 45 x 45   | 50 x 1m       | 50         | 139.25     |
| 483     | PPT4560TS    | 45 x 60   | 50 x 1m       | 50         | 172.25     |
| 484     | PPT6025TS    | 60 x 25   | 70 x 1m       | 70         | 130.25     |
| 485     | PPT6040TS    | 60 x 40   | 60 x 1m       | 60         | 160.00     |
| 486     | PPT6045TS    | 60 x 45   | 50 x 1m       | 50         | 161.25     |
| 487     | PPT6060TS    | 60 x 60   | 40 x 1m       | 40         | 203.00     |



TOP COVER

UPVC PANEL TRUNKING

| SR. NO. | PRODUCT CODE | SIZE | STANDARD PACK |            | RATE (Mtr) |
|---------|--------------|------|---------------|------------|------------|
|         |              | (mm) | Pc/Mtr        | Mtr/Carton |            |
| 488     | PPT25T       | 25   | 100 x 1m      | 100        | 30.00      |
| 489     | PPT40T       | 40   | 50 x 1m       | 50         | 48.75      |
| 490     | PPT45T       | 45   | 50 x 1m       | 50         | 52.00      |
| 491     | PPT60T       | 60   | 50 x 1m       | 50         | 79.75      |
| 492     | PPT75T       | 75   | 25 x 1m       | 25         | 80.75      |
| 493     | PPT100T      | 100  | 25 x 1m       | 25         | 129.25     |

≈ FRLS: Fire Retardant - Low Smoke

## CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

### Precision Corrugated Flexible Conduit Pipes & Fittings

come in a wide and comprehensive range of material variants to suit a variety of applications. These conduits are manufactured in variants based on the final application for wiring purposes.

**Polypropylene Flexible Conduits** are the best solution for applications where resistance to constant flexing and vibration is essential, these conduits display excellent flexibility. Moreover, they are light weight and easy to install which makes them very popular. Temperature resistant from  $-5^{\circ}\text{C}$  to  $+90^{\circ}\text{C}$ .

#### Steel Wire Reinforced Flexible uPVC

**Conduits** are manufactured with soft polyvinyl chloride (uPVC) wall fused to high tensile steel wire in a coiled state. These conduits are unaffected by inorganic acid, alkali & saline water. Most suitable for electrical wiring in buildings, switch boards, panels, machinery, dust collectors, air dusting, exhaust of fumes, shrouds of railway coach wiring and hospital equipments. Temperature resistant from  $-5^{\circ}\text{C}$  to  $+90^{\circ}\text{C}$ .

#### Galvanised Steel Flexible Conduit

Precision Steel Flexible Conduit Pipes are made from galvanised steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in galvanized zinc coating with spiral corrugated pattern finished surface. Mostly used as low pressure hose in Industrial domestic air conditioning, ventilation systems and as mechanical protection for insulated electrical cables & wires which may be exposed to atmospheric conditions

#### Galvanised Steel Flexible Conduit With PVC Coating

Precision PVC Coated Steel Flexible Conduit Pipes are made from galvanized steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in poly vinyl coating. They are available in black/grey colour with spiral corrugated pattern finished surface. Most suitable for mechanical protection of cable and wire in tunnels, hospitals, high-rise office blocks and public buildings.



Fire Retardant



Corrosion Free



# CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

HSN: 39173100



## DIMENSIONS OF CORRUGATED FLEXIBLE CONDUITS

| Nominal Diameter (mm) | Maximum Outside Diameter (mm) | Tolerance on Outside Diameter (mm) | Minimum Inside Diameter (mm) |
|-----------------------|-------------------------------|------------------------------------|------------------------------|
| 10                    | 10                            | - 0.1                              | 7.0                          |
| 16                    | 16                            | - 0.3                              | 10.7                         |
| 20                    | 20                            | - 0.3                              | 14.1                         |
| 25                    | 25                            | - 0.4                              | 18.3                         |
| 32                    | 32                            | - 0.4                              | 24.3                         |
| 40                    | 40                            | - 0.4                              | 31.2                         |
| 50                    | 50                            | - 0.5                              | 39.6                         |
| 63                    | 63                            | - 0.6                              | 52.6                         |

## (PP) POLY PROPYLENE



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |          | RATE (Mtr) |
|---------|--------------|---------|---------------|----------|------------|
|         |              | OD (mm) | Mtr./Coil     | Mtr./Bag |            |
| 494     | PCFC 10      | 10      | 100           | 1000     | 8.00       |
| 495     | PCFC 16      | 16      | 50            | 500      | 8.00       |
| 496     | PCFC 20      | 20      | 50            | 500      | 11.00      |
| 497     | PCFC 25      | 25      | 25            | 250      | 16.00      |
| 498     | PCFC 32      | 32      | 25            | 250      | 27.00      |
| 499     | PCFC 40      | 40      | 20            | 100      | 37.50      |
| 500     | PCFC 50      | 50      | 15            | 75       | 56.00      |
| 501     | PCFC 63      | 63      | 10            | 50       | 87.00      |

## DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES

| Nominal Size (mm) | Nominal Size (inch) | OD (mm) | ID (mm) | BENDING radius/mm |
|-------------------|---------------------|---------|---------|-------------------|
| 16                | 1/2"                | 15.5    | 12.5    | 40                |
| 20                | 3/4"                | 22.5    | 19.5    | 55                |
| 25                | 1"                  | 28      | 25.0    | 60                |
| 32                | 1 1/4"              | 35.0    | 32.0    | 70                |
| 40                | 1 1/2"              | 42.0    | 38.0    | 80                |
| 50                | 2"                  | 54.0    | 50.0    | 90                |

\*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm




| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |          | RATE (Mtr) |
|---------|--------------|---------|---------------|----------|------------|
|         |              | OD (mm) | Mtr./Coil     | Mtr./Bag |            |
| 502     | PCCL 10      | 10      | 100           | 1000     | 12.00      |
| 503     | PCCL 16      | 16      | 50            | 500      | 13.00      |
| 504     | PCCL 20      | 20      | 50            | 500      | 18.00      |
| 505     | PCCL 25      | 25      | 25            | 250      | 24.50      |
| 506     | PCCL 32      | 32      | 25            | 250      | 40.00      |
| 507     | PCCL 40      | 40      | 20            | 100      | 47.50      |
| 508     | PCCL 50      | 50      | 15            | 75       | 65.50      |
| 509     | PCCL 63      | 63      | 10            | 50       | 102.00     |

## DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES WITH PVC COATING

| Nominal Size (mm) | Nominal Size (inch) | OD (mm) | ID (mm) | BENDING radius/mm |
|-------------------|---------------------|---------|---------|-------------------|
| 16                | 1/2"                | 16.5    | 12.5    | 40                |
| 20                | 3/4"                | 23.5    | 19.5    | 55                |
| 25                | 1"                  | 29      | 25.0    | 60                |
| 32                | 1 1/4"              | 36.5    | 32.0    | 70                |
| 40                | 1 1/2"              | 44.0    | 38.0    | 80                |
| 50                | 2"                  | 57.0    | 51.0    | 90                |

\*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm



# CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

## CORRUGATED FLEXIBLE CONDUIT GLAND

HSN : 39174000

BLACK

GREY



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE  |
|---------|--------------|---------|---------------|------------|-------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton | Pc    |
| 510     | PFAG 16      | 16      | 125           | 2250       | 5.75  |
| 511     | PFAG 20      | 20      | 75            | 1350       | 7.75  |
| 512     | PFAG 25      | 25      | 50            | 900        | 10.25 |
| 513     | PFAG 32      | 32      | 30            | 540        | 12.25 |
| 514     | PFAG 40      | 40      | 20            | 360        | 18.00 |
| 515     | PFAG 50      | 50      | 5             | 150        | 24.25 |

## GALVANIZED STEEL FLEXIBLE CONDUIT PIPES

HSN : 83071000

SILVER



| SR. NO. | PRODUCT CODE | NORMAL SIZE (mm) | NORMAL SIZE (Inch) | STANDARD PACK |          | RATE   |
|---------|--------------|------------------|--------------------|---------------|----------|--------|
|         |              |                  |                    | Mtr./Coil     | Mtr./Bag | (Mtr)  |
| 531     | PGIFC 16     | 16               | 1/2"               | 15            | 210      | 52.25  |
| 532     | PGIFC 20     | 20               | 3/4"               | 15            | 150      | 69.75  |
| 533     | PGIFC 25     | 25               | 1"                 | 15            | 105      | 106.75 |
| 534     | PGIFC 32     | 32               | 1 1/4"             | 15            | 75       | 127.25 |
| 535     | PGIFC 40     | 40               | 1 1/2"             | 15            | 75       | 142.75 |
| 536     | PGIFC 50     | 50               | 2"                 | 10            | 50       | 212.25 |

## STEEL WIRE REINFORCED FLEXIBLE UPVC CONDUIT PIPE

HSN : 39172190

GREY



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |          | RATE   |
|---------|--------------|---------|---------------|----------|--------|
|         |              | ID (mm) | Mtr./Coil     | Mtr./Bag | (Mtr)  |
| 516     | PCWR 10      | 10      | 30            | 300      | 50.00  |
| 517     | PCWR 16      | 16      | 30            | 300      | 65.50  |
| 518     | PCWR 20      | 20      | 30            | 240      | 84.75  |
| 519     | PCWR 25      | 25      | 30            | 210      | 104.00 |
| 520     | PCWR 30      | 30      | 30            | 150      | 134.75 |
| 521     | PCWR 40      | 40      | 30            | 120      | 155.75 |
| 522     | PCWR 50      | 50      | 30            | 90       | 186.50 |
| 523     | PCWR 60      | 60      | 15            | 75       | 261.50 |

## GALVANIZED STEEL FLEXIBLE CONDUIT WITH PVC COATING

HSN : 83071000

BLACK

GREY



| SR. NO. | PRODUCT CODE | NORMAL SIZE (mm) | NORMAL SIZE (Inch) | STANDARD PACK |          | RATE   |
|---------|--------------|------------------|--------------------|---------------|----------|--------|
|         |              |                  |                    | Mtr./Coil     | Mtr./Bag | (Mtr)  |
| 537     | PGIFCP 16    | 16               | 1/2"               | 50            | 250      | 80.00  |
| 538     | PGIFCP20     | 20               | 3/4"               | 25            | 150      | 107.00 |
| 539     | PGIFCP 25    | 25               | 1"                 | 25            | 125      | 162.50 |
| 540     | PGIFCP 32    | 32               | 1 1/4"             | 15            | 75       | 193.50 |
| 541     | PGIFCP 40    | 40               | 1 1/2"             | 15            | 75       | 228.00 |
| 542     | PGIFCP 50    | 50               | 2"                 | 15            | 60       | 324.25 |

## STEEL WIRE REINFORCED FLEXIBLE UPVC CONDUIT GLAND

HSN : 39174000

GREY



| SR. NO. | PRODUCT CODE | SIZE    | STANDARD PACK |            | RATE  |
|---------|--------------|---------|---------------|------------|-------|
|         |              | OD (mm) | Pc./Box       | Pc./Carton | Pc    |
| 524     | PFRG 10      | 10      | 75            | 1350       | 10.25 |
| 525     | PFRG 16      | 16      | 60            | 1080       | 11.50 |
| 526     | PFRG 20      | 20      | 45            | 810        | 14.50 |
| 527     | PFRG 25      | 25      | 30            | 540        | 19.00 |
| 528     | PFRG 30      | 30      | 20            | 360        | 23.75 |
| 529     | PFRG 40      | 40      | 15            | 270        | 31.50 |
| 530     | PFRG 50      | 50      | 5             | 150        | 45.25 |

## CABLE TIES

**Precision Cable Ties** are manufactured primarily from high-strength nylon, engineered fastening devices designed to securely bundle and organize cables, wires, and other components. Ties feature ratcheting mechanism that allows the strap to lock in place, providing a reliable and tamper - resistant hold. Precision Cables ties are available in various lengths, tensile strength ranges from 78N to 530N depending on size and width. Precision ties are widely used across electrical, automotive, aerospace, and industrial applications.



### Applications

Industrial & Manufacturing Securing components during assembly or transit bundling wires, hoses and tubing Automotive Organizing engine bay wiring , Fastening brake lines or fuel hoses Aerospace managing miles of cabling in aircraft Electronics & IT cable management in server racks and data centers.

### STANDARD DIMENSIONS & SPECIFICATIONS OF CABLE TIES

| Size<br>(mm) | Length<br>(mm) | Thickness<br>(mm) | Tensile Strength |     |        | Bundle Diameter |      |
|--------------|----------------|-------------------|------------------|-----|--------|-----------------|------|
|              |                |                   | Kg.              | LBS | Newton | Min.            | Max. |
| 100 x 2.5    | 100            | 0.95              | 8                | 18  | 78     | 2               | 22   |
| 150 x 3.0    | 150            | 1.1               | 14               | 31  | 137    | 4               | 37   |
| 150 x 3.6    | 150            | 1.1               | 18               | 40  | 177    | 4               | 38   |
| 200 x 3.6    | 200            | 1.15              | 18               | 40  | 177    | 4               | 53   |
| 200 x 4.8    | 200            | 1.15              | 22               | 49  | 216    | 4               | 51   |
| 250 x 3.6    | 250            | 1.15              | 18               | 40  | 177    | 4               | 70   |
| 250 x 4.8    | 250            | 1.4               | 22               | 49  | 216    | 4               | 68   |
| 300 x 3.6    | 300            | 1.15              | 18               | 40  | 177    | 4               | 85   |
| 350 x 3.6    | 350            | 1.3               | 18               | 40  | 177    | 4               | 101  |
| 350 x 4.8    | 350            | 1.3               | 22               | 49  | 216    | 4               | 96   |
| 400 x 4.8    | 400            | 1.3               | 22               | 49  | 216    | 4               | 110  |
| 400 x 7.6    | 400            | 1.5               | 54               | 119 | 530    | 4               | 112  |
| 450 x 4.8    | 450            | 1.3               | 22               | 49  | 216    | 4               | 130  |
| 500 x 4.8    | 500            | 1.4               | 22               | 49  | 216    | 4               | 147  |
| 100 x 1.8    | 100            | 0.9               | 8                | 18  | 78     | 2               | 24   |
| 300 x 4.8    | 300            | 1.23              | 22               | 49  | 216    | 4               | 82   |

\* **Tolerance:** Length: 5.0 mm | Width: 0.5 mm | Thickness: 0.2 mm

### Features

Precision Cable ties are high mechanical strength and durable Self - locking mechanism easy to use, secure grip Tensile Strenth ranges from 78N to 530N Flame - retardant : UL94 V2/ROHS compliance.



Fire Retardant



Good Finish



Durable & Impact  
Resistant



Easy and Quick  
Installation

# CABLE TIES

HSN: 39173100



## CABLE TIES

| SR. NO. | PRODUCT CODE | SIZE      | STANDARD PACK |             | RATE |
|---------|--------------|-----------|---------------|-------------|------|
|         |              | OD (mm)   | Pc./Pack      | Pack/Carton | PC   |
| 543     | PCT 100 2.5  | 100 x 2.5 | 1000          | 100         | 0.25 |
| 544     | PCT 150 3.0  | 150 x 3.0 | 100           | 420         | 0.50 |
| 545     | PCT 150 3.6  | 150 x 3.6 | 100           | 300         | 0.75 |
| 546     | PCT 200 3.6  | 200 x 3.6 | 100           | 250         | 0.75 |
| 547     | PCT 200 4.8  | 200 x 4.8 | 100           | 200         | 1.25 |
| 548     | PCT 250 3.6  | 250 x 3.6 | 100           | 200         | 1.00 |
| 549     | PCT 250 4.8  | 250 x 4.8 | 100           | 140         | 1.50 |
| 550     | PCT 300 3.6  | 300 x 3.6 | 100           | 190         | 1.25 |
| 551     | PCT 350 3.6  | 350 x 3.6 | 100           | 150         | 1.50 |
| 552     | PCT 350 4.8  | 350 x 4.8 | 100           | 100         | 2.00 |
| 553     | PCT 400 4.8  | 400 x 4.8 | 100           | 100         | 2.25 |
| 554     | PCT 400 7.6  | 400 x 7.6 | 100           | 50          | 4.50 |
| 555     | PCT 450 4.8  | 450 x 4.8 | 100           | 90          | 2.75 |
| 556     | PCT 500 4.8  | 500 x 4.8 | 100           | 60          | 3.25 |
| 557     | PCT 100 1.8  | 100 x 1.8 | 1000          | 120         | 0.25 |
| 558     | PCT 1002.5 1 | 100 x 2.5 | 100           | 600         | 0.25 |
| 559     | PCT 1001.8 1 | 100 x 1.8 | 100           | 800         | 0.25 |
| 560     | PCT 300 4.8  | 300 x 4.8 | 100           | 120         | 1.75 |



(Black / White)



electrical@precisionpipes.com  
www.precisionpipes.com

---

We Care +91 77150 00015

---

**PRECISION PLASTIC INDUSTRIES PVT. LTD.**

19/D, Nand Jyot Industrial Estate, Safed Pool, Andheri - Kurla Road,  
Andheri East, Mumbai 400 072, Maharashtra, India.